

vi editor.

Input mode Commands

Commands	Function
i	Inserts text to left of cursor
I	Inserts text at beginning of cursor
a	Appends text to right of cursor
A	Appends text at end of line
o	Opens line below
O	Opens line above
rch	Replaces single character under cursor with character
R	Replaces text from cursor to right
s	Replaces single character under cursor with any number of characters
S	Replaces entire line

Paging Functions

Command	Function
<control-f>	Scrolls full page forward
<control-b>	Scrolls full page backward
<control-d>	Scrolls half page downwards
<control-u>	Scrolls half page upwards
<control-l>	Redraws page screen

Cursor Movement Commands

Command	Function
H or backspace	Moves cursor left
j	Moves cursor down
k	Moves cursor up
l	Moves cursor right
\$	Moves cursor to end of line
b	Moves cursor back to beginning of word
e	Moves cursor forward to end of word
w	Moves cursor forward to beginning of word
^	Moves cursor to beginning of first word of line
0 or I	Moves cursor to beginning of line

Commands for Deletion, changing and Yanking

Command	Function
D\$ or D	Deletes from cursor to end of line
5dd	Deletes five lines
d30G	Deletes from cursor up to line number 30
co	Changes from cursor to beginning of line
c\$ or C	Changes from cursor to end of line
3cw or c3w	Changes three words
cc	Changes current line
cG	Changes from cursor to end of line
y\$ or Y	Yanks from cursor to end of file
3yw or y3w	Yanks three words from cursor position
5yy	Yanks five lines

Yanking (copying text) using yy

yy command yanks a copy of current line into a buffer

P command puts line in buffer after cursor

p command puts line in buffer before cursor

“regYY yanks a line into buffer register **reg**.

n”regYY yanks n lines into buffer register **reg**.

“regP puts the contents of register **reg** after cursor.

Colon Mode Commands

Saving text and quitting vi

Commands	Actions
:w	Saves files and remains in editing mode
:x	Saves files and quits editing mode
:wq	Saves files and quits editing mode
:q	Quits editing mode when no changes are made to file
:sh	Escape to the unix shell

Set options used by vi in colon mode / ex mode

Option	Abbreviation	Significance
Autoindent	ai	Next line starts at the previous indented
Ignorecase	ic	Ignore case while searching for patterns
Magic	magic	Treats the characters of the regular expression set special while searching for patterns
Number	nu	Displays line number on screen
Showmode	showmode	Displays current mode
Showmatch	sm	Shows a momentarily the match to a) and}
Tabstop	ts	Sets tab for display
wrapscan	ws	Counting pattern search by moving to the other end of a file

a. Abbreviations using abbr command :

The abbr command is used to expand short strings to long words.

The abbr command in the colon mode maps the first argument to the following string.

For example :

:abbr **GPA Government Polytechnic Amravati**

This indicates that when you enter the word BVP followed by a key which is neither alphanumeric nor the underscore character, the words “**Bhaushaheb Vartak Polytechnic Government Polytechnic Amravati**” would be substituted in place of the string.

b. map command :

Map command is colon mode command used to assign undefined keys or reassign defined ones so that when such a key is pressed, it expands it to a command sequence. It is particularly useful to convert a sequence of keystrokes into a macro. In the ex mode (: mode), the map command is followed by the key which needs mapping and the key sequence which is mapped.