In [21]:
```
import pandas as pd
import seaborn as sns
import numpy as np
import matplotlib.pyplot as plt
```

In [25]:
```
df= pd.read_csv("C:\\Users\\naman\\Downloads\\creditcard.csv")
```

In [26]:
```
df.head(10)
```

Out[26]:

	Time	V1	V2	V3	V4	V5	V6	V7	V8	
0	0.0	-1.359807	-0.072781	2.536347	1.378155	-0.338321	0.462388	0.239599	0.098698	0.363
1	0.0	1.191857	0.266151	0.166480	0.448154	0.060018	-0.082361	-0.078803	0.085102	-0.255
2	1.0	-1.358354	-1.340163	1.773209	0.379780	-0.503198	1.800499	0.791461	0.247676	-1.514
3	1.0	-0.966272	-0.185226	1.792993	-0.863291	-0.010309	1.247203	0.237609	0.377436	-1.387
4	2.0	-1.158233	0.877737	1.548718	0.403034	-0.407193	0.095921	0.592941	-0.270533	0.817
5	2.0	-0.425966	0.960523	1.141109	-0.168252	0.420987	-0.029728	0.476201	0.260314	-0.568
6	4.0	1.229658	0.141004	0.045371	1.202613	0.191881	0.272708	-0.005159	0.081213	0.464
7	7.0	-0.644269	1.417964	1.074380	-0.492199	0.948934	0.428118	1.120631	-3.807864	0.615
8	7.0	-0.894286	0.286157	-0.113192	-0.271526	2.669599	3.721818	0.370145	0.851084	-0.392
9	9.0	-0.338262	1.119593	1.044367	-0.222187	0.499361	-0.246761	0.651583	0.069539	-0.736

10 rows × 31 columns

In [29]:
```
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 284807 entries, 0 to 284806
Data columns (total 31 columns):
 #   Column  Non-Null Count   Dtype  
---  ------  --------------   -----  
 0   Time    284807 non-null  float64
 1   V1      284807 non-null  float64
 2   V2      284807 non-null  float64
 3   V3      284807 non-null  float64
 4   V4      284807 non-null  float64
 5   V5      284807 non-null  float64
 6   V6      284807 non-null  float64
 7   V7      284807 non-null  float64
 8   V8      284807 non-null  float64
 9   V9      284807 non-null  float64
 10  V10     284807 non-null  float64
 11  V11     284807 non-null  float64
 12  V12     284807 non-null  float64
 13  V13     284807 non-null  float64
 14  V14     284807 non-null  float64
 15  V15     284807 non-null  float64
 16  V16     284807 non-null  float64
```

```
 17  V17     284807 non-null  float64
 18  V18     284807 non-null  float64
 19  V19     284807 non-null  float64
 20  V20     284807 non-null  float64
 21  V21     284807 non-null  float64
 22  V22     284807 non-null  float64
 23  V23     284807 non-null  float64
 24  V24     284807 non-null  float64
 25  V25     284807 non-null  float64
 26  V26     284807 non-null  float64
 27  V27     284807 non-null  float64
 28  V28     284807 non-null  float64
 29  Amount  284807 non-null  float64
 30  Class   284807 non-null  int64
dtypes: float64(30), int64(1)
memory usage: 67.4 MB
```

In [30]:

```
df.describe()
```

Out[30]:

	Time	V1	V2	V3	V4	V5	
count	284807.000000	2.848070e+05	2.848070e+05	2.848070e+05	2.848070e+05	2.848070e+05	2
mean	94813.859575	3.918649e-15	5.682686e-16	-8.761736e-15	2.811118e-15	-1.552103e-15	2
std	47488.145955	1.958696e+00	1.651309e+00	1.516255e+00	1.415869e+00	1.380247e+00	1
min	0.000000	-5.640751e+01	-7.271573e+01	-4.832559e+01	-5.683171e+00	-1.137433e+02	-2
25%	54201.500000	-9.203734e-01	-5.985499e-01	-8.903648e-01	-8.486401e-01	-6.915971e-01	-7
50%	84692.000000	1.810880e-02	6.548556e-02	1.798463e-01	-1.984653e-02	-5.433583e-02	-2
75%	139320.500000	1.315642e+00	8.037239e-01	1.027196e+00	7.433413e-01	6.119264e-01	3
max	172792.000000	2.454930e+00	2.205773e+01	9.382558e+00	1.687534e+01	3.480167e+01	7

8 rows × 31 columns

In [38]:

```
x = df.iloc[:,:30]
x
```

Out[38]:

	Time	V1	V2	V3	V4	V5	V6	V7	
0	0.0	-1.359807	-0.072781	2.536347	1.378155	-0.338321	0.462388	0.239599	0.098
1	0.0	1.191857	0.266151	0.166480	0.448154	0.060018	-0.082361	-0.078803	0.085
2	1.0	-1.358354	-1.340163	1.773209	0.379780	-0.503198	1.800499	0.791461	0.247
3	1.0	-0.966272	-0.185226	1.792993	-0.863291	-0.010309	1.247203	0.237609	0.377
4	2.0	-1.158233	0.877737	1.548718	0.403034	-0.407193	0.095921	0.592941	-0.270
...	...	...	...	...	...	...	...	...	...
284802	172786.0	-11.881118	10.071785	-9.834783	-2.066656	-5.364473	-2.606837	-4.918215	7.305
284803	172787.0	-0.732789	-0.055080	2.035030	-0.738589	0.868229	1.058415	0.024330	0.294
284804	172788.0	1.919565	-0.301254	-3.249640	-0.557828	2.630515	3.031260	-0.296827	0.708

	Time	V1	V2	V3	V4	V5	V6	V7	
284805	172788.0	-0.240440	0.530483	0.702510	0.689799	-0.377961	0.623708	-0.686180	0.679
284806	172792.0	-0.533413	-0.189733	0.703337	-0.506271	-0.012546	-0.649617	1.577006	-0.414

In [43]:
```
y= df.iloc[:,30].values
y
```

Out[43]:
```
array([0, 0, 0, ..., 0, 0, 0], dtype=int64)
```

In [67]:
```
from sklearn.linear_model import LogisticRegression
from sklearn.model_selection import train_test_split
from sklearn import metrics
```

In [45]:
```
classifier = LogisticRegression()
```

In [83]:
```
x_train, x_test, y_train, y_test = train_test_split(x,y,train_size=0.6,random_
```

In [84]:
```
print(x_train.shape,y_train.shape)
```

```
(170884, 30) (170884,)
```

In [85]:
```
classifier.max_iter=227845
classifier.max_iter
```

Out[85]:
```
227845
```

In [86]:
```
classifier.fit(x_train,y_train)
```

Out[86]:
```
LogisticRegression(max_iter=227845)
```

In [87]:
```
y_pred = classifier.predict(x_test)
```

In [88]:
```
y_pred
```

Out[88]:
```
array([0, 0, 0, ..., 0, 0, 0], dtype=int64)
```

In [89]:
```
print(metrics.classification_report(y_test,y_pred))
```

```
              precision    recall  f1-score   support

           0       1.00      1.00      1.00    113724
           1       0.87      0.59      0.70       199

    accuracy                           1.00    113923
   macro avg       0.93      0.80      0.85    113923
```

```
weighted avg       1.00      1.00      1.00    113923
```

In [82]:
```
print(metrics.confusion_matrix(y_test,y_pred))
```

```
[[56852     9]
 [   44    57]]
```

In [ ]:
```

```