

JavaScript — Arrays & Objects

Practice Questions • Basic to Basic++

Topics covered: creating and accessing arrays, updating values, loops with arrays, basic array operations, objects, accessing/updating object properties, nested objects, and arrays of objects.

Level 1 — Arrays

1. Create an array containing the names of 5 fruits and print the complete array.
2. Create an array of 5 numbers and print the first element.
3. Create an array of 5 numbers and print the last element.
4. Given **let numbers = [10, 20, 30, 40, 50]**, print the value at index 2.
5. Given an array of 5 colors, change the second color to **"black"** and print the array.
6. Create an array of 5 numbers. Print every element using a **for** loop.
7. Create an array of 5 numbers. Print every element using a **while** loop.
8. Given **let numbers = [10, 15, 20, 25, 30]**, print only the numbers greater than 20 using a loop.
9. Given **let numbers = [2, 4, 6, 8, 10]**, calculate and print the sum of all elements using a loop.
10. Given **let numbers = [5, 10, 15, 20]**, calculate and print the average.
11. Given **let numbers = [10, 20, 30, 40, 50]**, count how many numbers are greater than 25.
12. Create an array of 5 numbers and find the largest number using a loop.
13. Create an array of 5 numbers and find the smallest number using a loop.
14. Given **let numbers = [10, 20, 30, 40]**, print the elements in reverse order using a loop.
15. Create an array of names and search for a particular name using a loop. Print whether the name was found or not.

Level 2 — Arrays

16. Given **let numbers = [12, 7, 25, 3, 18]**, print the largest and smallest numbers.
17. Given an array of numbers, count how many numbers are even and how many are odd.
18. Given an array of numbers, calculate the sum of only the even numbers.
19. Given an array of numbers, create a new array containing the same elements in reverse order using a loop.
20. Given an array of names, print the names whose length is greater than 5 characters.
21. Given **let numbers = [10, 20, 10, 30, 10, 40]**, count how many times 10 appears.
22. Given an array of numbers, check whether the array contains any negative number.
23. Given an array of numbers, print the second-largest number using loops and basic variables.
24. Given two arrays of numbers, combine their elements into a new array using loops.
25. Given an array of numbers, remove one element at a specific index using a basic array operation and print the result.

Level 1 — Objects

1. Create an object representing a student with properties **name**, **age**, and **course**. Print the object.
2. Create an object representing a car with properties **brand**, **model**, and **year**. Print the brand.
3. Given `let student = { name: "Rahul", age: 20, course: "JavaScript" }`, print the student's name and age.
4. Given a person object, change the value of the **age** property and print the updated object.
5. Add a new **city** property to an existing person object and print the object.
6. Create an object for a product with **name**, **price**, and **quantity**. Calculate the total value using $\text{price} \times \text{quantity}$.
7. Create an object representing a book with **title**, **author**, and **pages**. Print each property separately.
8. Given an employee object, use a loop to print all its property values.
9. Given an object containing marks for three subjects, calculate the total marks.
10. Given an object containing marks for three subjects, calculate the average marks.
11. Create a nested object representing a student with a **name** and an **address** object containing **city** and **pincode**. Print the city.
12. Given a user object with a **name** and **address**, update the address city and print the updated object.

Level 2 — Objects & Arrays of Objects

1. Create an array containing 3 student objects. Each student should have **name** and **age**. Print the complete array.
2. Given an array of student objects, print the name of every student using a loop.
3. Given an array of product objects containing **name** and **price**, print the names of products whose price is greater than 1000.
4. Given an array of student objects containing **name** and **marks**, calculate the average marks of all students.
5. Given an array of employee objects containing **name** and **salary**, find the employee with the highest salary using a loop.
6. Given an array of product objects, calculate the total price of all products.
7. Given an array of student objects, count how many students have marks greater than or equal to 50.
8. Create an array of 5 objects representing books. Each book should have **title**, **author**, and **pages**. Print the title of each book.
9. Given an array of users, search for a user by name using a loop. Print the complete user object if found.
10. Create an object containing a **name** and an array called **hobbies**. Print the user's name and each hobby using a loop.
11. Create an object representing a shopping cart. It should contain an array of product objects. Print each product's name and price.
12. Given a shopping cart containing product objects with **price** and **quantity**, calculate the total cart value using loops.

Note: These questions intentionally avoid advanced array methods such as `map()`, `filter()`, `reduce()`, `forEach()`, `find()`, `some()`, `every()`, and other higher-order array concepts. Focus on arrays, objects, indexing, properties, conditionals, and basic loops.