Lab Manual 2

1. **How do you create the ‘University_YourName’ table?**

   QUERY

```
CREATE DATABASE University_Naman;
USE University_Naman;

CREATE TABLE University_Naman (
    UniversityID INT PRIMARY KEY,
    UniversityName VARCHAR(100),
    Location VARCHAR(100),
    EstablishedYear INT,
    ChancellorName VARCHAR(100)
);
```

2. **Add a new column ‘Ranking’**

   QUERY

```
ALTER TABLE University_Naman
ADD Ranking INT;
```

3. **Modify ‘EstablishedYear’ to allow NULL**

   QUERY

```
ALTER TABLE University_Naman
MODIFY EstablishedYear INT NULL;
```

4. **Rename ‘Location’ to ‘City’**

   QUERY

```
ALTER TABLE University_Naman
CHANGE Location City VARCHAR(100);
```

5. **Remove ‘ChancellorName’ column**

QUERY

```
ALTER TABLE University_Naman
DROP COLUMN ChancellorName;
```

6. **Insert a new university record**

QUERY

```
INSERT INTO University_Naman
(UniversityID, UniversityName, City, EstablishedYear, ChancellorName,
Ranking)
VALUES
(1, 'Delhi University', 'Delhi', 1922, 'Dr. Kumar', 1);
```

7. **Update ChancellorName for UniversityID = 1**

QUERY

```
UPDATE University_Naman
SET ChancellorName = 'Dr. Sharma'
WHERE UniversityID = 1;
```

8. **Delete university with UniversityID = 1**

QUERY

```
DELETE FROM University_Naman
WHERE UniversityID = 1;
```

9. **Retrieve universities in Haryana**

QUERY

```
SELECT *
```

```
FROM University_Naman
WHERE City = 'Haryana';
```

10. Retrieve universities established after 2000

QUERY

```
SELECT *
FROM University_Naman
WHERE EstablishedYear > 2000;
```