

PromptVault

Onboarding Guide — From Zero to Live in 15 Minutes

 **Estimated time:** 15 minutes. You'll need a Supabase account, a Stripe account, and a Vercel account. All three have free tiers.

Step 1 — Create a Supabase Project

1. Go to **supabase.com** and sign up or log in
2. Click **New project**
3. Enter a name (e.g. "promptvault")
4. Set a strong database password and **save it**
5. Choose a region close to your target audience
6. Click **Create new project** and wait ~2 minutes for provisioning

Step 2 — Run the Database Schema

Open the Supabase project you just created. In the left sidebar, click **SQL Editor**, then click **New query**. Open the file `SEED.md` from the PromptVault codebase, copy the SQL between the **Database Tables** and **Storage Setup** sections, paste it into the editor, and click **Run**.

This creates all 6 tables with proper foreign keys, uniqueness constraints, and Row Level Security policies.

Set up Storage

1. In the left sidebar, click **Storage**
2. Click **New bucket**, name it `proof-images`, set it to **Public**
3. Run the storage policies from SEED.md (under "Storage Setup") in the SQL Editor

Set up Auth

1. Go to **Authentication** → **Providers**
2. Enable **Email/Password** (should be on by default)
3. Optionally enable **Google**:
 - Create OAuth credentials in **console.cloud.google.com**
 - Set the redirect URI to `https://[your-project].supabase.co/auth/v1/callback`
 - Copy Client ID and Secret into Supabase

Copy Your API Keys

Go to **Project Settings** → **API**. You'll need these 3 values:

Variable	Value Location
NEXT_PUBLIC_SUPABASE_URL	"Project URL" at the top
NEXT_PUBLIC_SUPABASE_ANON_KEY	"anon public" key
SUPABASE_SERVICE_ROLE_KEY	"service_role" key (keep secret!)

Step 3 — Create a Stripe Account

1. Go to **dashboard.stripe.com** and sign up or log in
2. You'll start in **Test mode** — this is fine for development
3. Go to **Developers** → **API keys**
4. Copy the **Publishable key** (`pk_test_ ...`)
5. Copy the **Secret key** (`sk_test_ ...`)

Set up the Webhook

1. Go to **Developers** → **Webhooks**
2. Click **Add endpoint**
3. Endpoint URL: `https://your-domain.vercel.app/api/stripe/webhook`
(You'll update this after deploying; for now use a placeholder)
4. Click **Select events**, search for `checkout.session.completed`, select it
5. Click **Add endpoint**
6. Reveal and copy the **Signing secret** (`whsec_ ...`)

Variable	Value
NEXT_PUBLIC_STRIPE_PUBLISHABLE_KEY	pk_test_ ...
STRIPE_SECRET_KEY	sk_test_ ...
STRIPE_WEBHOOK_SECRET	whsec_ ...

💡 **Live mode:** When you're ready to accept real payments, activate your Stripe account and switch to live keys (`pk_live_ ...` , `sk_live_ ...`). Create a new webhook endpoint pointing at your production domain.

Step 4 — Deploy to Vercel

Push the code to GitHub

```
git remote set-url origin https://github.com/your-username/promptvault.git
```

```
git push -u origin main
```

Import into Vercel

1. Go to **vercel.com** and click **Add New → Project**
2. Import your PromptVault repository
3. Framework preset: **Next.js** (auto-detected)
4. Build command: `npm run build` (auto-detected)
5. Click **Deploy** — the first build will fail because env vars are missing, that's expected

Step 5 — Add Environment Variables

In your Vercel project dashboard, go to **Settings → Environment Variables** and add all of these:

Variable	Your Value
NEXT_PUBLIC_SUPABASE_URL	<code>https://xxxx.supabase.co</code>
NEXT_PUBLIC_SUPABASE_ANON_KEY	<code>your-anon-key</code>
SUPABASE_SERVICE_ROLE_KEY	<code>your-service-role-key</code>
NEXT_PUBLIC_STRIPE_PUBLISHABLE_KEY	<code>pk_test_ ...</code>
STRIPE_SECRET_KEY	<code>sk_test_ ...</code>
STRIPE_WEBHOOK_SECRET	<code>whsec_ ...</code>
NEXT_PUBLIC_SITE_URL	<code>https://your-project.vercel.app</code>
ADMIN_EMAILS	<code>you@example.com</code>

After adding all variables, go to the **Deployments** tab, find the failed deployment, click the three dots, and select **Redeploy**.

Step 6 — Update the Stripe Webhook URL

Now that you have a live URL (`https://your-project.vercel.app`):

1. Go back to **Stripe Dashboard** → **Developers** → **Webhooks**
2. Click on your webhook endpoint
3. Update the URL to `https://your-project.vercel.app/api/stripe/webhook`
4. Click **Update endpoint**

Step 7 — Seed Sample Data (Optional)

To populate the site with demo prompts so it doesn't look empty:

1. Make sure your `.env.local` has real Supabase keys
2. Run the seed script:

```
node scripts/seed.mjs
```

This creates 2 demo user accounts and 6 sample prompts with realistic proof-of-outcome stories. You'll see the login credentials printed at the end.

⚠ Important: The seed script uses `SUPABASE_SERVICE_ROLE_KEY` from your `.env.local`. Make sure it's set before running.

Step 8 — Verify Everything Works

- ☐ Visit your Vercel URL — homepage loads with categories
- ☐ Create an account (email/password and Google OAuth)
- ☐ Browse prompts — filters, search, and pagination work
- ☐ Open a prompt detail page — vote and bookmark buttons work
- ☐ Submit a prompt (if seeded, log in as a demo user)
- ☐ Test premium purchase with Stripe test card: `4242 4242 4242 4242`

- ❑ Check /sitemap.xml and /robots.txt are accessible
- ❑ Log in as admin (the email you put in ADMIN_EMAILS)
- ❑ Visit /admin — approve/reject prompts from the dashboard

Quick Reference

What	Where
Supabase Dashboard	<code>supabase.com</code> → your project
Stripe Dashboard	<code>dashboard.stripe.com</code>
Vercel Dashboard	<code>vercel.com</code> → your project
Seed data	<code>node scripts/seed.mjs</code>
Tables SQL	SEED.md (SQL Editor in Supabase)
Local dev	<code>npm run dev</code> → <code>http://localhost:3000</code>

PromptVault — Onboarding Guide

For support, refer to the README.md or open an issue on GitHub.