




A ■ P ■ U

**ASIA PACIFIC UNIVERSITY
OF TECHNOLOGY & INNOVATION**

GROUP ASSIGNMENT

**AAPP009-4-2-WDT
WEB DEVELOPMENT**

HAND OUT DATE :

HAND IN DATE :

LECTURER : MR. MOHAMMAD FIRDAUS BIN CHE ABDUL RANI

STUDENT NAME	STUDENT ID
MR. ABDUL RAUF BIN ABDUL MAJEED	TP070735
MR. KHAILLASH A/L SASHITHARAN	TP070452
MR. ADAM JEROME JOSEPH	TP071194
MR. HEMANTHRAJAH A/L N KRISHNARAJAH	TP070844
MRS. ANUSHA DEVY A/P BRAHMATARAN	TP071154

Table of Contents

1.0 – Introduction / Project Plan	4
2.0 – Design	6
2.1 – Entity Relationship Diagram.....	6
2.2 – Data Dictionary	7
2.3 – Wireframes	11
2.4 – Web Navigational Structure	22
3.0 – Implementation	23
3.1 – User Functionalities	23
3.1.1 – Registering the user.....	23
3.1.2 – Sign In.....	25
3.1.3 – Forget Password Validation.....	27
3.1.4 – Change Password	29
3.1.5 – Send Feedback	31
3.2 – Senior	32
3.2.1 – Send Request.....	32
3.2.2 – Update Status	34
3.3 – Volunteer	36
3.3.1 – Accept request.....	36
3.3.2 – View Status	38
4.0 – User Guidance.....	40
4.1 General.....	40
4.1.1 Main Page	40
4.1.2 About Us	40
4.1.3 Contact Us.....	41
4.1.4 Login Page	41
4.1.5 Sign Up Page.....	42
4.1.6 Forgot Password Page.....	43
4.1.7 Change Password Page	44
4.2 Senior	45
4.2.1 Senior Login Page.....	45
4.2.2 Senior Homepage.....	46
4.2.3 Senior Request Page.....	46
4.2.4 Senior Status	47
4.2.5 Senior Logout.....	48
4.3 Volunteer	49

4.3.1 Volunteer Sign In.....	49
4.3.2 Volunteer Homepage.....	50
4.3.3 Volunteer Request	50
4.3.4 Volunteer Status	51
4.3.5 Volunteer Logout.....	51
5.0 - Conclusion.....	53
References.....	54
Workload Matrix	55

1.0 – Introduction / Project Plan

Title of the Web Application:

SeniorConnect: A web app connecting compassionate volunteers with elderly individuals in need of assistance. SeniorConnect facilitates a supportive community where users can offer help, share experiences, and enhance the well-being of seniors.

Objectives of the Project:

Objective 1: Seamless Connection Between Volunteers and Seniors

- Ensure a user-friendly interface catering to both volunteers and seniors, considering varying levels of technological proficiency.
- Develop a secure user registration system with detailed profiles to capture information such as skills, availability, and preferences.

Objective 2: Efficient Communication and Task Management

- Implement a task management system enabling volunteers and seniors to organize, track, and prioritize assistance tasks.
- Incorporate features for setting task deadlines, reminders, and feedback mechanisms.

The following is a full list of specifications of the end-user:

Volunteer

1. Sign in and Sign out
2. Register as new Volunteer
3. Accept request sent by seniors
4. View the status of the tasks being sent

Seniors

1. Sign in and Sign out
2. Register as new Senior
3. Able to send request based on assistance required to volunteers
4. Able to view and update the status of the task

There are many major features implemented in this project such as:

1. Monitor Status
2. Accept Request
3. Send Request
4. Update Request

2.0 – Design

2.1 – Entity Relationship Diagram




Figure 1 : Entity Relationship Diagram of the Website Database

2.2 – Data Dictionary

USER

ATTRIBUTE NAME	CONTENT	TYPE	FORMAT	NULL	PK/ FK	FK REFERENCED TABLE
User_ID	Uniquely identifies each user	Integer (255)		Not Null	PK	
IC_Number	IC number of user	Varchar (12)		Not Null		
Email	Email address of user	Varchar (255)		Not Null		
First_Name	First Name of User	Varchar (255)		Not Null		
Last_Name	Last Name of user	Varchar (255)		Not Null		
Password	Password of user	Varchar (255)		Not Null		
Address	To identify where user is staying	Varchar (255)		Not Null		
Phone_Number	Phone Number of user	Varchar (11)		Not Null		
Role	Identify users role	Varchar (50)		Not Null		

VOLUNTEER

ATTRIBUTE NAME	CONTENT	TYPE	FORMAT	NULL	PK/ FK	FK REFERENCED TABLE
Volunteer_ID	Uniquely identifies each volunteer	Integer (255)		Not Null	PK	
IC_Number	IC number of user	Varchar (12)		Not Null	FK	USER

SENIOR

ATTRIBUTE NAME	CONTENT	TYPE	FORMAT	NULL	PK/ FK	FK REFERENCED TABLE
Senior_ID	Uniquely identifies each senior	Integer (255)		Not Null	PK	
IC_Number	IC number of user	Varchar (12)		Not Null	FK	USER

REQUEST

ATTRIBUTE NAME	CONTENT	TYPE	FORMAT	NULL	PK/ FK	FK REFERENCED TABLE
Request_ID	Uniquely identifies each request	Integer (255)		Not Null	PK	
Senior_ID	Uniquely identifies each senior	Integer (255)		Not Null	FK	SENIOR
Date	Identifies the date senior request	Date		Not Null		
Time	Identifies the time senior request	Time		Not Null		
Priority	The importance of task	Int (5)		Not Null		
Location	Identifies the location senior request	Varchar (255)		Not Null		
Assistance	Identifies the task senior request	Varchar (255)		Not Null		
Name	The First and Last name of senior	Varchar (255)		Not Null		

CONTACT_US

ATTRIBUTE NAME	CONTENT	TYPE	FORMAT	NULL	PK/ FK	FK REFERENCED TABLE
Contact_ID	Uniquely identifies each feedback	Integer (255) Nvarchar50		Not Null	PK	
IC_Number	IC number of user	Varchar (12)		Not Null	FK	USER
Email	Email address of user	Varchar (255)		Not Null		
Phone_Number	Phone number of user	Varchar (255)		Not Null		
Feedback	The feedback user gives	Longtext		Not Null		

STATUS


ATTRIBUTE NAME	CONTENT	TYPE	FORMAT	NULL	PK/ FK	FK REFERENCED TABLE
Status_ID	Uniquely identifies each status	Integer (255)		Not Null	PK	
Volunteer_ID	Uniquely identifies each volunteer	Integer (255)		Not Null	FK	VOLUNTEER
Senior_ID	Uniquely identifies each senior	Integer (255)		Not Null	FK	SENIOR
Location	Identifies the location senior request	Varchar (255)		Not Null		
Assistance	Identifies the task senior request	Varchar (255)		Not Null		
Date	Identifies the date senior request	Date		Not Null		

Time	Identifies the time senior request	Time		Not Null		
Volunteer_Name	The First and Last name of volunteer	Varchar (255)		Not Null		
Senior_Name	The First and Last name of senior	Varchar (255)		Not Null		
Status	The status whether pending or completed	Varchar (255)		Not Null		

2.3 – Wireframes




Screen Name	Home Page
User(s)	Registered Users, Unregistered Users
Description	Users can view the homepage



Screen Name	About Us Page
User(s)	Registered Users, Unregistered Users
Description	Users can view the about us page

SeniorConnect
HOME
REQUEST
STATUS
ABOUT US
CONTACT US
SIGN OUT

Feel Free To Contact Us



Lorem ipsum dolor sit amet et delectus accommodare his consul copiosae legendos at vix ad putent delectus delicata usu. Vidit dissentiet eos cu eum an brute copiosae hendrerit. Eos erant dolorum an. Per facer affert ut. Mei iisque mentitum moderatius cu. Sit munere facilis accusam eu dicat falli consulatu at vis. Te facilisis mnesarchum qui posse omnium

Tell us how we can improve

Email

Phone Number

Feedback


Submit

SeniorConnect

HOME
REQUEST
STATUS
ABOUT US
CONTACT US


2024 Senior Connect. All rights reserved.

Screen Name	Contact Us Page
User(s)	Registered Users, Unregistered Users
Description	Users can contact the company



The image shows a web browser window with a sign-in page for 'SeniorConnect'. The page has a light gray background. At the top, the 'SeniorConnect' logo is displayed in a bold, sans-serif font, with 'Senior' in black and 'Connect' in red. Below the logo, there are two input fields. The first is labeled 'Email' with an envelope icon and contains the placeholder text 'Email Address'. The second is labeled 'Password' with a lock icon and contains the placeholder text 'Password'. To the right of the password field is a link that says 'Forgot?'. Below the input fields is a dark gray button with the text 'SIGN IN' in white. At the bottom, there is a link that says 'Haven't joined us yet? Sign Up'.


Screen Name	Sign In Page
User(s)	Registered Users
Description	Registered Users can log in to the website with their login credentials.



The image shows a web form titled "Sign Up to SeniorConnect". The form is designed for user registration and includes the following fields and elements:

- Title:** "Sign Up to SeniorConnect" (with "Senior" in black and "Connect" in red).
- First Name:** Input field with a person icon.
- Last Name:** Input field with a person icon.
- Tel:** Input field with a phone icon and a "+60 |" prefix.
- Email:** Input field with an envelope icon.
- Address:** Input field with a location pin icon.
- IC Number:** Input field with a fingerprint icon.
- Password:** Input field with a lock icon and a toggle for visibility.
- Confirm Password:** Input field with a lock icon and a toggle for visibility.
- Registration Type:** Radio buttons for "Volunteer" (checked) and "Senior".
- Submit Button:** A dark grey button labeled "SIGN UP".

Screen Name	Sign Up Page
User(s)	Unregistered Users
Description	Unregistered Users can fill in their data to sign up as a user.



Forgot Password?

Please enter your Identification Card (IC) number and your email address used to sign up for verification purposes. We greatly appreciate your cooperation.

 **IC Number**


Identification Card Number

 **Email**

Email Address

VERIFY

Screen Name	Forgot Password Page
User(s)	Registered Users
Description	Registered Users are required to identify themselves to reset password.



The screenshot shows a web browser window with a 'Forgot Password?' form. The form has a title 'Forgot Password?' and a message: 'We have verified your account. Please enter your new password and confirm your password.' Below the message are two password input fields. The first field is labeled 'New Password' and the second is labeled 'Confirm Password'. Both fields have a lock icon on the left and an eye icon on the right. Below the input fields is a 'RESET' button.

Forgot Password?

We have verified your account. Please enter your new password and confirm your password.

 **New Password**

 **Confirm Password**

RESET

Screen Name	Change Password Page
User(s)	Registered Users
Description	Registered users can change their password to a new one.

SeniorConnect

HOMEREQUESTSTATUSABOUT USCONTACT USSIGN OUT

Name:

Date:

Assistance:

Time:

Location:

Priority:

Accept Request

Name:

Date:

Assistance:

Time:

Location:

Priority:

Accept Request

Name:

Date:

Assistance:

Time:

Location:

Priority:

Accept Request

SeniorConnect

HOMEREQUESTSTATUSABOUT USCONTACT US

2024 Senior Connect. All rights reserved.

Screen Name	Request Page
User(s)	Volunteers
Description	Volunteers can view and accept request, requested by seniors

SeniorConnect HOMEREQUESTSTATUSABOUT USCONTACT US(Volunteer)SIGN OUT				
Name	Details	Date / Time	Location	Completion
Volunteer A	Details	Date / Time	Location	Pending
Volunteer B	Details	Date / Time	Location	Pending
Volunteer C	Details	Date / Time	Location	Completed
SeniorConnect HOMEREQUESTSTATUSABOUT USCONTACT US 2024 Senior Connect. All rights reserved.				

Screen Name	Status Page
User(s)	Volunteers
Description	Volunteers can view their status for the activities

SeniorConnect
HOME
REQUEST
STATUS
ABOUT US
CONTACT US
(Senior)
SIGN OUT

Assistance Required

Date

Location

Time

Urgency

Send Request

SeniorConnect
HOME
REQUEST
STATUS
ABOUT US
CONTACT US
2024 Senior Connect. All rights reserved.


Screen Name	Request Page
User(s)	Seniors
Description	Seniors can send request by filling up the assistance required, date, location, time and the urgency

SeniorConnect HOMEREQUESTSTATUSABOUT USCONTACT US (Senior) SIGN OUT				
Name	Details	Date / Time	Location	Completion
Volunteer A	Details	Date / Time	Location	Pending
Volunteer B	Details	Date / Time	Location	Pending
Volunteer C	Details	Date / Time	Location	Completed
SeniorConnect HOMEREQUESTSTATUSABOUT USCONTACT US 2024 Senior Connect. All rights reserved.				


Screen Name	Status Page
User(s)	Seniors
Description	Seniors can view the completion status or edit them.

2.4 – Web Navigational Structure

SENIOR



VOLUNTEER



3.0 – Implementation

3.1 – User Functionalities

3.1.1 – Registering the user

```
<?php
if (isset($_POST['signupBtn'])) {
    include('conn.php');

    if ($_POST['password'] != $_POST['confirm_password']) {
        echo "<script>alert('Passwords do not match. Please try
again.');

```

Variable Name	Variable Function
---------------	-------------------

\$sql	To insert sql query based on their functions to database
\$con	To link connection to the database
myRole	The function that inserts user to their respective roles in database
\$_POST['signupBtn']	To collect values from the signup form

This code will check whether the user has filled up all the fields and clicks on the Sign-Up button. If all the fields are filled up, then the code will be connected to the database. This code will also check whether the password and confirm password matches. If it doesn't, an error message will appear indicating that the passwords do not match. If passwords match, it will add users details to the websites database. If the user is added successfully, it shows a successful sign-up message and redirects the user to the login page. The myRole function adds the user to their respective tables based on if their roles are senior or volunteer.

3.1.2 – Sign In

```

<?php
    session_start();
    include '../php/conn.php';
    if (isset($_POST['loginBtn'])) {
        $email = $_POST['email'];
        $password = $_POST['password'];

        $sql = "SELECT * FROM user WHERE Email = '$email' AND Password = '$password'";
        $result = mysqli_query($con, $sql);
        $row = mysqli_fetch_assoc($result);
        $rowcount = mysqli_num_rows($result);

        if ($rowcount == 1){
            $_SESSION["mySession"] = $row['ID'];

            if ($row['Role'] === 'Volunteer') {
                header("location: ../volunteerhome.php");
                exit();
            } elseif ($row['Role'] === 'Senior') {
                header("location: ../seniorhome.php");
                exit();}
            } else {
                echo "<script>alert('Email and Password does not match.');

```

Variable Name	Variable Function
\$_POST['loginBtn']	Store the value of login form
\$_SESSION['mySession']	Store id from user table as session
\$email	Store the \$_POST['email'] value
\$password	Store the \$_POST['password'] value
\$sql	To select sql query from the database
\$result	To perform the \$sql query
\$row	Fetches a result row from \$result
\$rowcount	Returns the number of rows

This PHP code is designed for user login functionality for the website. It starts with a session that includes a connection to the database. After submitting the login form which is identified by “loginBtn” parameter in the \$POST request., it will retrieve the email and password.

Email and password characters are then used to form SQL query which then selects a row from the user table where email and password match the given input. The `mysqli_query` function executes this query whereas `mysqli_fetch_assoc` will retrieve the resulting row. In addition to that, to count the number of rows returned by the query, `mysqli_num_rows` is used.

If one row is returned, which shows a successful login, the User ID is kept in “mySession”. The script redirects the user to respective homepage depending on the user role from the database which is either Volunteer or Senior. This is followed by `exit()` calls to make sure further script execution stops.

When there is no matching user found in database or many rows are returned, and error message is displayed, that lets the user know that the email and password does not match. Then, the user is redirected to login page to make sure they can retry login. Finally, the script closes the database connection.

To sum up, the script provides basic yet functional implementation of user authentication, session management and role-based redirection.

3.1.3 – Forget Password Validation

```

<?php
function myPassword() {
    if (isset($_POST["verifyBtn"])) {
        include('../php/conn.php');

        $IC = $_POST['IC'];
        $email = $_POST['email'];

        $sql = "SELECT * FROM user WHERE IC_Number = '$IC' AND Email = '$email'";
        $result = mysqli_query($con, $sql);

        if(mysqli_num_rows($result) > 0) {
            $row = mysqli_fetch_assoc($result);
            session_start();
            $_SESSION['ic'] = $row['IC_Number'];

            header("Location: ../userlogin/confirmpass.html");
            exit();
        } else {
            echo "<script>alert('IC and Email does not match.');

```

Variable Name	Variable Function
\$_POST['verifyBtn']	Store the value of Verification form
\$email	Store the \$_POST['email'] value
\$IC	Store the \$_POST['IC'] value
\$sql	To select sql query from user table in the database
\$result	To perform the \$sql query
\$row	Fetches a result row from \$result
\$_SESSION['ic']	To set session as \$row['IC_Number']

This PHP code snippet is defined as a function called “myPassword()”. This function verifies the IC number and the email of a user. Firstly, the code checks if the “verifyBtn” form field has already been submitted using the “isset” function. If the form has already been submitted it will include the database connection file which is “conn.php”.

The code then will retrieve the IC and email from the submitted form data. Later, it will construct an SQL query to select all columns from the “user” table where the “IC_Number” and “Email” matches the values which are submitted. The query will be executed and check if any rows are being returned using the “mysqli_num_rows”.

In case of a row being found, which means a user with the given “ID” and “Email” exists in the database the result are fetched and a new session is started using “session_start()”. Later it stores the user’s “IC_Number” in the session and will redirect the user to “confirmpass.html” by using the header function.

In case no row is found, it will display a Javascript alert to the user which indicates that the IC and Email does not match any row in the database. It will redirect the user to forgotpass.html and finally will close the database connection.

3.1.4 – Change Password

```

<?php
    session_start();

    if (isset($_POST['resetBtn'])) {
        include('../php/conn.php');

        $id = $_SESSION['ic'];
        $new_password = $_POST['newpass'];
        $confirm_new_password = $_POST['confirmpass'];

        echo "Session IC: ".$id;
        echo "New Password: ".$new_password;

        if ($new_password !== $confirm_new_password) {
            echo "<script>alert('Passwords do not match.');"
            window.location.href='../userlogin/confirmpass.html';</script>";
        } else {

            $sql = "UPDATE user SET Password = '$new_password' WHERE IC_Number = '$id'";
            $result = mysqli_query($con, $sql);

            if ($result) {
                echo "<script>alert('Password updated successfully.');"
                window.location.href='../userlogin/login.php';</script>";
            } else {
                echo "<script>alert('Failed to update password.');"
                window.location.href='../userlogin/confirmpass.html';</script>";
            }
        }

        mysqli_close($con);
    }
?>

```

Variable Name	Variable Function
\$_POST['resetBtn']	Store the value of reset password form
\$id	Store the \$_SESSION['ic']
\$new_password	Store the \$_POST['newpass'] value
\$confirm_new_password	Store the \$_POST['confirmpass'] value
\$sql	Update SQL query for user table in the database
\$result	To perform the \$sql query

This PHP code is designed to change password for users. It starts by starting a session to maintain user identity and also creates a connection with the database. Once the password reset

form is submitted, it retrieves the User ID from session and the new password from the form. The script will then verify the new password to make sure that it matches with the confirmation password. If there is a match, it will form a SQL query to update the password in the database. Once the update is successful, a success message is displayed and the user is redirected to login page whereas if the update fails, there will be an error message and user will be redirected back to password confirmation page to retry. Then, database connection is closed using `mysqli_close`.

3.1.5 – Send Feedback

```

<?php
include("../homepage/session.php");
if (isset($_POST['contactBtn'])) {
    include('../homepage/php/conn.php');

    $ic = "SELECT IC_Number FROM user WHERE ID=" . $_SESSION['mySession'];
    $icResult = mysqli_query($con, $ic);
    $icRow = mysqli_fetch_assoc($icResult);

    $sql = "INSERT INTO contact_us (Email, Phone_Number, Feedback, IC_Number)
    VALUES ('$_POST[email]', '$_POST[phone]', '$_POST[feedback]', '$_icRow[IC_Number]')";

    if (!mysqli_query($con, $sql)) {
        die('Error: ' . mysqli_error($con));
    } else {
        echo '<script>alert("Successfully Sent Feedback!");
        window.location.href = "seniorcontactus.php";
        </script>';
    }
    mysqli_close($con);
}
?>

```

Variable Name	Variable Function
\$_POST['contactBtn']	Store the values of contact form
\$ic	Select SQL query from user table in the database
\$icResult	To perform the query of \$ic
\$icRow	To fetch the rows of \$icResult
\$sql	To select SQL query from status table in the database

This PHP code is for the users to send feedback to the database of SeniorConnect. When a user clicks the 'contactBtn' button in the form, then it will start a new session and will include a file that connects to the database. Later, it fetches information such as user's IC (Identification Card) number from the database using the user's ID which was stored in the previous session. The SQL query is executed to insert the user's feedback, email, and phone number into the 'contact_us' table in the database with the user's IC number. A success message is displayed if the SQL query is successful. Then, it redirects the user to the 'seniorcontactus.php' page. If the query fails, it displays an error message. Finally, the database connection is ended using `mysqli_close()` function.

3.2 – Senior

3.2.1 – Send Request

```

<?php
session_start();
if (isset($_POST['reqBtn'])) {
    include('../php/conn.php');

    if (!$con) {
        die('Connection failed: ' . mysqli_connect_error());
    }

    $sqli = "SELECT * FROM user WHERE ID =" . intval($_SESSION['mySession']);
    $result = mysqli_query($con, $sqli);

    if(mysqli_num_rows($result) > 0) {
        $row = mysqli_fetch_assoc($result);
        $_SESSION['ic'] = $row['IC_Number'];

        $id = "SELECT Senior_ID FROM senior WHERE IC_Number=" .
mysqli_real_escape_string($con, $_SESSION["ic"]) . "";
        $name = "SELECT First_Name, Last_Name FROM user WHERE ID=" .
intval($_SESSION["mySession"]);
        $idResult = mysqli_query($con, $id);
        $nameResult = mysqli_query($con, $name);
        $idRow = mysqli_fetch_array($idResult);
        $nameRow = mysqli_fetch_array($nameResult);

        $sql = "INSERT INTO senior_req (Assistance, Location, Date, Time, Priority, Senior_ID, Name)
VALUES
('" . mysqli_real_escape_string($con, $_POST['assistance']) . '",
'" . mysqli_real_escape_string($con, $_POST['location']) . '",
'" . mysqli_real_escape_string($con, $_POST['date']) . '",
'" . mysqli_real_escape_string($con, $_POST['time']) . '",
'" . mysqli_real_escape_string($con, $_POST['priority']) . '",
'" . intval($idRow['Senior_ID']) . '",
'" . mysqli_real_escape_string($con, $nameRow['First_Name']) . '" " .
mysqli_real_escape_string($con, $nameRow['Last_Name']) . "')";

        if (!mysqli_query($con, $sql)) {
            die('Error: ' . mysqli_error($con));
        } else {
            echo '<script>alert("Succesfully Sent Request!");
window.location.href = "../seniorrequest.php";
</script>';
        }
    } else {
        echo "<script>alert('Request was failed to
send');window.location.href='../seniorrequest.php';</script>";
    }
}
mysqli_close($con);
?>

```

Variable Name	Variable Function
\$_POST['reqBtn']	Store the value of request form
\$sqli	To select SQL query from user table in the database
\$result	To perform the query of \$sql
\$row	To fetch result row from \$result
\$_SESSION['ic']	To set session as \$row['IC_Number']
\$id	To select SQL query from senior table in the database
\$name	To select SQL query from senior table in the database
\$idResult	To perform the query of \$id
\$nameResult	To perform the query of \$name
\$idRow	To fetch result row of \$idResult
\$nameRow	To fetch result row of \$nameResult
\$sql	To insert SQL query into senior_req table in database

The PHP code above is for seniors to send request to volunteers for help. It starts by initiating a session and checks if the button called 'reqBtn' has been clicked. If it was clicked, it includes a file containing database connection details. Then, it will proceed to retrieve user data from the database's user table based on the session ID, executing additional queries to obtain the senior ID and the user's first and last names. The script later constructs an SQL query to add a new request into the 'senior_req' table, with details like the type of assistance, location, date, time, priority, senior ID, and user's first and last name. If success, a JavaScript message confirms the action, and the user is directed to a selected page. If any errors occur, error message will be displayed. Finally, the script closes the database connection. This PHP code effectively handles form submission, interacts with the database, and provides user feedback, ensuring the quality of functionality of the request submission feature on the website is top notch.

3.2.2 – Update Status

```

<?php
if(isset($_POST['pendingBtn'])) {
    include("conn.php");

    if (!$con) {
        die('Connection failed: ' . mysqli_connect_error());
    }

    $sql = "SELECT ID FROM status WHERE ID=" . $_POST['status_id'];
    $result = mysqli_query($con, $sql);

    if($row = mysqli_fetch_assoc($result)){
        $update = "UPDATE status SET Status='Completed' WHERE ID=" . $_POST['status_id'];
        mysqli_query($con, $update);
        echo "<script>alert('Successfully completed task');
window.location.href='../seniorstatus.php';</script>";
    } else {
        echo "<script>alert('Failed to send request');
window.location.href='../seniorstatus.php';</script>";
        mysqli_close($con);
    }

} else {
    echo "<script>alert ('Failed to send request');
window.location.href='../seniorstatus.php';</script>";
}
?>

```

Variable Name	Variable Function
\$_POST['pendingBtn']	Store the value of status button form
\$sql	To select SQL query from status table in the database
\$result	To perform the query of \$sql

This PHP code snippet is used to handle a form submission which will update the status of a task. Firstly, it checks if the “pendingBtn” form field has been submitted by using the “isset” function. If the form has already been submitted it will include the database connection file which is “conn.php” and checks if the connection to the database is successful.

Nextly, the code executes the SQL query to select the “ID” from the “Status” table where the “ID” matched the “status_id” which was submitted to the form. Later, it executes the query and fetches the result. If a row is found with the given “ID” a SQL query to update the

“Status” of that task to “Completed” is executed. Then a corresponding JavaScript alert is displayed to the user which indicates the task has been completed. Later the user is redirected to “seniorstatus.php”.

If a row is not found with the given “ID” or if the update fails to occur another Javascript alert appears saying that request has failed. Later the user will be redirected to “seniorstatus.php”. If the “pendingBtn” form field was not submitted a Javascript alert will be displayed and the user will be redirected again to “seniorstatus.php”

3.3 – Volunteer

3.3.1 – Accept request

```
<?php
session_start();

if (isset($_POST['acceptBtn'])) {
    include('../php/conn.php');

    if (!$con) {
        die('Connection failed: ' . mysqli_connect_error());
    }

    $sql = "SELECT * FROM user WHERE ID =" . intval($_SESSION['mySession']);
    $result = mysqli_query($con, $sql);

    if(mysqli_num_rows($result) > 0) {
        $row = mysqli_fetch_assoc($result);
        $_SESSION['ic'] = $row['IC_Number'];

        $id = "SELECT Volunteer_ID FROM volunteer WHERE IC_Number=" .
        intval($_SESSION["ic"]);
        $name = "SELECT First_Name, Last_Name FROM user WHERE ID=" .
        intval($_SESSION["mySession"]);
        $req = "SELECT * FROM senior_req WHERE ID=" . intval($_POST['senior_req_id']);
        $idResult = mysqli_query($con, $id);
        $nameResult = mysqli_query($con, $name);
        $reqResult = mysqli_query($con, $req);
        $idRow = mysqli_fetch_array($idResult);
        $nameRow = mysqli_fetch_array($nameResult);
        $reqRow = mysqli_fetch_array($reqResult);

        $sql = "INSERT INTO status (Assistance, Location, Time, Date, Volunteer_Name,
        Senior_Name, Volunteer_ID, Senior_ID)
        VALUES
        ('" . mysqli_real_escape_string($con, $reqRow['Assistance']) . "',
        '" . mysqli_real_escape_string($con, $reqRow['Location']) . "',
        '" . mysqli_real_escape_string($con, $reqRow['Time']) . "',
        '" . mysqli_real_escape_string($con, $reqRow['Date']) . "',
        '" . mysqli_real_escape_string($con, $nameRow['First_Name']) . "' .
        mysqli_real_escape_string($con, $nameRow['Last_Name']) . "',
        '" . mysqli_real_escape_string($con, $reqRow['Name']) . "',
        '" . intval($idRow['Volunteer_ID']) . "',
        '" . intval($reqRow['Senior_ID']) . "' )";

        if (!mysqli_query($con, $sql)) {
            die('Error: ' . mysqli_error($con));
        } else {
            $deleteQuery = "DELETE FROM senior_req WHERE ID=" .
            intval($_POST['senior_req_id']);
            $delresult = mysqli_query($con, $deleteQuery);
            if ($delresult == true) {
                echo '<script>alert("Succesfully Accepted Request!");';
            }
        }
    }
}
```

```

        window.location.href = "../volunteerstatus.php";
    </script>;
    } else {
        echo "<script>alert('Failed to accept
request');window.location.href='../volunteerrequest.php';</script>";
    }
}
} else {
    echo "<script>alert('Failed to accept
request');window.location.href='../volunteerrequest.php';</script>";
}
}

if (isset($con)) {
    mysqli_close($con);
} else {
    echo "<script>alert('Failed to accept
request');window.location.href='../volunteerrequest.php';</script>";
}
?>

```

Variable Name	Variable Function
\$_POST['acceptBtn']	Store the value of request form
\$sql	To select SQL query from user table in the database
\$result	To perform the query of \$sql
\$row	To fetch result row from \$result
\$_SESSION['ic']	To set session as \$row['IC_Number']
\$id	To select SQL query from volunteer table in the database
\$name	To select SQL query from the database
\$req	To select SQL query from senior_req table in the database
\$idResult	To perform the query of \$id
\$nameResult	To perform the query of \$name
\$reqResult	To perform the query of \$req
\$idRow	To fetch result row of \$idResult
\$nameRow	To fetch result row of \$nameResult
\$reqRow	To fetch result row of \$reqResult
\$sql	To insert SQL query in status table in the database

This PHP code is designed to accept request made by seniors on the website. When Volunteers click the “acceptBtn”, the code will start a session then will check if the button was clicked. Then, it will connect to the database and will retrieve user information. Once the user is found, it will retrieve data needed

from the database such as “Volunteer ID”, name and the details from the senior's request. After that, the code then forms an SQL query to insert information into the status table. After the insertion is successful, it will continue to delete the accepted requests from the “senior_req” table. If it is a successful deletion, success message will be displayed and will be redirected to the status page else an error message will be displayed and will be redirected back to request page. Then, it will make sure the connection to database is close. To sum up, the code ensures process of accepting requests, updating status and handling error.

3.3.2 – View Status

```
<?php
    include('../homepage/php/conn.php');
    $sql = "SELECT * FROM user WHERE ID=" . $_SESSION['mySession'];
    $sqlResult = mysqli_query($con, $sql);
    $row = mysqli_fetch_assoc($sqlResult);
    $_SESSION['IC'] = $row['IC_Number'];

    $volunteer = "SELECT Volunteer_ID from volunteer WHERE IC_Number=" . $_SESSION['IC'];
    $volunteerResult = mysqli_query($con, $volunteer);
    $volunteerRow = mysqli_fetch_assoc($volunteerResult);

    $query = "SELECT Senior_Name, Assistance, Location, Time, Date, Status FROM status
    WHERE Volunteer_ID=" . $volunteerRow['Volunteer_ID'];
    $queryResult = mysqli_query($con, $query);

    while ($row = mysqli_fetch_assoc($queryResult)) {
        echo '<tr>';
        echo '<td>' . htmlspecialchars($row['Senior_Name']) . '</td>';
        echo '<td>' . htmlspecialchars($row['Assistance']) . '</td>';
        echo '<td>';
        echo '<p>' . htmlspecialchars($row['Date']) . '</p>';
        echo '<p>' . htmlspecialchars($row['Time']) . '</p>';
        echo '</td>';
        echo '<td>' . htmlspecialchars($row['Location']) . '</td>';
        echo '<td>';
        if ($row['Status'] == 'Completed') {
            echo '<button class="complete-btn">Complete</button>';
        } elseif ($row['Status'] == 'Pending') {
            echo '<button class="pending-btn">Pending</button>';
        }
        echo '</td>';
        echo '</tr>';
    }
?>
```

Variable Name	Variable Function
\$sql	To select SQL query from user table in the database

\$sqlResult	To perform the query of \$sql
\$row	To fetch result row from \$sqlResult
\$_SESSION['IC']	To set session as \$row['IC_Number']
\$volunteer	To select SQL query from volunteer table in the database
\$volunteerResult	To perform the query of \$volunteer
\$volunteerRow	To fetch result row from \$volunteerResult
\$query	To select SQL query from status table in the database
\$queryResult	To perform the query of \$query

This PHP code is designed to fetch and display data from the SeniorConnect MySQL database. Firstly, “conn.php” is used to establish a connection to the database. Later it forms an SQL query to select the given user’s information from the “user” table based on the user’s session ID. “mysqli_query” function is used to execute the query and then the result is fetched using “mysqli_fetch_assoc”. Next, the code will return the “IC_Number” from the user data in the table and store it temporarily in the session variable which is called as “\$_SESSION['IC']”. Then, another SQL query is used to select the volunteer’s ID from the “volunteer” table on the row where the “IC_Number” matched the one that was stored previously.

The code executes the third SQL query to select multiple details from the “status” table for the volunteer’s ID which matches the second query. Then the query is executed and results are constantly fetched from the table on loop. Each row of the results is displayed as a HTML table row with the volunteer’s name, assistance type, date, time, location and status. The status is displayed with a button that indicates whether the task has been completed or not.

4.0 – User Guidance

4.1 General

4.1.1 Main Page




Figure 1: Main Page of the Website

1. Click to home page.
2. Click to about us page (Redirect to Figure 2).
3. Click to contact us page (Redirect to Figure 3).
4. Click to login/signup page (Redirect to Figure 4).

4.1.2 About Us




Figure 2: About Us Page

Our “About Us” page contains information about our organization and basically explains who we are and what we are made of. There is also a summary about our objectives and goals.

4.1.3 Contact Us

Figure 3: Contact Us Page

The company's website contact details, including phone number, email address and office location. Both seniors and volunteers who are logged in to the website and users who are not can visit this page.

4.1.4 Login Page

Figure 4: Log In Page

1. Enter the account username.
2. Enter the account password.
3. Click to reveal the entered password.
4. Click to sign in and access the account to the respective user page such as senior (Redirect

to Figure 12) or volunteer (Redirect to Figure 20).

5. Click "Sign Up" to go to the sign-up page (Redirect to Figure 5).

4.1.5 Sign Up Page


The image shows a sign-up form for 'SeniorConnect' on a green background. On the left, the text 'Sign Up to SeniorConnect' is displayed, with 'SeniorConnect' in a larger, bold, orange font. The form consists of several input fields arranged in two columns. The first column contains fields for 'First Name' (with a person icon), 'Tel' (with a phone icon and a '+60|' prefix), 'Address' (with a person icon), and 'Password' (with a lock icon). The second column contains fields for 'Last Name' (with a person icon), 'Email Address' (with an envelope icon), 'IC Number' (with a fingerprint icon), and 'Confirm Password' (with a lock icon). Below these fields are two radio buttons labeled 'Volunteer' and 'Senior'. At the bottom center is a yellow 'Sign Up' button.

Figure 5: Sign Up Page

1. Enter First Name and Last Name.
2. Enter email.
3. Enter phone number
4. Address
5. IC number
6. Create a password.
7. Retype the password entered to confirm.
8. Select user identity. (Volunteer/Senior)
9. Click sign up button and create a new account (Display Figure 6). When the registration is successful, users required to login to access their new account (Redirect to Figure 4).




Figure 6: Alert for Successful Sign Up

1. Account has been successfully created.
2. Click OK to proceed to the login page (redirect to Figure 4).

4.1.6 Forgot Password Page


The page has a light green background. At the top center, the text "ForgotPassword" is displayed in a large, bold, orange font. Below this, a paragraph in a smaller, dark grey font reads: "Please enter your Identification Card (IC) number and your email address used to sign up for verification purposes. We greatly appreciate your cooperation". There are two input fields: the first is labeled "IC Number" with a fingerprint icon and contains the placeholder text "Identification Card Number"; the second is labeled "Email" with an envelope icon and contains the placeholder text "Email Address". Both labels and the first input field have a thin orange border. At the bottom center, there is an orange button with the word "Verify" in white text.

Figure 7: Forgot Password Page

1. Forgot Password page helps users who need to reset their account details.
2. Enter IC number
3. Enter email
4. If IC number and email matches an existing account, users are taken to a secure page to reset their password (redirect to Figure 8).

4.1.7 Change Password Page




Figure 8: Change Password Page

1. Change Password page allows users to update their account passwords securely.
2. Enter new password.
3. Confirm the new password
4. After clicking the reset button, the system verifies and updates the password accordingly (redirect to Figure 9).




Figure 9: Alert for Successful Password Update

1. Password has been updated successfully.
2. Click OK to proceed to the login page (redirect to Figure 4).

4.2 Senior

4.2.1 Senior Login Page


The image shows a login page for 'SeniorConnect' with a green background. At the top center is the 'SeniorConnect' logo in orange and yellow. Below it are two input fields: 'Email' with the value 'rauf@mail.com' and 'Password' with the value 'rauf123'. The password field has a toggle icon (an eye) to its right. Below the password field is a link that says 'Forgot?'. Underneath these fields is an orange 'Sign In' button. At the bottom, there is a link that says 'Haven't joined us yet? Sign Up'.

Figure 10: Log In Page for Seniors

1. Enter senior credentials.
2. Click sign in button.
3. If credentials match an account (redirect to Figure 12).
4. If credentials do not match an existing account (redirect to Figure 11).




Figure 11: Alert for Incorrect Email or Password

1. Email and password of user is not found.
2. Click OK to proceed back to the login page (redirect to Figure 10).

4.2.2 Senior Homepage



Figure 12: Homepage For Seniors

1. This is the homepage for Seniors.

4.2.3 Senior Request Page




Figure 13: Request Page for Seniors

1. The Seniors are able to send a request by inputting their type of assistance, date, location, time and urgency.

2. Once all details are completed, they can click the “Send Request” button. (redirect to Figure 14)




Figure 14: Alert for Request Success

1. Request has been sent successfully.
2. Click OK to proceed back to request page (redirect to Figure 13).

4.2.4 Senior Status

SeniorConnect HOME REQUEST STATUS ABOUT US CONTACT US Abdul (Senior) SIGN OUT					
Name	Details	Date/Time	Location	Completion	
Khailash Sashi	Gardening	2024-02-29 10:40:00	Bukit Jalil, Taman Putra Prima	Pending	
Khailash Sashi	Gardening	2024-02-29 10:40:00	Bukit Jalil, Taman Putra Prima	Pending	

SeniorConnect
HOME
REQUEST
STATUS
ABOUT US
CONTACT US
© 2024 Senior Connect. All rights reserved.

Figure 15: Senior Status Page

1. Seniors can click on “Pending” once Volunteers have completed their task.
2. Completion Status will change from “Pending” to “Completed”.




Figure 16: Alert for Successful Task Completion

3. Task has been completed successful
4. Click OK to proceed back to Status Page (Figure 15)

4.2.5 Senior Logout




Figure 16: Log Out Page

1. Click on "SIGN OUT" to Log Out from the website.
2. Once clicked on the logout, the "successfully logout" alert pops out (Figure 18).



Figure 18: Successful Log Out Alert

3. The user will be redirected to the Login Page (redirect to Figure 4).

4.3 Volunteer

4.3.1 Volunteer Sign In




Figure 19: Sign In Page for Volunteers

1. Enter the account email.
2. Enter the account password.
3. Click to reveal the entered password.
4. Click to sign in and access the account to the respective user page such as volunteer (Redirect to Figure 20) or senior (Redirect to Figure 12).
5. Click "Sign Up" to go to the sign-up page (Redirect to Figure 5).

4.3.2 Volunteer Homepage



Figure 20: Home Page for Volunteers

1. This is the homepage for Volunteers.

4.3.3 Volunteer Request




Figure 21: Request Page for Volunteers

1. The Volunteers can accept a request which is sent by a Senior through this page. They can review the completion status in the next page (Redirect to Figure 21)

4.3.4 Volunteer Status

SeniorConnect				
HOME REQUEST STATUS ABOUT US CONTACT US Khaillash (Volunteer) SIGN OUT				
Name	Details	Date/Time	Location	Completion
Abdul Rauf	Help with buying groceries	2024-02-28 11:55:00	Cheras, Ampang	<button>Complete</button>
Abdul Rauf	Help with buying groceries	2024-02-28 11:55:00	Cheras, Ampang	<button>Complete</button>
Abdul Rauf	Help with buying groceries	2024-02-28 11:55:00	Cheras, Ampang	<button>Complete</button>
Abdul Rauf	Help with buying groceries	2024-02-28 11:55:00	Cheras, Ampang	<button>Complete</button>

SeniorConnect

HOME REQUEST STATUS ABOUT US CONTACT US

© 2024 Senior Connect. All rights reserved.

Figure 22: Volunteer Status Page

1. The Volunteers can view the completion status of their activities. This will be confirmed by the Senior which requested for their help.

4.3.5 Volunteer Logout




Figure 23: Log Out Page

1. Click on “SIGN OUT” to Log Out from the website
2. Once clicked on the logout, the “successfully logout” alert pops out (Figure 23)



Figure 24: Alert for Successful Log Out

3. The user will be redirected to the Login Page (redirect to Figure 4)

5.0 - Conclusion

Our first objective while creating SeniorConnect was to create a user-friendly network that connects seniors in need of assistance with compassionate volunteers. No matter how proficient in technology a person is, we wanted to make sure they can easily access it. We have put a lot of effort into developing a secure and user-friendly registration process that allows users to exchange personal information such as their availability and skill set. This enables us to match elderly people in need of assistance with volunteers depending on their needs and location. A task management tool is now available through SeniorConnect to assist seniors and volunteers. elders may log their requests and communicate with volunteers, while volunteers can see what assistance elders need. SeniorConnect wants to improve senior lives and promote a caring community by making it easier for people to support one another.

Everyone at SeniorConnect think it's important to support one another and the community. Our platform provides a welcoming environment where volunteers may donate time as well as skills to improve the quality of life for seniors. Seniors can also acquire the support they require to maintain their freedom and happiness. We want to foster an environment of compassion and support on SeniorConnect where everyone wins with each and every interaction.

We had our work cut out for us creating SeniorConnect, but that's how committed we are to serving others. We persevered for three months in working towards its optimal state and during that process we acquired knowledge. The completion of SeniorConnect marks only the beginning of our path to a better community.

Next, we're aiming at making SeniorConnect more improved. For example, We may decide to introduce a mobile app that will make it easier for users to use SeniorConnect. Our aim remains ensuring positive experiences for all users of SeniorConnect. Let's take what we have begun and build from there so as kindness is cultivated and support can flourish on SeniorConnect. Step into the world of amazing happenings on SeniorConnect.com!

References

W3Schools. (n.d.-a). *PHP mysqli real_escape_string() Function.*

https://www.w3schools.com/php/func_mysqli_real_escape_string.asp

W3Schools. (n.d.-b). *PHP mysqli fetch_assoc() Function.*

https://www.w3schools.com/PHP/func_mysqli_fetch_assoc.asp

W3Schools. (n.d.-c). *PHP mysqli fetch_array() Function.*

https://www.w3schools.com/Php/func_mysqli_fetch_array.asp

W3Schools. (n.d.-d). *How To Hide Scrollbars With CSS.*

https://www.w3schools.com/howto/howto_css_hide_scrollbars.asp

W3Schools. (n.d.-e). *PHP intval() Function.*

https://www.w3schools.com/php/func_var_intval.asp

W3Schools. (n.d.-f). *PHP include and require.*

https://www.w3schools.com/php/php_includes.asp

Workload Matrix

STUDENT NAME	LIST OF TASKS
MR. ABDUL RAUF BIN ABDUL MAJEED (TP070735)	Web Development 1. Register 2. Forget Password 3. Change Password 4. General PHP & CSS 5. Header and Footer Documentation 1.0 – Introduction 2.0 – Design 3.0 – Implementation 6.0 - References
MR. KHAILLASH A/L SASHITHARAN (TP070452)	Web Development 1. Login Page 2. Change Password 3. General PHP & CSS Documentation 1.0 – Introduction 2.0 – Design 3.0 – Implementation 4.0 – User Guidance 5.0 – Conclusion 6.0 - References
MR. ADAM JEROME JOSEPH (TP071194)	Web Development 1. Volunteer Accept Request 2. About Us 3. Senior Send Request 4. General HTML & CSS Documentation 1.0 – Introduction 2.0 – Design 3.0 – Implementation 4.0 – User Guidance 5.0 – Conclusion 6.0 - References
MR. HEMANTHRAJAH A/L N KRISHNARAJAH (TP070844)	Web Development 1. Contact Us 2. Senior Send Request 3. General HTML & CSS Documentation 1.0 – Introduction 2.0 – Design 3.0 – Implementation

	4.0 – User Guidance 5.0 – Conclusion 6.0 - References
MS. ANUSHA DEVY A/P BRAHMATARAN (TP071154)	Web Development 1. Senior Status 2. Volunteer Status 3. General HTML Documentation 1.0 – Introduction 2.0 – Design 3.0 – Implementation 4.0 – User Guidance 5.0 – Conclusion 6.0 - References