

Flag 0 – Mission Branch

Create and switch to a new branch: `feature/interpolation`

Capture

- Show your current Git branch.

Branches

New branch

OverviewYoursActiveStaleAll

Q Search branches...

Default

Branch	Updated	Check status	Behind	Ahead	Pull request
<code>main</code> 	 18 hours ago				 ...

Your branches

Branch	Updated	Check status	Behind	Ahead	Pull request
<code>feature/components</code> 	 18 hours ago		3	0	 ...
<code>master</code> 	 2 days ago		5	0	 ...

Active branches

Branch	Updated	Check status	Behind	Ahead	Pull request
<code>feature/components</code> 	 18 hours ago		3	0	 ...
<code>master</code> 	 2 days ago		5	0	 ...

Flag 1 – Escape the Hardcoded Trap

Open your **Student Profile Card**.

Right now, your HTML probably looks something like this:

```
<h2>Juan Dela Cruz</h2>
<p>BSIT</p>
<p>3rd Year</p>
<p>2026-0001</p>
```

Your mission is to remove the hardcoded values.

Move them into your **TypeScript** component instead. (".ts")

Hint

```
{{ variableName }}
```

Your HTML should no longer contain actual student information. It should only reference variables.

Your profile card should display:


- Student Name
- Student Number
- Course
- Year Level
- Section
- Nickname (all lowercase)
- Email
- Grade

Capture

- HTML file
- TypeScript file
- Browser

```
announcement-card.html TS announcement-card.ts app.html
src > app > profile-card > profile-card.html > div.profile-card > p
1 <div class="profile-card">
2   
3
4   <h2>{{ studentName }}</h2>
5   <h3>{{ studentNumber }}</h3>
6   <p>Course: {{ course }}</p>
7   <p>Year Level: {{ yearLevel }}</p>
8   <p>Section: {{ section }}</p>
9   <p>Nickname: {{ nickname }}</p>
10  <p>Email: {{ studentName }}</p>
11  <p>Grade: {{ grade }}</p>
12
13 </div>
```

```
profile-card.html M TS profile-card.ts M X # profile-card.css M # app.css
src > app > profile-card > TS profile-card.ts > ProfileCard
1 import { Component } from '@angular/core';
2
3 @Component({
4   selector: 'app-profile-card',
5   templateUrl: './profile-card.html',
6   styleUrls: ['./profile-card.css']
7 })
8
9 export class ProfileCard {
10   studentName: string = 'Bonna Mae Labiaga Pitogo';
11   studentNumber: string = '23017834';
12   course: string = 'Bachelor of Science in Information Technology';
13   yearLevel: string = '4th Year';
14   section: string = 'N/A';
15   nickname: string = 'bonna';
16   email: string = 'bonnamae.pitogo@dbtc-cebu.edu.ph';
17   grade: string = 'N/A';
18 }
```



Flag 2 – Dynamic Profile Card

Verify that **every** piece of information in your profile card now comes from TypeScript.

If changing a value in the TypeScript file updates the browser without touching the HTML, you've captured the flag.

Capture

- Updated TypeScript file with changed value
- Browser

```
src > app > profile-card > TS profile-card.ts > ProfileCard
1  import { Component } from '@angular/core';
2
3  @Component({
4    selector: 'app-profile-card',
5    templateUrl: './profile-card.html',
6    styleUrls: ['./profile-card.css']
7  })
8
9  export class ProfileCard {
10    studentName: string = 'Bonna Mae Pitogo';
11    studentNumber: string = '23017834';
12    course: string = 'Bachelor of Science in Information Technology';
13    yearLevel: string = '4th Year';
14    section: string = 'N/A';
15    nickname: string = 'bonna';
16    email: string = 'bmpitogo@gmail.com';
17    grade: number = 1.25;
18  }
```



Flag 3 – Dynamic Announcements

Your announcement component is also hardcoded.

Instead of writing directly in HTML, create variables for each announcement.

Example idea:

announcementTitle1
announcementBody1

announcementTitle2
announcementBody2


announcementTitle3
announcementBody3

Use interpolation so every announcement card gets its content from TypeScript.

💡 **Imagine these values came from a JSON file or API in the future.**


📷 Capture

- HTML file
- TypeScript file
- Browser



```
src > app > announcement-card > announcement-card.html > div.announcement-card > p
1 <div class="announcement-card">
2   <h3>{{ announcementTitle1 }}</h3>
3   <p>{{ description1 }}</p>
4 </div>
5
6 <div class="announcement-card">
7   <h3>{{ announcementTitle2 }}</h3>
8   <p>{{ description2 }}</p>
9 </div>
10
11 <div class="announcement-card">
12   <h3>{{ announcementTitle3 }}</h3>
13   <p>{{ description3 }}</p>
14 </div>
```

```
src > app > announcement-card > TS announcement-cards.ts > AnnouncementCard
1  import { Component, Input } from '@angular/core';
2
3  @component({
4    selector: 'app-announcement-card',
5    templateUrl: './announcement-card.html',
6    styleUrls: ['./announcement-card.css']
7  })
8  export class AnnouncementCard {
9    announcementTitle1: string = '📢 Enrollment Extended';
10   description1: string = 'Enrollment for the 2nd Semester has been extended until August 15, 2026.';
11
12   announcementTitle2: string = '📖 Library Hours Updated';
13   description2: string = 'The college library is now open from 7:00 AM to 8:00 PM on weekdays.';
14
15   announcementTitle3: string = '🌙 Bosconian Night 2026';
16   description3: string = 'Join us for Bosconian Night on October 1, 2026. The theme is Old Money. Wear your finest classic and elegant attire as we celebrate an unforgettable evening of music, fellowship, and memories.';
17 }
```





Flag 4 – Thinking Like Data

Now add 7 more cards to make the announcements a total of 10 cards.

Capture

- Show your ten announcement cards in Browser
- TypeScript file





```
1  import { Component, Input } from '@angular/core';
2
3  @Component({
4    selector: 'app-announcement-card',
5    templateUrl: './announcement-card.html',
6    styleUrls: ['./announcement-card.css']
7  })
8  export class AnnouncementCard {
9    announcementTitle1: string = '📅 Enrollment Extended';
10    description1: string = 'Enrollment for the 2nd Semester has been extended until August 15, 2026.';
11
12    announcementTitle2: string = '📖 Library Hours Updated';
13    description2: string = 'The college library is now open from 7:00 AM to 8:00 PM on weekdays.';
14
15    announcementTitle3: string = '🎉 Bosconian Night 2026';
16    description3: string = 'Join us for Bosconian Night on October 1, 2026. The theme is Old Money. Wear your finest classic and elegant attire as we celebrate an unforgettable evening of music, food, and fun.';
17
18    announcementTitle4: string = '🎓 Graduation Requirements Updated';
19    description4: string = 'Please note that the graduation requirements for the 2026 batch have been updated. Please refer to the updated guidelines for more information.';
20
21    announcementTitle5: string = '💼 Job Opportunities Available';
22    description5: string = 'Several job opportunities are available for students interested in internships and part-time positions. Please check the career services portal for more details.';
23
24    announcementTitle6: string = '🎊 Cultural Festivals Coming Soon';
25    description6: string = 'Get ready for our annual cultural festivals! Mark your calendars for the exciting events celebrating diversity and unity on campus.';
26
27    announcementTitle7: string = '📅 Academic Calendar Updated';
28    description7: string = 'The academic calendar for the 2026-2027 school year has been released. Please review the dates for important deadlines and events.';
29
30    announcementTitle8: string = '📖 New Textbooks Available';
31    description8: string = 'New textbooks for the upcoming semester are now available in the campus bookstore. Check the bookstore website for a complete list of required materials.';
32
33    announcementTitle9: string = '💼 Internship Opportunities';
34    description9: string = 'Several internship opportunities are available for students in various fields. Please visit the career services office for more information and application details.';
35
36    announcementTitle10: string = '🎉 Homecoming Celebration';
37    description10: string = 'Join us for our annual Homecoming Celebration on November 15, 2026. Show your school spirit and enjoy a day filled with fun activities and memorable moments.';
38  }
```

Flag 5 – Academic Standing

Your profile already displays the student's grade.

Now make the portal smarter.

Below the grade, display:

- **Pass**
- **Fail**

depending on the grade.

Hint

Angular interpolation can evaluate expressions.

{{ condition ? "True Value" : "False Value" }}

Grading condition: A student can only pass if their grade is 1.0 to 3.0.

Capture

- Interpolation condition
- Browser

```
11  
12 <p>{{ grade }}</p>  
13 <b>{{ grade>=1.0 && grade<=3 ? 'Passed' : 'Failed' }}</b>  
14
```



Bonna Mae Pitogo
23017834
Course: Bachelor of Science in Information Technology
Year Level: 4th Year
Section: N/A
Nickname: bonna
Email: bmpitogo@gmail.com
Grade: 1.25
Passed



Bonna Mae Pitogo
23017834
Course: Bachelor of Science in Information Technology
Year Level: 4th Year
Section: N/A
Nickname: bonna
Email: bmpitogo@gmail.com
Grade: 3.25
Failed

Flag 6 – Formatting Text

Your student's nickname is stored in lowercase.

Example:

juan

Display it in uppercase without changing the value of the variable.

Hint

Interpolation can call simple methods.

Expected:


JUAN

Capture

- Method used to display it in uppercase
- Browser

```
<p>{{ section }}</p>  
<p>{{ nickname.toUpperCase() }}</p>  
<p>{{ email }}</p>
```

```
nickname: string = 'namae';
```



Flag 7 – School Email

Every student has the same format of email in Don Bosco.

Example:

juan.delacruz@dbtc-cebu.edu.ph


Instead of storing the full email, remove the “email” variable, then construct the email inside the template, by using the student’s name as variable, concatenated with the email suffix.

No extra variable should be created.

Capture

- Your logic to concatenate the name and email suffix using interpolation
- Browser

```
<p>{{ studentName.toLowerCase().replaceAll(' ', '.') + '@dbtc-cebu.edu.ph' }}</p>
```



Flag 8 – Copyright Footer

Every website needs a footer.

Create a variable:

`currentYear`

Display:

© 2026 Student Portal

using interpolation.


Example idea:

© {{ currentYear }}

Capture

- Method used to display the currentYear without hardcoding “2026”
- Browser

```
src > app > footer > <> footer.html > footer
1  <footer>
2  |   &copy; 2026 Student Portal
3  </footer>
```



Flag 9 – Commit Your Progress

Final Flag Screenshot

- The entire completed browser UI for this activity
- Successful push to `feature/interpolation`

