

Flag 1 – Prepare Your Environment

Objective: Install Node.js.

Screenshot:

- The command/The installer required for installing Node.js
- Run :
node -v
npm -v

The screenshot shows the 'Download Node.js' page. At the top, it says 'Get Node.js@ v24.18.1 LTS for Windows using Docker with npm'. Below this is an 'Info' box with a green background that says 'Want new features sooner? Get the latest Node.js version instead and try the latest improvements!'. The main content area is a PowerShell terminal window with the following commands and comments:

```
1 # Docker has specific installation instructions for each operating system.
2 # Please refer to the official documentation at https://docker.com/get-started/
3
4 # Pull the Node.js Docker image:
5 docker pull node:24-slim
6
7 # Create a Node.js container and start a Shell session:
8 docker run -it --rm --entrypoint sh node:24-slim
9
10 # Verify the Node.js version:
11 node -v # Should print "v24.18.1".
12
13 # Verify npm version:
14 npm -v # Should print "11.16.0".
```

Below the terminal window is a 'Copy to clipboard' button. At the bottom, there is a section for 'Or get a prebuilt Node.js@ for Windows running a x64 architecture.' with two buttons: 'Windows Installer (.msi)' and 'Standalone Binary (.zip)'.

The screenshot shows a Windows Command Prompt window. The title bar says 'Command Prompt'. The text in the window is as follows:

```
Microsoft Windows [Version 10.0.19045.6456]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Student>node -v
v24.18.1

C:\Users\Student>npm -v
11.16.0

C:\Users\Student>
```

Flag 2 — Unlock the Forge

Objective: Install Angular CLI.

Screenshot:

- The command to install the CLI
- Then run:
ng version

```
C:\WINDOWS\system32\cmd.exe
Microsoft Windows [Version 10.0.19045.6456]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Student>npm install -g @angular/cli
npm warn ERESOLVE overriding peer dependency
npm warn While resolving: @listr2/prompt-adapter-inquirer@4.2.4
npm warn Found: listr2@10.2.2
npm warn   node_modules/@angular/cli/node_modules/listr2
npm warn   listr2@"10.2.2" from @angular/cli@22.1.2
npm warn   node_modules/@angular/cli
npm warn   @angular/cli@"*" from the root project
npm warn
npm warn Could not resolve dependency:
npm warn peer listr2@"10.2.1" from @listr2/prompt-adapter-inquirer@4.2.4
npm warn   node_modules/@angular/cli/node_modules/@listr2/prompt-adapter-inquirer
npm warn   @listr2/prompt-adapter-inquirer@"4.2.4" from @angular/cli@22.1.2
npm warn   node_modules/@angular/cli
npm warn
npm warn Conflicting peer dependency: listr2@10.2.1
npm warn   node_modules/listr2
npm warn   peer listr2@"10.2.1" from @listr2/prompt-adapter-inquirer@4.2.4
npm warn   node_modules/@angular/cli/node_modules/@listr2/prompt-adapter-inquirer
npm warn   @listr2/prompt-adapter-inquirer@"4.2.4" from @angular/cli@22.1.2
npm warn   node_modules/@angular/cli
npm warn
added 180 packages in 25s

65 packages are looking for funding
  run `npm fund` for details
npm notice
npm notice New major version of npm available! 11.16.0 -> 12.0.2
npm notice Changelog: https://github.com/npm/cli/releases/tag/v12.0.2
npm notice To update run: npm install -g npm@12.0.2
npm notice

C:\Users\Student>ng version

Angular CLI
Node.js
Package Manager
Operating System
: 22.1.2
: 24.18.1
: npm 11.16.0
: win32 x64
```

Flag 3 — Forge Your Project

Objective: Create your first Angular project.

Screenshot:

- The command to create the project

```
C:\WINDOWS\system32\cmd.exe
Microsoft Windows [Version 10.0.19045.6456]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Student>ng new my-first-angular-app

Would you like to share pseudonymous usage data about this project with the Angular Team
at Google under Google's Privacy Policy at https://policies.google.com/privacy. For more
details and how to change this setting, see https://angular.dev/cli/analytics.

  Yes

Thank you for sharing pseudonymous usage data. Should you change your mind, the following
command will disable this feature entirely:

  ng analytics disable --global

Global setting: enabled
Local setting: No local workspace configuration file.
Effective status: enabled
√ Which stylesheet system would you like to use? CSS [ https://developer.mozilla.org/docs/Web/CSS ]
√ Do you want to enable Server-Side Rendering (SSR) and Static Site Generation (SSG/Prerendering)? Yes
√ Which AI tools should Angular integrate with? https://angular.dev/ai/develop-with-ai None
CREATE my-first-angular-app/.prettierrc (173 bytes)
CREATE my-first-angular-app/angular.json (2255 bytes)
CREATE my-first-angular-app/package.json (1049 bytes)
CREATE my-first-angular-app/README.md (1529 bytes)
CREATE my-first-angular-app/tsconfig.json (939 bytes)
CREATE my-first-angular-app/.editorconfig (331 bytes)
CREATE my-first-angular-app/.gitignore (666 bytes)
CREATE my-first-angular-app/tsconfig.app.json (432 bytes)
CREATE my-first-angular-app/tsconfig.spec.json (423 bytes)
CREATE my-first-angular-app/.vscode/extensions.json (134 bytes)
CREATE my-first-angular-app/.vscode/launch.json (490 bytes)
CREATE my-first-angular-app/.vscode/tasks.json (1020 bytes)
CREATE my-first-angular-app/src/main.ts (228 bytes)
CREATE my-first-angular-app/src/index.html (316 bytes)
CREATE my-first-angular-app/src/styles.css (81 bytes)
CREATE my-first-angular-app/src/main.server.ts (300 bytes)
CREATE my-first-angular-app/src/server.ts (1677 bytes)
CREATE my-first-angular-app/src/app/app.spec.ts (710 bytes)
CREATE my-first-angular-app/src/app/app.ts (314 bytes)
CREATE my-first-angular-app/src/app/app.css (0 bytes)
CREATE my-first-angular-app/src/app/app.html (20488 bytes)
CREATE my-first-angular-app/src/app/app.config.ts (419 bytes)
CREATE my-first-angular-app/src/app/app.routes.ts (80 bytes)
CREATE my-first-angular-app/src/app/app.config.server.ts (438 bytes)
CREATE my-first-angular-app/src/app/app.routes.server.ts (174 bytes)
CREATE my-first-angular-app/public/favicon.ico (15086 bytes)
√ Packages installed successfully.
warning: in the working copy of 'package-lock.json', LF will be replaced by CRLF the next time Git touches it
warning: in the working copy of 'package.json', LF will be replaced by CRLF the next time Git touches it
Successfully initialized git.

C:\Users\Student>cd my-first-angular-app

C:\Users\Student\my-first-angular-app>code .


C:\Users\Student\my-first-angular-app>
```

Flag 4 — Power Up

Objective: Open the project in VS Code.

Screenshot:

- Your VS Code containing the new project



Flag 5 — Launch

Objective: Run the development server.

Screenshot:

- The command to run the development server
- The success message

```
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
Student@COLLEGEPC-9 MINGW64 ~/my-first-angular-app (master)
$ ng serve

Would you like to share pseudonymous usage data about this project with the Angular Team
at Google under Google's Privacy Policy at https://policies.google.com/privacy. For more
details and how to change this setting, see https://angular.dev/cli/analytics.

Yes

Thank you for sharing pseudonymous usage data. Should you change your mind, the following
command will disable this feature entirely:

  ng analytics disable

Global setting: enabled
Local setting: enabled
Effective status: enabled
Browser bundles
Initial chunk files | Names | Raw size
main.js | main | 48.80 kB |
styles.css | styles | 95 bytes |
| Initial total | 48.90 kB

Server bundles
Initial chunk files | Names | Raw size
main.server.mjs | main.server | 50.02 kB |
server.mjs | server | 1.86 kB |
polyfills.server.mjs | polyfills.server | 268 bytes |

Application bundle generation complete. [1.831 seconds] - 2026-07-31T07:33:07.981Z


Watch mode enabled. Watching for file changes...
NOTE: Raw file sizes do not reflect development server per-request transformations.
  → Local: http://localhost:4200/
  → press h + enter to show help
3:33:09 PM [vite] (client) [optimizer] bundling dependencies...
3:33:09 PM [vite] (ssr) [optimizer] bundling dependencies... (x2)
```

Flag 6 — I See It

Objective: Open the application.

Screenshot:

- The browser
- The port it opened




Flag 7 – Find the Entry Point

Objective: Figure out where the default Angular page comes from.

Screenshot:

- The location of the file where the default page is from

From the src/app/app.html



Flag 8 – Claim Your App

Replace the default content with:

- Your full name
- Your course & section
- "My First Angular Application"
- Today's date

Screenshot:

- Your updated content of the code
- The updated browser UI



Flag 9 – Personalize It

Without following a step-by-step tutorial, make **at least three** visual changes by researching how.


Examples:

- Change the background colour.
- Change the text colour.
- Centre the content.
- Increase font size.
- Add a border or rounded card.
- Change the font.

- Add an emoji or icon.

Screenshot:

- The code changed for personalizing
- The updated browser UI



Flag 10 – Add an Image

Research how to display an image in Angular.

It can be:

- Your favourite programming logo.
- Your favourite animal.
- Your own avatar.
- Any royalty-free image.

Screenshot:

- The code changed when adding an image
- The updated



Bonna Mae Pitogo

BSIT - 4

My First Angular Application

July 30, 2026

