



Vijaya Diagnostic Centre

Plot no 2A, Street No.1, Kakatiya Nagar, Habsiguda, Hyderabad-500007.

Helpline : 040-21000000

Name:	
Gender/Age:	
ID:	279600
Specimen collected:	2024-03-09
Report date:	2024-03-09

Test	Result	Reference Range	Unit
Immunosay			
Free Triiodothyronine (FT3) Chemiluminescence Immunoassay (CLIA)	3.16	1.76-4.20	pg/mL
Free Thyroxine (FT4) Chemiluminescence Immunoassay (CLIA)	1.07	0.89-1.76	ng/dL
Vitamin B12 Level Chemiluminescence Immunoassay (CLIA)	972.42	211.0-911.0	pg/mL
Triiodothyronine, Total (T3) Chemiluminescence Immunoassay (CLIA)	138.58	58.6-156.2	ng/dL
Thyroxine, Total (T4) Chemiluminescence Immunoassay (CLIA)	5.95	4.8-10.4	ug/dL
Thyroid Stimulating Hormone (TSH) Chemiluminescence Immunoassay (CLIA)	5.87	0.35-5.50	uIU/mL
Haematology			
Blood Group	A	-NA-	
Platelet Count Cell Counter	333.11	150-400	10 ³ /ul
Differential Leucocyte Count			
Absolute Neutrophil Count	3.76	2.0-7.0	X 10 ³ /uL
Absolute Lymphocyte Count	3.39	1.5-4.0	X 10 ³ /uL
Absolute Eosinophil Count	0.09	0.02-0.50	X 10 ³ cells/uL
Absolute Basophil Count	0.0	0.00-0.00	X 10 ³ cells/uL
Absolute Monocyte Count	0.99	0.2-1.0	X 10 ³ /uL
PDW	9.03	8-12	
PCT	0.13	0-0.5	
Mean Platelet Volume	9.55	9-13	fL
RDW-CV Dc Detection Method (Calculated)	13.02	11.5-14.5	%
Erythrocyte Sedimentation Westergren Rate (ESR)	6.12	0-20	mm/h
RDW-SD Cell Counter	38.44	39.0-46.0	fl

Biochemistry

Anuradha

DR. ANURADHA
CONSULTANT PATHOLOGIST



Vijaya Diagnostic Centre

Plot no 2A, Street No.1, Kakatiya Nagar, Habsiguda, Hyderabad-500007.

Helpline : 040-21000000

Name:	
Gender/Age:	
ID:	279600
Specimen collected:	2024-03-09
Report date:	2024-03-09

Test	Result	Reference Range	Unit
Sodium, Serum Ion Selective Electrode	137.87	136.0-149.0	mmol/L
Potassium, Serum Ion Selective Electrode	5.56	3.50-5.50	mmol/L
Chloride Ion Selective Electrode	97.03	98.0-109.0	mmol/L
Calcium [Ionic] Ion Selective Electrode	1.26	1.15-1.29	mmol/L
Calcium, Serum Arsenazo	9.12	8.40-10.40	mg/dL
Total Cholesterol CHOD-PAP	75.66	0.0-200.0	mg/dL
Triglyceride GPO (Trinders)	88.74	35.0-135.0	mg/dl
HDL Cholesterol Direct (PVS/PEGME precipitation & Trinder reaction)	59.89	35.3-79.5	mg/dL
VLDL Cholesterol calculated	20.91	4.7-21.1	mg/dL
LDL Cholesterol Direct (PVS/PEGME precipitation & Trinder reaction)	69.89	0-100	mg/dL
Total / HDL Cholesterol Ratio calculated	5.26	0.0-5.0	Ratio
LDL/HDL Cholestrol Ratio calculated	0.08	0.00-3.55	Ratio
Non HDL Cholesterol	55.26	0-130	mg/dL
CRP (C-Reactive Protein)-Quantitative Turbidimetric Immunoassay	1.02	0-5	mg/L
Iron, Serum Colorimetric	85.01	50.00-170.00	ug/dL
Unsaturated Iron Binding Capacity	176.12	110.0-370.0	ug/dL
Total Iron Binding capacity	384.18	250-400	ug/dL
Transferrin Saturation %	12.6	12-45	%
Urea, Blood Urease-GLDH	10.38	13.00-43.00	mg/dL
Blood Urea Nitrogen (BUN) Spectro-photometry	11.95	7.00-18.00	mg/dL
Creatinine, Serum Jaffe Kinetic	0.67	0.60-1.10	mg/dL
Uric Acid, Serum Uricase	2.11	2.50-6.80	mg/dL
BUN / Creatinine Ratio	1.01	0.8-1.3	mg/dL
Urea / Creatinine Ratio	7.02	1.8-7.1	mg/dL
Bilirubin, Total Diazo	0.23	0.30-1.20	mg/dL

Anuradha
DR. ANURADHA
CONSULTANT PATHOLOGIST



Vijaya Diagnostic Centre

Plot no 2A, Street No.1, Kakatiya Nagar, Habsiguda, Hyderabad-500007.

Helpline : 040-21000000

Name:	
Gender/Age:	
ID:	279600
Specimen collected:	2024-03-09
Report date:	2024-03-09

Test	Result	Reference Range	Unit
Bilirubin, Direct Diazo	0.22	0.00-0.20	mg/dL
Bilirubin, Indirect	0.72	0.10-1.00	mg/dL
SGOT (AST), Serum IFCC without pyridoxal phosphate	20.6	0.00-31.00	IU/L
SGPT (ALT), Serum IFCC without pyridoxal phosphate	4.96	0.00-32.00	IU/L
Alkaline Phosphatase (ALP), Serum PNP AMP Kinetic	74.23	42.0-98.0	U/L
Protein, Total Biuret	8.12	6.0-8.0	g/dL
Albumin, Serum Bromo Cresol Green (BCG)	3.37	3.20-5.00	g/dL
Globulin	3.03	2.00-3.50	g/dL
Microalbumin Immunoturbidity	6.85	0.0-30.0	mg/L
Creatinine, Random Urine Jaffe Kinetic	293.95	20.0-370.0	mg/dL
Microalbumin/Creatinine Ratio	27.49	0-30.0	mg/g creat
Arthritis Screen			
Calcium	9.07	8.5-10.5	mg/dL
Phosphorous Ammonium molybdate UV	4.14	2.50-5.00	mg/dL
Rheumatoid Factor (RA Factor) - Quantitative Immunoturbidimety	23.12	0-30	IU/ml
Sodium (Urine) Ion Selective Electrode	172.66	40-220	mmol/L
Potassium (Urine Spot Test)	134.79	25-125	mmol/day
Chloride (Urine Spot Test)	190.61	110-250	mmol/l/day
Clinical Pathology			
Colour	Pale Yellow	Pale Yellow	
Appearance	Clear	Clear	
pH Double Indicators Test	6.76	4.6-8.0	
Specific Gravity Refractometric	1.03	1.003-1.030	
Urine Protein Protein Indicator	Negative	Negative	
Urine Sugar Oxidation Reaction	Negative	Negative	
Ketones Sodium nitroprusside	Negative	Negative	

Anuradha

DR.ANURADHA
CONSULTANT PATHOLOGIST



Vijaya Diagnostic Centre

Plot no 2A, Street No.1, Kakatiya Nagar, Habsiguda, Hyderabad-500007.

Helpline : 040-21000000

Name:	
Gender/Age:	
ID:	279600
Specimen collected:	2024-03-09
Report date:	2024-03-09

Test	Result	Reference Range	Unit
Nitrite Diazotisation Reaction	Negative	Negative	
Blood Peroxidase Reaction	Negative	Negative	
Urobilinogen Modified Ehrlich Reaction	Negative	Negative	
Urine Bilirubin Diazotisation	Negative	Negative	
R.B.C. Microscopy	Negative	Negative	
Pus Cells	4.24	0-5	
Epithelial Cells Microscopy	0.06	0-3	/HPF
Casts Microscopy	Negative	Negative	/LPF
Crystals Microscopy	Negative	Negative	
Bacteria Microscopy	Negative	Negative	
Others			

Anuradha

DR.ANURADHA
CONSULTANT PATHOLOGIST