

Name:	
Gender/Age:	
ID:	453196
Specimen collected:	2024-03-16
Report date:	2024-03-16

Test	Result	Reference Range	Unit
------	--------	-----------------	------

### Haematology

Blood Group	A	-NA-	
Platelet Count Cell Counter	214.82	150-400	10 <sup>3</sup> /ul
Differential Leucocyte Count			
Absolute Neutrophil Count	2.85	2.0-7.0	X 10 <sup>3</sup> /uL
Absolute Lymphocyte Count	2.24	1.5-4.0	X 10 <sup>3</sup> /uL
Absolute Eosinophil Count	0.09	0.02-0.50	X 10 <sup>3</sup> cells/uL
Absolute Basophil Count	0.0	0.00-0.00	X 10 <sup>3</sup> cells/uL
Absolute Monocyte Count	0.94	0.2-1.0	X 10 <sup>3</sup> /uL
PDW	8.02	8-12	
PCT	0.39	0-0.5	
Mean Platelet Volume	12.36	9-13	fL
RDW-CV Dc Detection Method (Calculated)	13.6	11.5-14.5	%
Erythrocyte Sedimentation Westergren Rate (ESR)	17.48	0-20	mm/h
RDW-SD Cell Counter	43.41	39.0-46.0	fl

### Biochemistry

Sodium, Serum Ion Selective Electrode	140.7	136.0-149.0	mmol/L
Potassium, Serum Ion Selective Electrode	4.94	3.50-5.50	mmol/L
Chloride Ion Selective Electrode	104.39	98.0-109.0	mmol/L
Calcium [Ionic] Ion Selective Electrode	1.16	1.15-1.29	mmol/L
Calcium, Serum Arsenazo	10.48	8.40-10.40	mg/dL
Total Cholesterol CHOD-PAP	26.38	0.0-200.0	mg/dL
Triglyceride GPO (Trinders)	45.81	35.0-135.0	mg/dl

Name:	
Gender/Age:	
ID:	453196
Specimen collected:	2024-03-16
Report date:	2024-03-16

HDL Cholesterol Direct (PVS/PEGME precipitation & Trinder reaction)	81.09	35.3-79.5	mg/dL
VLDL Cholesterol calculated	10.07	4.7-21.1	mg/dL
LDL Cholesterol Direct (PVS/PEGME precipitation & Trinder reaction)	100.35	0-100	mg/dL
Total / HDL Cholesterol Ratio calculated	-0.04	0.0-5.0	Ratio
LDL/HDL Cholesterol Ratio calculated	1.66	0.00-3.55	Ratio
Non HDL Cholesterol	79.99	0-130	mg/dL
CRP (C-Reactive Protein)-Quantitative Turbidimetric Immunoassay	4.62	0-5	mg/L
Iron, Serum Colorimetric	55.05	50.00-170.00	ug/dL
Unsaturated Iron Binding Capacity	342.61	110.0-370.0	ug/dL
Total Iron Binding capacity	248.19	250-400	ug/dL
Transferrin Saturation %	33.39	12-45	%
Urea, Blood Urease-GLDH	25.12	13.00-43.00	mg/dL
Blood Urea Nitrogen (BUN) Spectro-photometry	13.04	7.00-18.00	mg/dL
Creatinine, Serum Jaffe Kinetic	0.67	0.60-1.10	mg/dL
Uric Acid, Serum Uricase	2.45	2.50-6.80	mg/dL
BUN / Creatinine Ratio	1.33	0.8-1.3	mg/dL
Urea / Creatinine Ratio	1.61	1.8-7.1	mg/dL
Bilirubin, Total Diazo	0.82	0.30-1.20	mg/dL
Bilirubin, Direct Diazo	0.0	0.00-0.20	mg/dL
Bilirubin, Indirect	0.39	0.10-1.00	mg/dL
SGOT (AST), Serum IFCC without pyridoxal phosphate	12.18	0.00-31.00	IU/L
SGPT (ALT), Serum IFCC without pyridoxal phosphate	27.3	0.00-32.00	IU/L
Alkaline Phosphatase (ALP), Serum PNP AMP Kinetic	58.99	42.0-98.0	U/L
Protein, Total Biuret	6.18	6.0-8.0	g/dL
Albumin, Serum Bromo Cresol Green (BCG)	3.68	3.20-5.00	g/dL

Name:	
Gender/Age:	
ID:	453196
Specimen collected:	2024-03-16
Report date:	2024-03-16

Globulin	2.28	2.00-3.50	g/dL
Microalbumin Immunoturbidity	18.68	0.0-30.0	mg/L
Creatinine, Random Urine Jaffe Kinetic	90.49	20.0-370.0	mg/dL
Microalbumin/Creatinine Ratio	-0.48	0-30.0	mg/g creat
Arthritis Screen			
Calcium	9.08	8.5-10.5	mg/dL
Phosphorous Ammonium molybdate UV	2.99	2.50-5.00	mg/dL
Rheumatoid Factor (RA Factor) - Quantitative Immunoturbidimetry	10.24	0-30	IU/ml
Sodium (Urine) Ion Selective Electrode	159.31	40-220	mmol/L
Potassium (Urine Spot Test)	93.11	25-125	mmol/day
Chloride (Urine Spot Test)	225.34	110-250	mmol/l/day

## Clinical Pathology

Colour	Pale Yellow	Pale Yellow	
Appearance	Clear	Clear	
pH Double Indicators Test	7.71	4.6-8.0	
Specific Gravity Refractometric	1.03	1.003-1.030	
Urine Protein Protein Indicator	Negative	Negative	
Urine Sugar Oxidation Reaction	Negative	Negative	
Ketones Sodium nitroprusside	Negative	Negative	
Nitrite Diazotisation Reaction	Negative	Negative	
Blood Peroxidase Reaction	Negative	Negative	
Urobilinogen Modified Ehrlich Reaction	Negative	Negative	
Urine Bilirubin Diazotisation	Negative	Negative	
R.B.C. Microscopy	Negative	Negative	
Pus Cells	5.26	0-5	
Epithelial Cells Microscopy	2.27	0-3	/HPF

Name:	
Gender/Age:	
ID:	453196
Specimen collected:	2024-03-16
Report date:	2024-03-16

Casts Microscopy	Negative	Negative	/LPF
Crystals Microscopy	Negative	Negative	
Bacteria Microscopy	Negative	Negative	

Others

### Immunosay

Free Triiodothyronine (FT3) Chemiluminescence Immunoassay (CLIA)	3.51	1.76-4.20	pg/mL
Free Thyroxine (FT4) Chemiluminescence Immunoassay (CLIA)	1.19	0.89-1.76	ng/dL
Vitamin B12 Level Chemiluminescence Immunoassay (CLIA)	619.05	211.0-911.0	pg/mL
Triiodothyronine, Total (T3) Chemiluminescence Immunoassay (CLIA)	117.49	58.6-156.2	ng/dL
Thyroxine, Total (T4) Chemiluminescence Immunoassay (CLIA)	8.89	4.8-10.4	ug/dL
Thyroid Stimulating Hormone (TSH) Chemiluminescence Immunoassay (CLIA)	5.98	0.35-5.50	uIU/mL