BARBERSHOP

Group 10

Names : Danendra Mahardika Putra Utama

Hanif Muslim

Namira Assalwa

Class : ICC1

CEP CCIT

FAKULTAS TEKNIK UNIVERSITAS INDONESIA

2024

PROJECT ON

Barbershop

Developed by

1. **Danendra Mahardika Putra Utama**
2. **Hanif Muslim**
3. **Namira Assalwa**

Barbershop

Batch Code : ICC1

Start Date : Monday, October 14 2024

End Date : Wednesday, October 23, 2024

Name of Faculty : Tri Agus Riyadi

Names of Developer :

1. Danendra Mahardika Putra Utama
2. Hanif Muslim
3. Namira Assalwa

Date of Submission: Wednesday, October 23, 2024

CERTIFICATE

This is to certify that this report titled “Barbershop” embodies the original work done by Danendra Mahardika Putra Utama, Hanif Muslim, and Namira Assalwa. Project in partial fulfillment of their course requirement at NIIT.

Coordinator:

Tri Agus Riyadi

ACKNOWLEDGEMENT

The Author would like to express deepest gratitude to Mr. Tri Agus Riyadi for his invaluable support and guidance throughout this project. His insights and expertise have greatly contributed to the successful completion of this work.

The Author also grateful to all friend for their encouragement, cooperation, and shared knowledge, which played a crucial role in the project's progress.

Finally, The Author wish to thank fellow students and fellow worker for their continuous support and motivation during this time.

Thank you all for your contributions, which have been instrumental in bringing this project to fruition.

BACKGROUND

The barbershop's background is related to a long tradition of hair and facial care services, which has existed since ancient times. In the beginning, barbershops functioned as a place for men to get haircuts, shaving and other personal care services. In medieval Europe, barbershops also served as places of light medical care, with barbers performing procedures such as the treatment of wounds. The red and white colors on barbershop poles, for example, represent blood and bandages, reflecting the association between barbering and medical services. Over time, barbershops evolved into social places, where men could gather, chat and swap stories. In recent years, the modern barbershop trend has emerged, combining traditional elements with contemporary style, making them more than just a place to get a haircut, but also a comfortable and stylish community space.

SYSTEM ANALYST


System Summary :

A barbershop is a specialized establishment primarily offering hair grooming services for men, typically including haircuts, shaving, beard trims, and other related services. Historically, barbershops also served as social hubs where men would gather to chat, exchange news, and relax. The atmosphere often has a nostalgic, community-oriented vibe, blending traditional barbering techniques with modern trends.


System processes :

A barbershop processor generally refers to the system or tools used within a barbershop to streamline operations and improve customer experience. This can include software systems, digital tools, and equipment that assist with managing data, payments, and customer interactions.


FLOWCHART


Start
Int Pilihan
Display Main Menu :
1. Kasir
2. Admin
3. Keluar
Login
Finish


FLOWCHART


Procedure
Login
Int Pilihan
Display Main Menu
1. Kasir
2. Admin
3.Keluar
Input Pilihan
If nrole = 1
Yes
Input Username &
Password
Main Menu
Cashier
No
If nrole = 2
Yes
Input Username &
Password
Main Menu
Admin
No
Finish


FLOWCHART


Procedure
Menambah
layanan
Data Layanan
Display Masukan nama
layanan baru
Input nama
layanan baru
Display Masukan harga
layanan baru
Input harga
layanan baru
Display Layanan Baru
Berhasil ditambahkan
Main Menu
Admin


FLOWCHART


Procedure
Edit service
Data Layanan
Display data layanan
Input Nomor
Data Layanan
Input Nama
Layanan baru
Display layanan
berhasil diperbarui
Main Menu
Admin


FLOWCHART


Procedure
Hapus
Layanan
Nomor Data Layanan
Data Layanan
Input nomor
layanan
Display layanan
berhasil dihapus
Main Menu
Admin

FLOWCHART


Procedure
Mencari
Layanan
Nomor Data Layanan
Display Masukan
Nomor Layanan
Input Nomor
layanan
Display Hasil
Pencarian
Main Menu
Admin

FLOWCHART


Main Menu Cashier
Int Pilihan, tambah, total =0, bayar, kurang
Display Main Menu Cashier
Input nomor layanan
Ingin Menambah layanan lain?
Yes
No
Hitung Total Harga
Display Total Harga
Masukkan jumlah uang yang dibayarkan
Dibayarkan < Total Harga
Yes
Total - Bayar
Total kurang
Display Uang anda kurang sebesar (Total Kurang)
No
Dibayarkan > Total Harga
Yes
Total - Bayar
Kembalian
No
Display Terima Kasih sudah menggunakan layanan kamin
Finish

SOURCE CODE

```
#include <stdio.h>
#include <string.h>

// Hardcoded data login admin dan kasir
#define USERNAME_ADMIN "ADMIN"
#define PASSWORD_ADMIN "ADMIN123"
#define USERNAME_CASHIER "CASHIER"
#define PASSWORD_CASHIER "CASHIER123"

// Data layanan dalam Barbershop (hardcoded)
struct Layanan {
   char nama[50];
   int Harga;
};

// Inisialisasi Layanan
struct Layanan layananBarbershop[100];
int jumlahLayanan = 5;

// Fungsi login
int login(char *usernameInput, char *passwordInput, const char *usernameExpected,
const char *passwordExpected) {
   if (strcmp(usernameInput, usernameExpected) == 0 && strcmp(passwordInput,
passwordExpected) == 0) {
      printf("Login berhasil!\n");
      return 1;
   } else {
      printf("Login gagal, username atau password salah.\n");
      return 0;
   }
}
```

SOURCE CODE

```
// Fungsi untuk menghapus data layanan
void hapusDataLayanan() {
    int index;
    lihatDataLayanan();
    printf("Masukkan nomor layanan yang ingin dihapus: ");
    scanf("%d", &index);
    if (index >= 1 && index <= jumlahLayanan) {
        index--;
        for (int i = index; i < jumlahLayanan - 1; i++) {
            layananBarbershop[i] = layananBarbershop[i + 1];
        }
        jumlahLayanan--;
        printf("Layanan berhasil dihapus!\n");
    } else {
        printf("Nomor layanan tidak valid.\n");
    }
}


// Fungsi untuk mencari data layanan berdasarkan nomor
void cariDataLayanan() {
    int nomorCari;
    printf("Masukkan nomor layanan yang ingin dicari: ");
    scanf("%d", &nomorCari);

    if (nomorCari >= 1 && nomorCari <= jumlahLayanan) {
        printf("Hasil pencarian:\n");
        printf("%d. Nama Layanan: %s, Harga: %d\n", nomorCari,
layananBarbershop[nomorCari - 1].nama, layananBarbershop[nomorCari - 1].Harga);
    } else {
        printf("Nomor layanan tidak valid.\n");
    }
```

SOURCE CODE

```
// Fungsi menu admin
void menuAdmin() {
   int pilihan;
   while (1) {
      printf("\nSub Menu Admin:\n");
      printf("1. Input Data Layanan\n");
      printf("2. Edit Data Layanan\n");
      printf("3. Hapus Data Layanan\n");
      printf("4. Cari Data Layanan\n");
      printf("5. Lihat Data Layanan\n");
      printf("6. Kembali ke Menu Utama\n");
      printf("Masukkan pilihan Anda: ");
      scanf("%d", &pilihan);

      switch (pilihan) {
         case 1:
            inputDataLayanan();
            break;
         case 2:
            editDataLayanan();
            break;
         case 3:
            hapusDataLayanan();
            break;
         case 4:
            cariDataLayanan();
            break;
         case 5:
            lihatDataLayanan();
            break;
         case 6:
            return;
         default:
            printf("Pilihan tidak valid.\n");
      }
   }
}
```

SOURCE CODE

```
// Fungsi menu utama
void menuUtama() {
    int pilihan;
    char username[50], password[50];
    while (1) {
        printf("\nMenu Utama:\n");
        printf("1. Kasir\n");
        printf("2. Admin\n");
        printf("3. Keluar\n");
        printf("Masukkan pilihan Anda: ");
        scanf("%d", &pilihan);

        switch (pilihan) {
            case 1:
                printf("Masukkan username: ");
                scanf("%s", username);
                printf("Masukkan password: ");
                scanf("%s", password);

                if (login(username, password, USERNAME_CASHIER, PASSWORD_CASHIER)) {
                    menuCashier();
                }
                break;
            case 2:
                printf("Masukkan username: ");
                scanf("%s", username);
                printf("Masukkan password: ");
                scanf("%s", password);

                if (login(username, password, USERNAME_ADMIN, PASSWORD_ADMIN)) {
                    menuAdmin();
                }
                break;
            case 3:
                printf("Terima kasih, program selesai.\n");
                return;
            default:
                printf("Pilihan tidak valid, coba lagi.\n");
        }
    }
}
```

FLOWCHART

```
int main() {
    // Inisialisasi layanan default
    strcpy(layananBarbershop[0].nama, "Cukur Rambut");
    layananBarbershop[0].Harga = 50000;

    strcpy(layananBarbershop[1].nama, "Potong Jenggot");
    layananBarbershop[1].Harga = 30000;

    strcpy(layananBarbershop[2].nama, "Cuci Rambut");
    layananBarbershop[2].Harga = 20000;

    strcpy(layananBarbershop[3].nama, "Pijat Kepala");
    layananBarbershop[3].Harga = 70000;

    strcpy(layananBarbershop[4].nama, "Kerat Rambut");
    layananBarbershop[4].Harga = 80000;

    menuUtama();
    return 0;
}
```

OUTPUT PROGRAM

1. Main Menu

```
Menu Utama:
1. Kasir
2. Admin
3. Keluar
Masukkan pilihan Anda:
```

2. Main Menu Admin

```
Menu Utama:
1. Kasir
2. Admin
3. Keluar
Masukkan pilihan Anda: 2
Masukkan username: ADMIN
Masukkan password: ADMIN123
Login berhasil!

Sub Menu Admin:
1. Input Data Layanan
2. Edit Data Layanan
3. Hapus Data Layanan
4. Cari Data Layanan
5. Lihat Data Layanan
6. Kembali ke Menu Utama
Masukkan pilihan Anda:
```

OUTPUT PROGRAM

3. Main Menu Cashier

```
Menu Utama:
1. Kasir
2. Admin
3. Keluar
Masukkan pilihan Anda: 1
Masukkan username: CASHIER
Masukkan password: CASHIER123
Login berhasil!
=== Kasir Barbershop ===

Data Layanan di Barbershop:
1. Nama Layanan: Cukur Rambut, Harga: 50000
2. Nama Layanan: Potong Jenggot, Harga: 30000
3. Nama Layanan: Cuci Rambut, Harga: 20000
4. Nama Layanan: Pijat Kepala, Harga: 70000
5. Nama Layanan: Kerat Rambut, Harga: 80000
Masukkan pilihan layanan (1-5):
```

4. Adding Menu

```
Sub Menu Admin:
1. menambah Data Layanan
2. Edit Data Layanan
3. Hapus Data Layanan
4. Cari Data Layanan
5. Lihat Data Layanan
6. Kembali ke Menu Utama
Masukkan pilihan Anda: 1
Masukkan nama layanan baru: AD
Masukkan harga layanan: 12000
Layanan baru berhasil ditambahkan!
```

OUTPUT PROGRAM

5. Edit data menu

```
Data Layanan di Barbershop:
1. Nama Layanan: Cukur Rambut, Harga: 50000
2. Nama Layanan: Potong Jenggot, Harga: 30000
3. Nama Layanan: Cuci Rambut, Harga: 20000
4. Nama Layanan: Pijat Kepala, Harga: 70000
5. Nama Layanan: Kerat Rambut, Harga: 80000
6. Nama Layanan: AD, Harga: 12000
Masukkan nomor layanan yang ingin diedit: 1
Masukkan nama layanan baru: CR
Masukkan harga layanan baru: 3000
Layanan berhasil diperbarui!
```

6. Delete data Menu

```
Data Layanan di Barbershop:
1. Nama Layanan: CR, Harga: 3000
2. Nama Layanan: Potong Jenggot, Harga: 30000
3. Nama Layanan: Cuci Rambut, Harga: 20000
4. Nama Layanan: Pijat Kepala, Harga: 70000
5. Nama Layanan: Kerat Rambut, Harga: 80000
6. Nama Layanan: AD, Harga: 12000
Masukkan nomor layanan yang ingin dihapus: 1
Layanan berhasil dihapus!
```

7. Search data Menu

```
Sub Menu Admin:
1. menambah Data Layanan
2. Edit Data Layanan
3. Hapus Data Layanan
4. Cari Data Layanan
5. Lihat Data Layanan
6. Kembali ke Menu Utama
Masukkan pilihan Anda: 4
Masukkan nomor layanan yang ingin dicari: 3
Hasil pencarian:
3. Nama Layanan: Pijat Kepala, Harga: 70000
```

OUTPUT PROGRAM

8. View data menu

```
Data Layanan di Barbershop:
1. Nama Layanan: Potong Jenggot, Harga: 30000
2. Nama Layanan: Cuci Rambut, Harga: 20000
3. Nama Layanan: Pijat Kepala, Harga: 70000
4. Nama Layanan: Kerat Rambut, Harga: 80000
5. Nama Layanan: AD, Harga: 12000
```

9. Payment

```
Data Layanan di Barbershop:
1. Nama Layanan: Cukur Rambut, Harga: 50000
2. Nama Layanan: Potong Jenggot, Harga: 30000
3. Nama Layanan: Cuci Rambut, Harga: 20000
4. Nama Layanan: Pijat Kepala, Harga: 70000
5. Nama Layanan: Kerat Rambut, Harga: 80000
Masukkan pilihan layanan (1-5): 1
Apakah ingin menambah layanan lain? (y/n): y

Data Layanan di Barbershop:
1. Nama Layanan: Cukur Rambut, Harga: 50000
2. Nama Layanan: Potong Jenggot, Harga: 30000
3. Nama Layanan: Cuci Rambut, Harga: 20000
4. Nama Layanan: Pijat Kepala, Harga: 70000
5. Nama Layanan: Kerat Rambut, Harga: 80000
Masukkan pilihan layanan (1-5): 3
Apakah ingin menambah layanan lain? (y/n): n
Total yang harus dibayar: Rp 70000
Masukkan jumlah uang yang dibayarkan: Rp 40000
Uang Anda kurang sebesar Rp 30000.
Masukkan jumlah uang yang dibayarkan: Rp 80000
Kembalian Anda: Rp 10000
Terima kasih telah menggunakan layanan kami!
```