COFFEE SHOP DATABASE

Group 11

Names : 1. Muhamad Rifqi Alfareza

2. Namira Assalwa

3. Zulfarida

Class : 1CC1

CEP CCIT

FAKULTAS TEKNIK UNIVERSITAS INDONESIA

2024

PROJECT ON

Database Coffee Shop

Developed by

1. **Muhamad Rifqi Alfareza**
2. **Namira Assalwa**
3. **Zulfarida**

NIIT

DATABASE COFFEE SHOP

Batch Code : 1CC1

Start Date : November 10th , 2024

End Date : December 31th , 2024

Name of Faculty : Muhammad Azka Ramadhan, S. Pd., MBA.

Names of Developer :

1. Muhamad Rifqi Alfareza
2. Namira Assalwa
3. Zulfarida

Date of Submission: December 2nd, 2024

NIIT

CERTIFICATE

This is to certify that this report titled “Database Coffee Shop” embodies the original work done by Muhamad Rifqi Alfareza, Namira Assalwa, Zulfarida. Project in partial fulfillment of their course requirement at NIIT.

Coordinator:

Muhammad Azka Ramadhan, S. Pd., MBA.

ACKNOWLEDGEMENT

Praise and gratitude to Allah Subhanahu Wa Ta'ala who has bestowed mercy and grace on us, so that we can complete this Administering Database entitled Database Coffee Shop on time.

Big thanks and deep gratitude we say to Mr. Muhammad Azka Ramadhan, S. Pd., MBA. and other faculty members that helping in order to complete this project. Thanks to the other collage especially my team for the supportive critics, active in discuss and insight in the process of development of this project.

Pushed by curiosity, willpower, and hardwork we put our efforts with hope that we can achieve the maximum result. As this paper is still far from the word consummate, hence it needed criticisms and suggestions to complete it. Hopefully that this paper will be benefit to all that read it also can add reader insight, especially in education of information technology.

Depok, December 1st 2024

Author

SYSTEM ANALYSIS

System Summary:

A database management system (or DBMS) is essentially nothing more than a computerized data-keeping system. Users of the system are given facilities to perform several kinds of operations on such a system for either manipulation of the data in the database or the management of the database structure itself.

The coffee shop database serves to record orders and manage the coffee shop data itself. This database is divided into two sections, namely the ordering and admin sections. where the customer can order, and the order enters the database, then goes to the payment process.

DATABASE DESIGN INTRODUCTION

Database Name: cafe_management_db

Number of Tables: 10

- Profile Cafe Table
- Cabang Cafe
- Menus Table
- Status Menu Cabang Table
- Customers Table
- Transactions Table
- Details Transaction Table
- Suppliers Table
- Reservations Table
- Tables Table

Number of Views: 5

- vw_menu_per_cabang
- vw_customer_orders
- vw_stock_per_menu
- vw_daily_sales
- vw_top_customers

Number of Procedures: 3

- proc_AddNewTransaction
- proc_AddStockToCabang
- proc_UpdateMenuPrice

Number of Triggers : 4

- Trg_UpdateStockAfterOrder
- Trg_PreventNegativeStock
- Trg_CascadeDeleteCabang
- Trg_RestoreStockOnOrderCancel


Number of Indexes : 2

- idx_fulltext_menus_name_description

- idx_fulltext_customers_name_contact


ERD (Entity Relationship Diagram)

Entity Relationship Diagram, also known as ERD, ER Diagram or ER model, is a type of structural diagram for use in database design. And here is the ERD of the coffee shop database.



SCHEMATIC DIAGRAM

A class diagram is an illustration of the relationships and source code dependencies among classes in the Unified Modeling Language (UML). And here is the Class Diagram of the coffee shop database.



The table design of the coffee shop database is as follows:

Profile Cafe Table

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	kontak_kafe	varchar(15)	utf8mb4_general_ci		Yes	NULL			Change Drop More
2	nama_cafe	varchar(50)	utf8mb4_general_ci		Yes	NULL			Change Drop More
3	alamat	varchar(100)	utf8mb4_general_ci		Yes	NULL			Change Drop More
4	sosial_media	varchar(50)	utf8mb4_general_ci		Yes	NULL			Change Drop More
5	id_cabang	varchar(3)	utf8mb4_general_ci		Yes	NULL			Change Drop More
6	jam_operasional	varchar(20)	utf8mb4_general_ci		Yes	NULL			Change Drop More
7	id_cafe	varchar(4)	utf8mb4_general_ci		No	None			Change Drop More

Cabang Café

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	id_cabang	varchar(3)	utf8mb4_general_ci		No	None			Change Drop More
2	jam_operasional	varchar(20)	utf8mb4_general_ci		Yes	NULL			Change Drop More
3	nama_menu	varchar(50)	utf8mb4_general_ci		Yes	NULL			Change Drop More
4	alamat	varchar(100)	utf8mb4_general_ci		Yes	NULL			Change Drop More
5	kontak	varchar(15)	utf8mb4_general_ci		Yes	NULL			Change Drop More
6	id_cafe	varchar(4)	utf8mb4_general_ci		Yes	NULL			Change Drop More

Menus Table

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	id_menu	varchar(4)	utf8mb4_general_ci		No	None			Change Drop More
2	menu	varchar(50)	utf8mb4_general_ci		Yes	NULL			Change Drop More
3	harga	decimal(10,2)			Yes	NULL			Change Drop More

Status Menu Cabang Table

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	id_menu_cabang	varchar(5)	utf8mb4_general_ci		No	None			Change Drop More
2	id_cabang	varchar(3)	utf8mb4_general_ci		Yes	NULL			Change Drop More
3	status	varchar(20)	utf8mb4_general_ci		Yes	NULL			Change Drop More
4	nama_menu	varchar(50)	utf8mb4_general_ci		Yes	NULL			Change Drop More
5	harga	varchar(20)	utf8mb4_general_ci		Yes	NULL			Change Drop More
6	id_menu	varchar(4)	utf8mb4_general_ci		Yes	NULL			Change Drop More

TABLE DESIGN

Customers Table

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	kontak_pelanggan	varchar(15)	utf8mb4_general_ci		Yes	NULL			Change Drop More
2	id_pelanggan	varchar(4)	utf8mb4_general_ci		No	None			Change Drop More
3	nama	varchar(50)	utf8mb4_general_ci		Yes	NULL			Change Drop More
4	alamat	varchar(100)	utf8mb4_general_ci		Yes	NULL			Change Drop More
5	gmail	varchar(50)	utf8mb4_general_ci		Yes	NULL			Change Drop More
6	id_reservasi	varchar(4)	utf8mb4_general_ci		Yes	NULL			Change Drop More

Transactions Table

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	id_transaksi	varchar(4)	utf8mb4_general_ci		No	None			Change Drop More
2	nama_menu	varchar(50)	utf8mb4_general_ci		Yes	NULL			Change Drop More
3	id_reservasi	varchar(4)	utf8mb4_general_ci		Yes	NULL			Change Drop More
4	harga	decimal(10,2)			Yes	NULL			Change Drop More
5	tanggal	date			Yes	NULL			Change Drop More
6	id_pelanggan	varchar(4)	utf8mb4_general_ci		Yes	NULL			Change Drop More

Details Transaction Table

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	id_detail_transaksi	varchar(4)	utf8mb4_general_ci		No	None			Change Drop More
2	nama_menu	varchar(50)	utf8mb4_general_ci		Yes	NULL			Change Drop More
3	id_reservasi	varchar(4)	utf8mb4_general_ci		No	None			Change Drop More
4	harga_menu	decimal(10,2)			Yes	NULL			Change Drop More
5	stok	int(11)			Yes	NULL			Change Drop More
6	id_transaksi	varchar(4)	utf8mb4_general_ci		Yes	NULL			Change Drop More

Suppliers Table

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	id_stok	varchar(4)	utf8mb4_general_ci		No	None			Change Drop More
2	id_cabang	varchar(3)	utf8mb4_general_ci		Yes	NULL			Change Drop More
3	id_pemasok	varchar(4)	utf8mb4_general_ci		Yes	NULL			Change Drop More
4	jumlah	int(11)			Yes	NULL			Change Drop More

TABLE DESIGN

Reservations Table

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	id_reservasi	varchar(4)	utf8mb4_general_ci		No	None			Change Drop More
2	id_cabang	varchar(3)	utf8mb4_general_ci		Yes	NULL			Change Drop More
3	id_pelanggan	varchar(4)	utf8mb4_general_ci		Yes	NULL			Change Drop More
4	id_meja	varchar(4)	utf8mb4_general_ci		Yes	NULL			Change Drop More
5	nomor_meja	int(11)			Yes	NULL			Change Drop More
6	tanggal	date			Yes	NULL			Change Drop More
7	jam_reservasi	time			Yes	NULL			Change Drop More

Tables Table

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	nomor_meja	int(11)			Yes	NULL			Change Drop More
2	status	varchar(10)	utf8mb4_general_ci		Yes	NULL			Change Drop More
3	id_meja	varchar(4)	utf8mb4_general_ci		No	None			Change Drop More
4	id_cabang	varchar(3)	utf8mb4_general_ci		Yes	NULL			Change Drop More

VALIDATION PERFORM

Cafe Table

Column	Method(s) user for Validation	Description
id_cafe	Primary Key, Not Null	**This column contain Primary Key, cannot be empty**
nama	**NOT NULL**	**This column cannot be empty**
alamat	**NOT NULL**	**This column cannot be empty**
jam_operasional	**NOT NULL**	**This column cannot be empty**
kontak	**NOT NULL**	**This column cannot be empty**

Cabang Table

Column	Method(s) user for Validation	Description
id_cabang	Primary Key, **NOT NULL**	**This column contain Primary Key, cannot be empty**
id_cafe	Foreign Key**, NOT NULL**	**This column contain Foreign Key, cannot be empty**
nama_cabang	**NOT NULL**	**This column cannot be empty**
alamat_cabang	**NOT NULL**	**This column cannot be empty**

Menu Table

Column	Method(s) user for Validation	Description
id_menu	Primary Key, **NOT NULL**	**This column contain Primary Key, This column cannot be empty**
nama_menu	NOT NULL	**This column cannot be empty**
harga	NOT NULL	**This column can be empty**
id_cabang	**Foreign Key, NOT NULL**	**This column contain Foreign Key, cannot be empty**

VALIDATION PERFORM

Customers Table

Column	Method(s) user for Validation	Description
id_customer	Primary Key, **NOT NULL**	**This column contain Primary Key, cannot be empty**
nama_customer	**NOT NULL**	**This column cannot be empty**
kontak	**NOT NULL**	**This column cannot be empty**
email	**Unique Key, NOT NULL**	**This column contain Unique Key, cannot be empty**

Transactions Table

Column	Method(s) user for Validation	Description
kode_transaksi	Primary Key, **NOT NULL**	**This column contain Primary Key, cannot be empty**
id_customer	**Foreign Key, NOT NULL**	**This column contain Foreign Key, cannot be empty**
tanggal_transaksi	**NOT NULL**	**This column cannot be empty**

Transactions_Details Table

Column	Method(s) user for Validation	Description
id_ transactions _detail	Primary Key, Not Null	This column contain Primary Key, cannot be empty
kode_transaksi	Foreign Key, NOT NULL	This column contain Foreign Key, cannot be empty
id_menu	Foreign Key, NOT NULL	This column contain Foreign Key, cannot be empty
jumlah	NOT NULL	This column cannot be empty

Suppliers Table

Column	Method(s) user for Validation	Description
id_pemasok	Primary Key, Not Null	This column contain Primary Key, cannot be empty
nama_pemasok	Not Null	This column cannot be empty
kontak	Not Null	This column cannot be empty
alamat	Not Null	This column cannot be empty

VALIDATION PERFORM

Stok_Barang Table

Column	Method(s) user for Validation	Description
id_stok	Primary Key, Not Null	This column contain Primary Key, cannot be empty
id_menu	Foreign Key, NOT NULL	This column contain Foreign Key, cannot be empty
jumlah	Not Null	This column cannot be empty
id_pemasok	Foreign Key, NOT NULL	This column contain Foreign Key, cannot be empty

VALIDATION PERFORM

Customer Table

Column	Method(s) user for Validation	Description
identify	Primary Key, **NOT NULL**	**This column contain Primary Key, cannot be empty**
rupiah	**NOT NULL**	**This column cannot be empty**
Trx_datetime	**NOT NULL**	**This column cannot be empty**
Id_transaction	**NOT NULL**	**This column cannot be empty**

Detail supplier table

Column	Method(s) user for Validation	Description
Id_det_supplier	Primary Key, **NOT NULL**	**This column contain Primary Key, cannot be empty**
Name_suppleir	**NOT NULL**	**This column cannot be empty**
Tlp	**NOT NULL**	**This column cannot be empty**

STORED PROCEDURE

Procedure AddNewTransaction

```
BEGIN
    DECLARE v_total_harga DECIMAL(10, 2) DEFAULT 0;  -- Variabel untuk total harga transaksi
    DECLARE v_id_transaksi INT;  -- Variabel untuk ID transaksi yang baru
    DECLARE v_id_menu INT;       -- ID menu untuk setiap item
    DECLARE v_harga_menu DECIMAL(10, 2);  -- Harga menu untuk setiap item
    DECLARE v_jumlah INT;        -- Jumlah item untuk setiap item
    DECLARE v_index INT DEFAULT 0;  -- Indeks untuk iterasi dalam JSON
    DECLARE v_items_count INT;    -- Jumlah item dalam transaksi

    -- Menghitung jumlah item dalam parameter JSON
    SET v_items_count = JSON_LENGTH(p_items);

    -- Langkah 1: Menambahkan transaksi baru ke tabel `Transactions`
    INSERT INTO `Transactions` (id_pelanggan, total_harga, tanggal, id_reservasi)
    VALUES (p_id_pelanggan, v_total_harga, NOW(), p_id_reservasi);
```

```
-- Langkah 1: Menambahkan transaksi baru ke tabel `Transactions`
INSERT INTO `Transactions` (id_pelanggan, total_harga, tanggal, id_reservasi)
VALUES (p_id_pelanggan, v_total_harga, NOW(), p_id_reservasi);

-- Mendapatkan ID transaksi yang baru saja dimasukkan
SET v_id_transaksi = LAST_INSERT_ID();


-- Langkah 2: Menambahkan detail transaksi ke tabel `Details_Transaction`
WHILE v_index < v_items_count DO
    -- Mendapatkan data item dari JSON berdasarkan indeks
    SET v_id_menu = JSON_UNQUOTE(JSON_EXTRACT(p_items, CONCAT('$[', v_index, '].id_menu')));
    SET v_jumlah = JSON_UNQUOTE(JSON_EXTRACT(p_items, CONCAT('$[', v_index, '].jumlah')));
```

```
    -- Mendapatkan harga menu untuk item ini
    SELECT harga INTO v_harga_menu
    FROM `Menus`
    WHERE id_menu = v_id_menu;

    -- Menghitung total harga untuk item ini
    SET v_total_harga = v_total_harga + (v_harga_menu * v_jumlah);

    -- Menambahkan detail transaksi ke tabel `Details_Transaction`
    INSERT INTO `Details_Transaction` (id_transaksi, id_menu, harga_menu, jumlah)
    VALUES (v_id_transaksi, v_id_menu, v_harga_menu, v_jumlah);

    -- Menambah indeks untuk loop berikutnya
    SET v_index = v_index + 1;
END WHILE;
```



STORED PROCEDURE

Procedure AddStockToCabang

```
DELIMITER $$

CREATE PROCEDURE AddNewTransaction(
    IN p_id_pelanggan INT,        -- ID Pelanggan yang melakukan transaksi
    IN p_id_reservasi INT,        -- ID Reservasi (opsional)
    IN p_items JSON               -- Daftar item yang dibeli dalam format JSON
)
BEGIN
    DECLARE v_total_harga DECIMAL(10, 2) DEFAULT 0;  -- Variabel untuk total harga transaksi
    DECLARE v_id_transaksi INT;  -- Variabel untuk ID transaksi yang baru
    DECLARE v_id_menu INT;        -- ID menu untuk setiap item
    DECLARE v_harga_menu DECIMAL(10, 2);  -- Harga menu untuk setiap item
    DECLARE v_jumlah INT;         -- Jumlah item untuk setiap item
    DECLARE v_index INT DEFAULT 0;  -- Indeks untuk iterasi dalam JSON
    DECLARE v_items_count INT;    -- Jumlah item dalam transaksi

    -- Menghitung jumlah item dalam parameter JSON
    SET v_items_count = JSON_LENGTH(p_items);

    -- Langkah 1: Menambahkan transaksi baru ke tabel `Transactions`
    INSERT INTO `Transactions` (id_pelanggan, total_harga, tanggal, id_reservasi)
    VALUES (p_id_pelanggan, v_total_harga, NOW(), p_id_reservasi);

    -- Mendapatkan ID transaksi yang baru saja dimasukkan
    SET v_id_transaksi = LAST_INSERT_ID();

    -- Langkah 2: Menambahkan detail transaksi ke tabel `Details_Transaction`
    WHILE v_index < v_items_count DO
        -- Mendapatkan data item dari JSON berdasarkan indeks
        SET v_id_menu = JSON_UNQUOTE(JSON_EXTRACT(p_items, CONCAT('$[', v_index, '].id_menu')));
        SET v_jumlah = JSON_UNQUOTE(JSON_EXTRACT(p_items, CONCAT('$[', v_index, '].jumlah')));


        -- Mendapatkan harga menu untuk item ini
        SELECT harga INTO v_harga_menu
        FROM `Menus`
        WHERE id_menu = v_id_menu;

        -- Menghitung total harga untuk item ini
        SET v_total_harga = v_total_harga + (v_harga_menu * v_jumlah);

        -- Menambahkan detail transaksi ke tabel `Details_Transaction`
        INSERT INTO `Details_Transaction` (id_transaksi, id_menu, harga_menu, jumlah)
        VALUES (v_id_transaksi, v_id_menu, v_harga_menu, v_jumlah);

        -- Menambah indeks untuk loop berikutnya
        SET v_index = v_index + 1;
    END WHILE;
```

STORED PROCEDURE




Procedure UpdateMenuPrice

```
-- Ubah delimiter untuk memungkinkan penggunaan titik koma di dalam prosedur
DELIMITER //

-- Buat prosedur tersimpan bernama proc_UpdateMenuPrice
CREATE PROCEDURE proc_UpdateMenuPrice(
    IN p_id_menu INT,            -- Parameter input untuk ID menu
    IN p_new_price DECIMAL(10, 2) -- Parameter input untuk harga baru
)
BEGIN
    -- Perbarui harga di tabel Menus
    UPDATE Menus
    SET harga = p_new_price
    WHERE id_menu = p_id_menu;



    -- Perbarui harga di tabel Status Menu Cabang
    UPDATE Status_Menu_Cabang
    SET Harga = p_new_price
    WHERE id_menu = p_id_menu;
END //

-- Kembalikan delimiter ke titik koma default
DELIMITER ;
```



VIEW

In this database there is also a view named " vw_menu_per_cabang".



Query:

```
    CREATE VIEW vw_menu_per_cabang AS
    SELECT
        c.id_cabang,
        m.menu AS nama_menu,
        m.id_menu,
        sm.Harga AS harga_menu,
        c.jam_operasional,
        c.alamat AS alamat,
        c.kontak AS kontak_cabang
    FROM
        `Cabang` c
    JOIN
        `Status_Menu_Cabang` sm ON
c.id_cabang = sm.id_cabang
    JOIN
        `Menu` m ON sm.id_menu =
m.id_menu;
```

VIEW

In this database there is also a view named " vw_customer_orders ".





Query:

```
CREATE VIEW vw_customer_orders AS
SELECT
    c.id_pelanggan,
    c.nama AS nama_pelanggan,
    t.id_transaksi,
    t.tanggal,
    t.nama_menu,
    t.harga,
    d.stok AS jumlah,
    r.id_reservasi
FROM
    transaksi t
JOIN
    pelanggan c ON t.id_pelanggan = c.id_pelanggan
JOIN
    detail_transaksi d ON t.id_transaksi = d.id_transaksi
```

VIEW


```
FROM
    transaksi t
JOIN
    pelanggan c ON t.id_pelanggan = c.id_pelanggan


JOIN
    detail_transaksi d ON t.id_transaksi = d.id_transaksi

JOIN
    reservasi r ON r.id_reservasi = t.id_reservasi;
```

VIEW

In this database there is also a view named " vw_customer_menu ".





Query:

```
CREATE VIEW vw_stock_per_menu AS
SELECT
    sm.id_menu_cabang,
    m.menu AS nama,
    sm.harga AS harga_menu,
    s.jumlah AS stok,
    c.id_cabang,
    c.nama_menu
FROM
    stok s
JOIN
    cabang c ON s.id_cabang = c.id_cabang
```

VIEW

```
FROM
    stok s


JOIN
    cabang c ON s.id_cabang = c.id_cabang

JOIN
    status_menu_cabang sm ON sm.id_menu_cabang = s.id_stok
JOIN
    menu m ON sm.id_menu = m.id_menu;
```

VIEW

In this database there is also a view named " vw_daily_sales".






Query:

```
CREATE VIEW vw_daily_sales AS
SELECT
    t.tanggal,
    c.id_cabang,
    SUM(t.harga) AS total_penjualan
FROM
    transaksi t
JOIN
    cabang c ON t.id_cabang = c.id_cabang
GROUP BY
    t.tanggal, t.id_cabang;
```

VIEW

In this database there is also a view named " vw_top_customers".





Query:

```
    CREATE VIEW vw_top_customers
AS
    SELECT
        c.id_pelanggan,
        c.nama AS nama_pelanggan,
        SUM(t.harga) AS
total_pengeluaran
    FROM
        transaksi t
    JOIN
        pelanggan c ON
t.id_pelanggan = c.id_pelanggan
    GROUP BY
        c.id_pelanggan
    ORDER BY
        total_pengeluaran DESC
    LIMIT 10;
```

FULLTEXT SEARCH

Fulltext Search

```
-- Menambahkan FULLTEXT index pada tabel 'Profile Cafe'
ALTER TABLE `Profile_cafe`
ADD FULLTEXT(`nama_cafe`, `alamat`, `kontak_kafe`);

-- Menambahkan FULLTEXT index pada tabel 'Cabang Cafe'
ALTER TABLE `Cabang`
ADD FULLTEXT(`nama_menu`, `alamat`, `kontak`);

-- Menambahkan FULLTEXT index pada tabel 'Menus'
   ALTER TABLE `Menu`
   ADD FULLTEXT(`menu`);

-- Menambahkan FULLTEXT index pada tabel 'Customers'
   ALTER TABLE `pelanggan`
   ADD FULLTEXT(`nama`, `alamat`, `gmail`);

-- Menambahkan FULLTEXT index pada tabel 'Transactions'
   ALTER TABLE `transaksi`
   ADD FULLTEXT(`nama_menu`);

-- Menambahkan FULLTEXT index pada tabel 'detail_transaksi'
   ALTER TABLE `detail_transaksi`
   ADD FULLTEXT(`nama_menu`);


  -- Menambahkan FULLTEXT index pada tabel 'stok' (opsional)
  ALTER TABLE `stok`
 ADD FULLTEXT(`id_pemasok`);


  -- Menambahkan FULLTEXT index pada tabel 'reservasi'
  ALTER TABLE `reservasi`
 ADD FULLTEXT(`id_pelanggan`, `id_cabang`);

  -- Menambahkan FULLTEXT index pada tabel 'Tables'
  ALTER TABLE `meja`
 ADD FULLTEXT(`status`);
```


FULLTEXT SEARCH

Index





FULLTEXT SEARCH



Showing rows 0 - 9 (10 total, Query took 0.0009 seconds.)


```
-- Mengambil semua data dari tabel Status Menu Cabang SELECT * FROM Status_Menu_Cabang;
```

[Edit inline] [Edit] [Create PHP code]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

	id_menu_cabang	id_cabang	status	nama_menu	harga	id_menu
Edit Copy Delete	J011	ACJ	Tersedia	cappuccino	Rp. 22.000	K001
Edit Copy Delete	J012	ACB	Tersedia	latte	Rp. 21.000	K002
Edit Copy Delete	J013	ACC	Tersedia	iced tea	Rp. 14.000	K003
Edit Copy Delete	J014	ACK	Tersedia	black tea	Rp. 11.000	K004
Edit Copy Delete	J015	ACP	Tersedia	green tea	Rp. 13.000	K005
Edit Copy Delete	J016	ACS	Tersedia	vanilla latte	Rp. 23.000	K006
Edit Copy Delete	J017	ACB	Tersedia	caramel macchiato	Rp. 24.000	K007
Edit Copy Delete	J018	ACY	Tersedia	iced coffee	Rp. 19.000	K008
Edit Copy Delete	J019	ACT	Tersedia	strawberry smoothie	Rp. 25.000	K009
Edit Copy Delete	J020	ACS	Tersedia	mango juice	Rp. 17.000	K010



Showing rows 0 - 8 (9 total, Query took 0.0007 seconds.)

```
-- Mengambil semua data dari tabel Customers SELECT * FROM pelanggan;
```


[Edit inline] [Edit] [Create PHP code]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

	kontak_pelanggan	id_pelanggan	nama	alamat	gmail	id_reservasi
Edit Copy Delete	0812-3456-7890	1234	Andi Pratama	Jl. Merdeka No. 12, Jakarta	andipratama@gmail.com	R001
Edit Copy Delete	0821-9876-5432	2345	Budi Santoso	Jl. Sudirman No. 78, Bandung	budisantoso@gmail.com	R003
Edit Copy Delete	0872-2345-0917	2679	Siti Salma	Jl. Pramuka No. 21, Solo	sitisalwa@gmail.com	R009
Edit Copy Delete	0877-6543-2109	3456	Joko Hartono	Jl. Pahlawan No. 56, Yogyakarta	jokohartono@gmail.com	R005
Edit Copy Delete	0813-5678-9012	4567	Rizky Setiawan	Jl. Kuningan No. 34, Jakarta	rizkysetiawan@gmail.com	R007
Edit Copy Delete	0856-1234-5678	5678	Siti Nurhaliza	Jl. Raya Bogor No. 45, Depok	sitinurhaliza@gmail.com	R002
Edit Copy Delete	0899-2345-6789	6789	Rina Wijaya	Jl. Mawar No. 22, Surabaya	rinawijaya@gmail.com	R004
Edit Copy Delete	0852-8765-4321	8901	Maya Suryani	Jl. Gondana No. 89, Bali	mayasuryani@gmail.com	R006
Edit Copy Delete	0857-4321-0987	9012	Dwi Anggoro	Jl. Alam No. 17, Medan	dwianggoro@gmail.com	R008

Check all With selected: Edit Copy Delete Export



Showing rows 0 - 8 (9 total, Query took 0.0007 seconds.)

```
-- Mengambil semua data dari tabel Transactions SELECT * FROM transaksi;
```

[Edit inline] [Edit] [Create PHP code]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

	id_transaksi	nama_menu	id_reservasi	harga	tanggal	id_pelanggan
Edit Copy Delete	T001	kopi americano	R001	7000.00	2024-02-14	1234
Edit Copy Delete	T002	kopi susu	R002	20000.00	2024-05-07	5678
Edit Copy Delete	T003	kopi gula aren	R003	20000.00	2024-08-23	2345
Edit Copy Delete	T004	matcha	R004	15000.00	2024-10-19	6789
Edit Copy Delete	T005	fruit tea	R005	19000.00	2024-06-11	3456
Edit Copy Delete	T006	lemon tea	R006	12000.00	2024-09-03	8901
Edit Copy Delete	T007	jasmine tea	R007	10000.00	2024-04-26	4567
Edit Copy Delete	T008	kopi hazelnut	R008	18000.00	2024-07-17	9012
Edit Copy Delete	T009	coklat panas	R009	16000.00	2024-12-19	2679

Check all With selected: Edit Copy Delete Export

FULLTEXT SEARCH

Showing rows 0 - 8 (9 total, Query took 0.0005 seconds.)

```
-- Mengambil semua data dari tabel Details Transaction SELECT * FROM Detail_Transaksi;
```

[Edit inline] [Edit] [Create PHP code]

Show all | Number of rows: 25 Filter rows: Search this table Sort by key: None

Extra options

	id_detail_transaksi	nama_menu	id_reservasi	harga_menu	stok	id_transaksi
Edit Copy Delete	DT01	kopi americano	R001	7000.00	12	T001
Edit Copy Delete	DT02	kopi susu	R002	20000.00	15	T002
Edit Copy Delete	DT03	kopi gula aren	R003	20000.00	20	T003
Edit Copy Delete	DT04	matcha	R004	15000.00	25	T004
Edit Copy Delete	DT05	fruit tea	R005	19000.00	30	T005
Edit Copy Delete	DT06	lemon tea	R006	12000.00	33	T006
Edit Copy Delete	DT07	jasmine tea	R007	10000.00	30	T007
Edit Copy Delete	DT08	kopi hazelnut	R008	18000.00	26	T008
Edit Copy Delete	DT09	coklat panas	R009	16000.00	27	T009

Check all With selected: Edit Copy Delete Export

Showing rows 0 - 8 (9 total, Query took 0.0003 seconds.)

```
-- Mengambil semua data dari tabel Suppliers SELECT * FROM stok;
```


[Edit inline] [Edit] [Create PHP code]

Show all | Number of rows: 25 Filter rows: Search this table Sort by key: None

Extra options

	id_stok	id_cabang	id_pemasok	jumlah
Edit Copy Delete	S001	ACJ	P001	50
Edit Copy Delete	S002	ACB	P002	30
Edit Copy Delete	S003	ACC	P003	20
Edit Copy Delete	S004	ACK	P004	15
Edit Copy Delete	S005	ACP	P005	45
Edit Copy Delete	S006	ACS	P006	60
Edit Copy Delete	S007	ACB	P007	25
Edit Copy Delete	S008	ACY	P008	35
Edit Copy Delete	S009	ACT	P009	40

FULLTEXT SEARCH



Showing rows 0 - 8 (9 total, Query took 0.0004 seconds.)

```
-- Mengambil semua data dari tabel Reservations SELECT * FROM reservasi;
```


[Edit inline] [Edit] [Create PHP code]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

	id_reservasi	id_cabang	id_pelanggan	id_meja	nomor_meja	tanggal	jam_reservasi
Edit Copy Delete	R001	ACJ	1234	M001	5	2024-02-14	12:30:00
Edit Copy Delete	R002	ACB	5678	M002	3	2024-05-07	19:00:00
Edit Copy Delete	R003	ACC	2345	M003	8	2024-08-23	15:45:00
Edit Copy Delete	R004	ACK	6789	M004	2	2024-10-19	20:00:00
Edit Copy Delete	R005	ACP	3456	M005	10	2024-06-11	13:00:00
Edit Copy Delete	R006	ACS	8901	M006	4	2024-09-03	17:30:00
Edit Copy Delete	R007	ACB	4567	M007	7	2024-04-26	18:15:00
Edit Copy Delete	R008	ACY	9012	M008	6	2024-07-17	14:00:00
Edit Copy Delete	R009	ACT	2679	M009	9	2024-11-05	16:30:00

Check all | With selected: Edit Copy Delete Export



Showing rows 0 - 8 (9 total, Query took 0.0003 seconds.)

```
-- Mengambil semua data dari tabel Tables SELECT * FROM meja;
```

[Edit inline] [Edit] [Create PHP code]

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Extra options

	nomor_meja	status	id_meja	id_cabang
Edit Copy Delete	5	Booking	M001	ACJ
Edit Copy Delete	3	Kosong	M002	ACB
Edit Copy Delete	8	Booking	M003	ACC
Edit Copy Delete	2	Kosong	M004	ACK
Edit Copy Delete	10	Booking	M005	ACP
Edit Copy Delete	4	Kosong	M006	ACS
Edit Copy Delete	7	Booking	M007	ACB
Edit Copy Delete	6	Kosong	M008	ACY
Edit Copy Delete	9	Booking	M009	ACT

Check all | With selected: Edit Copy Delete Export

Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

Query results operations

TRIGGER

Trigger update order status after details insert

```
BEGIN
    UPDATE orders
    SET status = 'completed'
    WHERE order_id = NEW.order_id;
END
```

Trigger prevent product deletion if there are active orders

```
BEGIN
    IF EXISTS (SELECT 1 FROM orderdetails WHERE product_id = OLD.product_id) THEN
        SIGNAL SQLSTATE '45000'
        SET MESSAGE_TEXT = 'Cannot delete product because it is part of an active order.';
    END IF;
END
```

Trigger reduce stock after order update

```
BEGIN
    -- If the quantity is changed, adjust the stock accordingly
    IF OLD.quantity != NEW.quantity THEN
        -- Add back the stock for the old quantity
        UPDATE products
        SET stock = stock + OLD.quantity
        WHERE product_id = OLD.product_id;

        -- Subtract the stock for the new quantity
        UPDATE products
        SET stock = stock - NEW.quantity
        WHERE product_id = NEW.product_id;
    END IF;
END
```

TRIGGER

Trigger restore stock if order status cancelled

```
BEGIN
    IF OLD.status = 'pending' AND NEW.status = 'cancelled'
THEN
        UPDATE products
        SET stock = stock + (SELECT quantity FROM
orderdetails WHERE order_id = OLD.order_id AND product_id =
product_id)
        WHERE product_id IN (SELECT product_id FROM
orderdetails WHERE order_id = OLD.order_id);
    END IF;
END
```

CONFIGURATION

Hardware **:** Laptop

Operating System **:** Windows 11

Software **:** Microsoft Word 2019
Microsoft Power Point 2019
XAMPP
Phpmyadmin on Chrome Browser

PROJECT FILE DETAILS

No	File Name	Remarks
1.	Group 1_Coffee Shop.docx	Microsoft Word that contains report
2.	Group 1_Coffee Shop.pdf	PDF that contains report
3.	Group 1_Coffee Shop.pptx	Microsoft Power Point that contains presentation slide
4.	Coffeeshop_db.sql	Database File