

ICPSR 22626

India Human Development Survey (IHDS), 2005

Sonalde Desai
University of Maryland

Reeve Vanneman
University of Maryland

*National Council of Applied Economic
Research, New Delhi*

Birth History Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/22626/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR 22626

India Human Development Survey (IHDS), 2005

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

India Human Development Survey (IHDS), 2005

Birth History

STATEID	EH27 state State code		
Location:	1-2(width: 2; decimal: 0)		
Variable Type:	numeric (ISO)		
	Value	Unweighted Frequency	%
	1	1690	1.8 %
	2	2961	3.2 %
	3	3654	3.9 %
	4	148	0.2 %
	5	1164	1.2 %
	6	3650	3.9 %
	7	1804	1.9 %
	8	6538	7.0 %
	9	10790	11.5 %
	10	4594	4.9 %
	11	178	0.2 %
	12	346	0.4 %
	13	164	0.2 %
	14	232	0.2 %
	15	169	0.2 %
	16	416	0.4 %
	17	344	0.4 %
	18	1861	2.0 %
	19	4746	5.1 %
	20	2369	2.5 %
	21	4756	5.1 %
	22	2759	2.9 %
	23	7081	7.5 %
	24	4383	4.7 %
	25	127	0.1 %
	26	158	0.2 %
	27	7098	7.6 %
	28	4867	5.2 %
	29	8171	8.7 %
	30	231	0.2 %
	32	2639	2.8 %
	33	3563	3.8 %
	34	169	0.2 %

- Study 22626 -

- Mean: 17.78
- Median: 20.00
- Mode: 9.00
- Minimum: 1.00
- Maximum: 34.00
- Standard Deviation: 9.68

Based upon 93820 valid cases out of 93820 total cases.

DISTID	EH27 district District code
--------	-----------------------------

Location: 3-4(width: 2; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	2451	2.6 %
1	3122	3.3 %
2	5606	6.0 %
3	2657	2.8 %
4	3539	3.8 %
5	5238	5.6 %
6	3308	3.5 %
7	3350	3.6 %
8	3559	3.8 %
9	4324	4.6 %
10	4504	4.8 %
11	2936	3.1 %
12	4316	4.6 %
13	3299	3.5 %
14	2574	2.7 %
15	2976	3.2 %
16	2525	2.7 %
17	2594	2.8 %
18	2125	2.3 %
19	2046	2.2 %
20	2406	2.6 %
21	2010	2.1 %
22	1207	1.3 %
23	2284	2.4 %
24	1612	1.7 %
25	1580	1.7 %
26	1561	1.7 %
27	1596	1.7 %
28	545	0.6 %

- Study 22626 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
29	1327	1.4 %
30	1270	1.4 %
31	653	0.7 %
32	1324	1.4 %
33	91	0.1 %
34	374	0.4 %
35	497	0.5 %
36	451	0.5 %
37	287	0.3 %
38	96	0.1 %
39	68	0.1 %
40	137	0.1 %
41	153	0.2 %
42	399	0.4 %
44	236	0.3 %
45	348	0.4 %
46	138	0.1 %
47	242	0.3 %
48	196	0.2 %
49	499	0.5 %
50	153	0.2 %
51	123	0.1 %
54	531	0.6 %
58	137	0.1 %
59	375	0.4 %
60	37	0.0 %
62	160	0.2 %
63	115	0.1 %
65	585	0.6 %
66	279	0.3 %
67	276	0.3 %
68	413	0.4 %

- Mean: 15.36
- Median: 12.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 68.00
- Standard Deviation: 13.31

Based upon 93820 valid cases out of 93820 total cases.

- Study 22626 -

PSUID **EH27 PSU: village/neighborhood code**

Location: 5-6(width: 2; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	14711	15.7 %
2	14227	15.2 %
3	12607	13.4 %
4	9122	9.7 %
5	8126	8.7 %
6	8164	8.7 %
7	7338	7.8 %
8	5099	5.4 %
9	3599	3.8 %
10	2420	2.6 %
11	1760	1.9 %
12	1173	1.3 %
13	1023	1.1 %
14	668	0.7 %
15	383	0.4 %
16	177	0.2 %
17	191	0.2 %
18	208	0.2 %
19	190	0.2 %
20	172	0.2 %
21	199	0.2 %
22	157	0.2 %
23	99	0.1 %
24	67	0.1 %
25	33	0.0 %
26	33	0.0 %
27	27	0.0 %
28	31	0.0 %
29	11	0.0 %
30	45	0.0 %
31	256	0.3 %
32	305	0.3 %
33	265	0.3 %
34	215	0.2 %
35	255	0.3 %
36	241	0.3 %
37	149	0.2 %

- Study 22626 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
38	54	0.1 %
39	20	0.0 %

- Mean: 5.44
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 39.00
- Standard Deviation: 5.43

Based upon 93820 valid cases out of 93820 total cases.

HHID	EH27 hhs Household ID
------	-----------------------

Location: 7-8(width: 2; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	6182	6.6 %
2	6149	6.6 %
3	5989	6.4 %
4	6065	6.5 %
5	5655	6.0 %
6	5681	6.1 %
7	5577	5.9 %
8	5239	5.6 %
9	5266	5.6 %
10	5052	5.4 %
11	5034	5.4 %
12	4863	5.2 %
13	4667	5.0 %
14	4661	5.0 %
15	4443	4.7 %
16	2408	2.6 %
17	2251	2.4 %
18	2124	2.3 %
19	1993	2.1 %
20	1919	2.0 %
21	421	0.4 %
22	395	0.4 %
23	315	0.3 %
24	248	0.3 %
25	209	0.2 %

- Study 22626 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
26	182	0.2 %
27	165	0.2 %
28	116	0.1 %
29	108	0.1 %
30	79	0.1 %
31	67	0.1 %
32	70	0.1 %
33	20	0.0 %
34	38	0.0 %
35	23	0.0 %
36	23	0.0 %
37	12	0.0 %
38	6	0.0 %
39	17	0.0 %
40	14	0.0 %
41	15	0.0 %
42	11	0.0 %
43	5	0.0 %
44	1	0.0 %
45	6	0.0 %
46	4	0.0 %
48	4	0.0 %
49	6	0.0 %
50	12	0.0 %
52	10	0.0 %

- Mean: 9.24
- Median: 9.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 52.00
- Standard Deviation: 5.95

Based upon 93820 valid cases out of 93820 total cases.

HHSPLITID

EH27 hhs1 Split household ID

Location:

9-9(width: 1; decimal: 0)

Variable Type:

numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	60405	64.4 %
1	27535	29.3 %

- Study 22626 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	4391	4.7 %
3	1174	1.3 %
4	276	0.3 %
5	31	0.0 %
6	4	0.0 %
7	4	0.0 %

- Mean: 0.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 7.00
- Standard Deviation: 0.68

Based upon 93820 valid cases out of 93820 total cases.

BH2	EH27 19.1 Birth: Birth ID
------------	----------------------------------

Location: 10-11(width: 2; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	31062	33.1 %
2	26290	28.0 %
3	17014	18.1 %
4	9427	10.0 %
5	4946	5.3 %
6	2571	2.7 %
7	1316	1.4 %
8	656	0.7 %
9	309	0.3 %
10	143	0.2 %
11	52	0.1 %
12	22	0.0 %
13	8	0.0 %
14	2	0.0 %
15	2	0.0 %

- Mean: 2.48
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 15.00

- Study 22626 -

- Standard Deviation: 1.60

Based upon 93820 valid cases out of 93820 total cases.

BH3	EH27 19.3a Birth: Sex
------------	------------------------------

Location: 12-12(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Boy	48631	51.8 %
2	Girl	45189	48.2 %

- Mean: 1.48
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

Based upon 93820 valid cases out of 93820 total cases.

BH4	EH27 19.4a Birth: Date
------------	-------------------------------

Location: 13-16(width: 4; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -7 , -6 , -5 , -4 , -3 , -2 , -1

<i>Value</i>	<i>Label</i>
-7	Inconsistent
-6	Out of range
-5	Valid skip
-4	Invalid skip
-3	Don't know
-2	Valid skip
-1	Valid blank

* Frequencies not displayed for this variable.

- Mean: 1773.51
- Minimum: 0.00
- Maximum: 9898.00
- Standard Deviation: 2761.74

Based upon 62238 valid cases out of 93820 total cases.

BH5	EH27 19.5a Birth: Approx age
------------	-------------------------------------

Location: 17-20(width: 4; decimal: 0)

Variable Type: numeric (ISO)

- Study 22626 -

- Mean: 1441.34
- Minimum: 0.00
- Maximum: 9788.00
- Standard Deviation: 1214.73

Based upon 49590 valid cases out of 93820 total cases.

BH6 EH27 19.6a Birth: Living

Location: 21-21(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Living with respondent	76705	81.8 %
2	Living elsewhere	9650	10.3 %
3	Dead	7465	8.0 %

- Mean: 1.26
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.59

Based upon 93820 valid cases out of 93820 total cases.

BH7 EH27 19.7a Birth: Age at death

Location: 22-27(width: 6; decimal: 0)

Variable Type: numeric (ISO)

- Mean: 1084.19
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 8888.00
- Standard Deviation: 2703.93

Based upon 7465 valid cases out of 93820 total cases.

RO0 Roster ID for the child

Location: 28-29(width: 2; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	119	0.1 %
2	1294	1.4 %
3	22258	23.7 %

- Study 22626 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
4	19556	20.8 %
5	15224	16.2 %
6	8294	8.8 %
7	3992	4.3 %
8	1892	2.0 %
9	978	1.0 %
10	568	0.6 %
11	332	0.4 %
12	169	0.2 %
13	102	0.1 %
14	56	0.1 %
15	40	0.0 %
16	25	0.0 %
17	17	0.0 %
18	13	0.0 %
19	12	0.0 %
20	7	0.0 %
21	6	0.0 %
22	1	0.0 %
23	2	0.0 %
24	3	0.0 %
25	3	0.0 %
26	2	0.0 %
29	1	0.0 %
30	1	0.0 %
31	1	0.0 %
.	18852	20.1 %

- Mean: 4.55
- Median: 4.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 31.00
- Standard Deviation: 1.76

Based upon 74968 valid cases out of 93820 total cases.

BH4C

Imputed date of birth for child

Location: 30-33(width: 4; decimal: 0)

Variable Type: numeric (ISO)

- Mean: 1115.84

- Study 22626 -

- Minimum: 831.00
- Maximum: 1271.00
- Standard Deviation: 85.03

Based upon 93550 valid cases out of 93820 total cases.

BH4F Flag for date of birth for child

Location: 34-34(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Month and year	50230	53.5 %
2	Month and age - year imputed	3079	3.3 %
3	Year and age - month imputed	6032	6.4 %
4	Year and age - year ignored	0	0.0 %
5	Year - age, month imputed	1890	2.0 %
6	Age - year, month imputed	31159	33.2 %
7	Month - age, year imputed	152	0.2 %
8	None - all imputed	1008	1.1 %
.	-	270	0.3 %

- Mean: 2.99
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 2.36

Based upon 93550 valid cases out of 93820 total cases.

BH7C Imputed age at death for child

Location: 35-39(width: 5; decimal: 0)

Variable Type: numeric (ISO)

- Mean: 19.16
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 360.00
- Standard Deviation: 43.97

Based upon 7427 valid cases out of 93820 total cases.

BH7F Flag for age at death for child

Location: 40-40(width: 1; decimal: 0)

Variable Type: numeric (ISO)

- Study 22626 -

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
0	No flag	7423	7.9 %
1	Age at death exceed date of interview	3	0.0 %
5	Age at death < last vaccination	1	0.0 %
.	-	86393	92.1 %

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 5.00
- Standard Deviation: 0.06

Based upon 7427 valid cases out of 93820 total cases.

CD2C **Imputed date of interview (CMC)**

Location: 41-44(width: 4; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1258	9	0.0 %
1259	2813	3.0 %
1260	8883	9.5 %
1261	16908	18.0 %
1262	14682	15.6 %
1263	11550	12.3 %
1264	11072	11.8 %
1265	10215	10.9 %
1266	6097	6.5 %
1267	4469	4.8 %
1268	3317	3.5 %
1269	2913	3.1 %
1270	689	0.7 %
1271	203	0.2 %

- Mean: 1263.23
- Median: 1263.00
- Mode: 1261.00
- Minimum: 1258.00
- Maximum: 1271.00
- Standard Deviation: 2.56

Based upon 93820 valid cases out of 93820 total cases.

EW6C **Imputed date of birth for mother**

- Study 22626 -

Location: 45-50(width: 6; decimal: 0)

Variable Type: numeric (ISO)

- Mean: 831.55
- Minimum: 661.00
- Maximum: 1082.00
- Standard Deviation: 87.49

Based upon 93550 valid cases out of 93820 total cases.

EW6F Flag for date of birth for mother

Location: 51-51(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Month and year	2799	3.0 %
2	Month and age - year imputed	27362	29.2 %
3	Year and age - month imputed	3919	4.2 %
4	Year and age - year ignored	0	0.0 %
5	Year - age, month imputed	0	0.0 %
6	Age - year, month imputed	59466	63.4 %
7	Month - age, year imputed	0	0.0 %
8	None - all imputed	4	0.0 %
.	-	270	0.3 %

- Mean: 4.55
- Median: 6.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 1.93

Based upon 93550 valid cases out of 93820 total cases.

EW5C Imputed age for mother

Location: 52-53(width: 2; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
15	2	0.0 %
16	21	0.0 %
17	42	0.0 %
18	161	0.2 %
19	265	0.3 %
20	868	0.9 %

- Study 22626 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
21	685	0.7 %
22	1560	1.7 %
23	1408	1.5 %
24	1746	1.9 %
25	3376	3.6 %
26	2426	2.6 %
27	2017	2.1 %
28	4032	4.3 %
29	2146	2.3 %
30	6349	6.8 %
31	1972	2.1 %
32	4686	5.0 %
33	2863	3.1 %
34	3013	3.2 %
35	7455	7.9 %
36	3838	4.1 %
37	2912	3.1 %
38	5440	5.8 %
39	2274	2.4 %
40	7919	8.4 %
41	1744	1.9 %
42	4239	4.5 %
43	2359	2.5 %
44	1855	2.0 %
45	6057	6.5 %
46	2349	2.5 %
47	1793	1.9 %
48	2674	2.9 %
49	1004	1.1 %
.	270	0.3 %

- Mean: 35.48
- Median: 35.00
- Mode: 40.00
- Minimum: 15.00
- Maximum: 49.00
- Standard Deviation: 7.29

Based upon 93550 valid cases out of 93820 total cases.

MH1BC

Imputed date of marriage

Location:

54-57(width: 4; decimal: 0)

- Study 22626 -

Variable Type: numeric (ISO)

- Mean: 1035.17
- Minimum: 748.00
- Maximum: 1260.00
- Standard Deviation: 94.71

Based upon 93550 valid cases out of 93820 total cases.

MH1BF Flag for date of marriage

Location: 58-58(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Month and year	46142	49.2 %
2	Month and age - year imputed	5606	6.0 %
3	Year and age - month imputed	12550	13.4 %
4	Year and age - year ignored	9687	10.3 %
5	Year - age, month imputed	0	0.0 %
6	Age - year, month imputed	19463	20.7 %
7	Month - age, year imputed	4	0.0 %
8	None - all imputed	98	0.1 %
.	-	270	0.3 %

- Mean: 2.69
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 1.98

Based upon 93550 valid cases out of 93820 total cases.

MH1AC Imputed age at marriage

Location: 59-60(width: 2; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	1	0.0 %
2	15	0.0 %
3	18	0.0 %
4	16	0.0 %
5	87	0.1 %
6	98	0.1 %
7	147	0.2 %

- Study 22626 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	189	0.2 %
9	222	0.2 %
10	1841	2.0 %
11	2100	2.2 %
12	3612	3.8 %
13	5253	5.6 %
14	9429	10.1 %
15	12811	13.7 %
16	12417	13.2 %
17	12139	12.9 %
18	11337	12.1 %
19	6755	7.2 %
20	5823	6.2 %
21	2830	3.0 %
22	2174	2.3 %
23	1370	1.5 %
24	1024	1.1 %
25	730	0.8 %
26	365	0.4 %
27	237	0.3 %
28	195	0.2 %
29	111	0.1 %
30	93	0.1 %
31	33	0.0 %
32	24	0.0 %
33	4	0.0 %
34	7	0.0 %
35	13	0.0 %
36	8	0.0 %
37	6	0.0 %
38	2	0.0 %
40	11	0.0 %
45	3	0.0 %
.	270	0.3 %

- Mean: 16.57
- Median: 16.00
- Mode: 15.00
- Minimum: 1.00
- Maximum: 45.00
- Standard Deviation: 3.32

- Study 22626 -

Based upon 93550 valid cases out of 93820 total cases.

MH2BC Imputed date of gauna

Location: 61-64(width: 4; decimal: 0)

Variable Type: numeric (ISO)

- Mean: 1043.51
- Minimum: 774.00
- Maximum: 1265.00
- Standard Deviation: 91.92

Based upon 93550 valid cases out of 93820 total cases.

MH2BF Flag for date of gauna

Location: 65-65(width: 1; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Month and year	45626	48.6 %
2	Month and age - year imputed	5693	6.1 %
3	Year and age - month imputed	12599	13.4 %
4	Year and age - year ignored	9069	9.7 %
5	Year - age, month imputed	0	0.0 %
6	Age - year, month imputed	20461	21.8 %
7	Month - age, year imputed	4	0.0 %
8	None - all imputed	98	0.1 %
.	-	270	0.3 %

- Mean: 2.72
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 2.01

Based upon 93550 valid cases out of 93820 total cases.

MH2AC Imputed age at gauna

Location: 66-67(width: 2; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
2	7	0.0 %
5	7	0.0 %
7	8	0.0 %
8	10	0.0 %

- Study 22626 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
9	53	0.1 %
10	243	0.3 %
11	517	0.6 %
12	1751	1.9 %
13	3810	4.1 %
14	7449	7.9 %
15	12494	13.3 %
16	14172	15.1 %
17	13511	14.4 %
18	13543	14.4 %
19	8694	9.3 %
20	6684	7.1 %
21	3630	3.9 %
22	2392	2.5 %
23	1543	1.6 %
24	1022	1.1 %
25	803	0.9 %
26	424	0.5 %
27	238	0.3 %
28	214	0.2 %
29	114	0.1 %
30	88	0.1 %
31	44	0.0 %
32	22	0.0 %
33	12	0.0 %
34	6	0.0 %
35	14	0.0 %
36	3	0.0 %
37	11	0.0 %
38	3	0.0 %
40	11	0.0 %
45	3	0.0 %
.	270	0.3 %

- Mean: 17.24
- Median: 17.00
- Mode: 16.00
- Minimum: 2.00
- Maximum: 45.00
- Standard Deviation: 2.93

- Study 22626 -

Based upon 93550 valid cases out of 93820 total cases.

MH18BC Imputed date of first marriage

Location: 68-72(width: 5; decimal: 0)

Variable Type: numeric (ISO)

- Mean: 986.64
- Median: 986.00
- Mode: 929.00
- Minimum: 773.00
- Maximum: 1219.00
- Standard Deviation: 91.91

Based upon 1121 valid cases out of 93820 total cases.

MH18BF Flag for date of first marriage

Location: 73-77(width: 5; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Month and year	286	0.3 %
2	Month and age - year imputed	53	0.1 %
3	Year and age - month imputed	175	0.2 %
4	Year and age - year ignored	156	0.2 %
5	Year - age, month imputed	0	0.0 %
6	Age - year, month imputed	437	0.5 %
7	Month - age, year imputed	0	0.0 %
8	None - all imputed	14	0.0 %
.	-	92699	98.8 %

- Mean: 3.81
- Median: 4.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 2.09

Based upon 1121 valid cases out of 93820 total cases.

MH18AC Imputed age at first marriage

Location: 78-82(width: 5; decimal: 0)

Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
5	2	0.0 %
6	4	0.0 %

- Study 22626 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
7	6	0.0 %
8	5	0.0 %
9	4	0.0 %
10	84	0.1 %
11	124	0.1 %
12	131	0.1 %
13	101	0.1 %
14	168	0.2 %
15	149	0.2 %
16	114	0.1 %
17	62	0.1 %
18	76	0.1 %
19	37	0.0 %
20	22	0.0 %
21	4	0.0 %
22	10	0.0 %
23	7	0.0 %
24	5	0.0 %
26	1	0.0 %
29	5	0.0 %
.	92699	98.8 %

- Mean: 14.25
- Median: 14.00
- Mode: 14.00
- Minimum: 5.00
- Maximum: 29.00
- Standard Deviation: 3.17

Based upon 1121 valid cases out of 93820 total cases.

MH19BC

Imputed date of first gauna

Location: 83-87(width: 5; decimal: 0)
Variable Type: numeric (ISO)

- Mean: 1001.17
- Median: 994.00
- Minimum: 815.00
- Maximum: 1219.00
- Standard Deviation: 88.93

Based upon 1121 valid cases out of 93820 total cases.

MH19BF

Flag for date of first gauna

- Study 22626 -

Location: 88-92(width: 5; decimal: 0)
Variable Type: numeric (ISO)

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>
1	Month and year	284	0.3 %
2	Month and age - year imputed	53	0.1 %
3	Year and age - month imputed	156	0.2 %
4	Year and age - year ignored	78	0.1 %
5	Year - age, month imputed	9	0.0 %
6	Age - year, month imputed	412	0.4 %
7	Month - age, year imputed	9	0.0 %
8	None - all imputed	120	0.1 %
.	-	92699	98.8 %

- Mean: 4.20
- Median: 4.00
- Mode: 6.00
- Minimum: 1.00
- Maximum: 8.00
- Standard Deviation: 2.42

Based upon 1121 valid cases out of 93820 total cases.

MH19AC Imputed age at first gauna

Location: 93-97(width: 5; decimal: 0)
Variable Type: numeric (ISO)

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
8	3	0.0 %
9	4	0.0 %
10	27	0.0 %
11	58	0.1 %
12	82	0.1 %
13	100	0.1 %
14	139	0.1 %
15	240	0.3 %
16	134	0.1 %
17	106	0.1 %
18	62	0.1 %
19	58	0.1 %
20	47	0.1 %
21	19	0.0 %
22	15	0.0 %

- Study 22626 -

<i>Value</i>	<i>Unweighted Frequency</i>	<i>%</i>
23	10	0.0 %
24	9	0.0 %
26	1	0.0 %
27	2	0.0 %
29	5	0.0 %
.	92699	98.8 %

- Mean: 15.43
- Median: 15.00
- Mode: 15.00
- Minimum: 8.00
- Maximum: 29.00
- Standard Deviation: 3.04

Based upon 1121 valid cases out of 93820 total cases.