DSDR | DATA SHARING FOR DEMOGRAPHIC RESEARCH

India Human Development Survey (IHDS), 2005

Sonalde Desai
University of Maryland

Reeve Vanneman
University of Maryland

National Council of Applied Economic Research, New Delhi

Medical Codebook

Terms of Use

Information about Copyrighted Content

ICPSR 22626

India Human Development Survey (IHDS), 2005

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

India Human Development Survey (IHDS), 2005

Medical

STATEID	State ID

Location:	1-2(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Question:	State ID

Value	Label	Unweighted Frequency	%
1	Jammu & Kashmir	52	1.4 %
2	Himachal Pradesh	142	3.8 %
3	Punjab	139	3.7 %
4	Chandigarh	2	0.1 %
5	Uttarakhand	50	1.3 %
6	Haryana	153	4.1 %
7	Delhi	12	0.3 %
8	Rajasthan	187	5.0 %
9	Uttar Pradesh	384	10.2 %
10	Bihar	157	4.2 %
11	Sikkim	5	0.1 %
12	Arunachal Pradesh	6	0.2 %
13	Nagaland	7	0.2 %
14	Manipur	5	0.1 %
15	Mizoram	6	0.2 %
16	Tripura	7	0.2 %
17	Meghalaya	7	0.2 %
18	Assam	45	1.2 %
19	West Bengal	220	5.8 %
20	Jharkhand	96	2.5 %
21	Orissa	217	5.7 %
22	Chhattisgarh	110	2.9 %
23	Madhya Pradesh	257	6.8 %
24	Gujarat	196	5.2 %
25	Daman & Diu	5	0.1 %
26	Dadra+Nagar Haveli	6	0.2 %
27	Maharashtra	345	9.1 %
28	Andhra Pradesh	251	6.6 %
29	Karnataka	374	9.9 %
30	Goa	12	0.3 %
31	Lakshadweep	0	0.0 %
32	Kerala	121	3.2 %

Value	Label	Unweighted Frequency	%
33	Tamil Nadu	197	5.2 %
34	Pondicherry	4	0.1 %

- Mean: 19.06
- Median: 21.00
- Mode: 9.00
- Minimum: 1.00
- Maximum: 34.00
- Standard Deviation: 9.75

Based upon 3777 valid cases out of 3777 total cases.

DISTID	District ID

Location:	3-4(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Question:	District ID

Value	Unweighted Frequency	%
0	60	1.6 %
1	133	3.5 %
2	215	5.7 %
3	105	2.8 %
4	121	3.2 %
5	199	5.3 %
6	144	3.8 %
7	151	4.0 %
8	140	3.7 %
9	154	4.1 %
10	171	4.5 %
11	133	3.5 %
12	178	4.7 %
13	137	3.6 %
14	105	2.8 %
15	115	3.0 %
16	118	3.1 %
17	113	3.0 %
18	108	2.9 %
19	74	2.0 %
20	124	3.3 %
21	85	2.3 %
22	46	1.2 %
23	109	2.9 %

Value	Unweighted Frequency	%
24	61	1.6 %
25	69	1.8 %
26	62	1.6 %
27	70	1.9 %
28	26	0.7 %
29	56	1.5 %
30	54	1.4 %
31	28	0.7 %
32	51	1.4 %
33	9	0.2 %
34	21	0.6 %
35	14	0.4 %
36	17	0.5 %
37	5	0.1 %
39	2	0.1 %
40	7	0.2 %
41	8	0.2 %
42	20	0.5 %
44	18	0.5 %
45	12	0.3 %
46	4	0.1 %
47	8	0.2 %
48	5	0.1 %
49	12	0.3 %
50	8	0.2 %
51	6	0.2 %
54	14	0.4 %
58	6	0.2 %
59	12	0.3 %
60	2	0.1 %
62	5	0.1 %
63	6	0.2 %
65	18	0.5 %
66	6	0.2 %
67	9	0.2 %
68	8	0.2 %

- Mean: 15.29
- Median: 12.00
- Mode: 2.00

- Minimum: 0.00
- Maximum: 68.00
- Standard Deviation: 12.43

Based upon 3777 valid cases out of 3777 total cases.

PSUID	PSU:neighbourhood or village ID	

Location:	5-6(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Question:	Neighborhood or village ID

Value	Unweighted Frequency	%
1	575	15.2 %
2	537	14.2 %
3	532	14.1 %
4	416	11.0 %
5	340	9.0 %
6	343	9.1 %
7	281	7.4 %
8	188	5.0 %
9	138	3.7 %
10	100	2.6 %
11	74	2.0 %
12	56	1.5 %
13	41	1.1 %
14	30	0.8 %
15	21	0.6 %
16	8	0.2 %
17	11	0.3 %
18	11	0.3 %
19	11	0.3 %
20	7	0.2 %
21	9	0.2 %
22	6	0.2 %
23	6	0.2 %
24	4	0.1 %
31	4	0.1 %
32	2	0.1 %
33	10	0.3 %
34	4	0.1 %
35	6	0.2 %
36	2	0.1 %
37	2	0.1 %

Value	Unweighted Frequency	%
38	2	0.1 %

- Mean: 5.20
- Median: 4.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 38.00
- Standard Deviation: 4.58

Based upon 3777 valid cases out of 3777 total cases.

CLINICID	**Clinic ID**

Location: 7-8(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Question: Clinic ID

Value	Unweighted Frequency	%
1	1751	46.4 %
2	1921	50.9 %
3	35	0.9 %
4	69	1.8 %
6	1	0.0 %

- Mean: 1.58
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 0.61

Based upon 3777 valid cases out of 3777 total cases.

IDCLINIC	**8 digit unique ID**

Location: 9-16(width: 8; decimal: 0)

Variable Type: numeric (ISO)

Question: 8 digit unique ID

- Mean: 19212770.34
- Minimum: 1020101.00
- Maximum: 34020502.00
- Standard Deviation: 9748993.10

Based upon 3777 valid cases out of 3777 total cases.

MCDATE	**MF1 Interview Date**

Location:	17-21(width: 5; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-2 , -1 , .
Question:	Interview Date

Value	Label	Unweighted Frequency	%
105	-	1	0.0 %
305	-	1	0.0 %
6405	-	1	0.0 %
10104	-	1	0.0 %
10105	-	10	0.3 %
10205	-	27	0.7 %
10305	-	12	0.3 %
10405	-	16	0.4 %
10505	-	10	0.3 %
10605	-	12	0.3 %
10705	-	4	0.1 %
10805	-	1	0.0 %
10905	-	4	0.1 %
11204	-	9	0.2 %
20105	-	15	0.4 %
20204	-	1	0.0 %
20205	-	14	0.4 %
20305	-	21	0.6 %
20405	-	10	0.3 %
20505	-	26	0.7 %
20605	-	8	0.2 %
20705	-	3	0.1 %
20805	-	6	0.2 %
20905	-	4	0.1 %
21005	-	1	0.0 %
21104	-	1	0.0 %
21105	-	1	0.0 %
21204	-	2	0.1 %
30104	-	1	0.0 %
30105	-	14	0.4 %
30205	-	25	0.7 %
30305	-	17	0.5 %
30405	-	7	0.2 %
30505	-	22	0.6 %
30605	-	14	0.4 %
30606	-	1	0.0 %

Value	Label	Unweighted Frequency	%
30704	-	1	0.0 %
30705	-	2	0.1 %
30805	-	3	0.1 %
30905	-	4	0.1 %
31005	-	4	0.1 %
31104	-	1	0.0 %
31105	-	1	0.0 %
31204	-	3	0.1 %
-2	Valid skip	0	0.0 %
-1	Valid blank	21	0.6 %
.	-	3414	90.4 %

- Mean: 20690.62
- Median: 20505.00
- Mode: 10205.00
- Minimum: 105.00
- Maximum: 31204.00
- Standard Deviation: 8321.15

Based upon 342 valid cases out of 3777 total cases.

MC10H	MF1 Time - hour

Location:	22-25(width: 4; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Time Interview Began

Value	Label
-1	Valid blank

* Frequencies not displayed for this variable.

- Mean: 756.47
- Median: 930.00
- Mode: 1100.00
- Minimum: 100.00
- Maximum: 1255.00
- Standard Deviation: 393.56

Based upon 3767 valid cases out of 3777 total cases.

MC10A	MF1 Am/Pm

Location:	26-27(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1

Question: AM or PM

Value	Label	Unweighted Frequency	%
1	AM	1675	44.3 %
2	PM	2092	55.4 %
-1	Valid blank	10	0.3 %

- Mean: 1.56
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.50

Based upon 3767 valid cases out of 3777 total cases.

MC11	MF1 Number of visits

Location: 28-29(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Question: Number of visits

Value	Unweighted Frequency	%
0	1	0.0 %
1	3193	84.5 %
2	493	13.1 %
3	69	1.8 %
4	18	0.5 %
5	2	0.1 %
6	1	0.0 %

- Mean: 1.18
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 6.00
- Standard Deviation: 0.48

Based upon 3777 valid cases out of 3777 total cases.

MC12	MF1 Completion Status

Location: 30-31(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Question: Completion Status

Value	Label	Unweighted Frequency	%
1	Complete	3685	97.6 %

Value	Label	Unweighted Frequency	%
2	Incomplete	92	2.4 %

- Mean: 1.02
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.15

Based upon 3777 valid cases out of 3777 total cases.

MF1	MF2 Type of Facility

Location: 32-33(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Question: What type of facility is this?

Value	Label	Unweighted Frequency	%
1	Public Hopital	287	7.6 %
2	Prim Health Clinic	842	22.3 %
3	Comm Health Centre	189	5.0 %
4	Sub-Centre	278	7.4 %
5	Family Plan Centre	46	1.2 %
6	Private Hospital	313	8.3 %
7	Private Clinic	732	19.4 %
8	Private Doctor	891	23.6 %
9	Other	199	5.3 %

- Mean: 5.24
- Median: 6.00
- Mode: 8.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 2.70

Based upon 3777 valid cases out of 3777 total cases.

MF2A	MF2 Practice allopathic

Location: 34-35(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -6

Question: Does this facility practice allopathic medicine?

Value	Label	Unweighted Frequency	%
0	No	300	7.9 %

Value	Label	Unweighted Frequency	%
1	Yes	3476	92.0 %
-6	Out of range	1	0.0 %

- Mean: 0.92
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.27

Based upon 3776 valid cases out of 3777 total cases.

MF2B	**MF2 Practice ayurvedic**

Location:	36-37(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Question:	Does this facility practice ayurvedic medicine?

Value	Label	Unweighted Frequency	%
0	No	2921	77.3 %
1	Yes	856	22.7 %

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.42

Based upon 3777 valid cases out of 3777 total cases.

MF2C	**MF2 Practice homeopathy**

Location:	38-39(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Question:	Does this facility practice homeopathy?

Value	Label	Unweighted Frequency	%
0	No	3496	92.6 %
1	Yes	281	7.4 %

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00

- Standard Deviation: 0.26

Based upon 3777 valid cases out of 3777 total cases.

MF2D	**MF2 Practice Unani**		

Location: 40-41(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does this facility practice unani?

Value	Label	Unweighted Frequency	%
0	No	3727	98.7 %
1	Yes	49	1.3 %
-1	Valid blank	1	0.0 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.11

Based upon 3776 valid cases out of 3777 total cases.

MF2E	**MF2 Practice other**		

Location: 42-43(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Question: Does this facility practice other?

Value	Label	Unweighted Frequency	%
0	No	3721	98.5 %
1	Yes	56	1.5 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.12

Based upon 3777 valid cases out of 3777 total cases.

MF3A	**MF2 Govt funded**		

Location: 44-45(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Question: Does this medical faciilty receive funding or other support from the government?

Value	Label	Unweighted Frequency	%
0	No	1973	52.2 %
1	Yes	1804	47.8 %

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

Based upon 3777 valid cases out of 3777 total cases.

MF3B	**MF2 Religious org support**

Location:	46-47(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Question:	Does this medical faciilty receive funding or other support from a religious organization?

Value	Label	Unweighted Frequency	%
0	No	3724	98.6 %
1	Yes	53	1.4 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.12

Based upon 3777 valid cases out of 3777 total cases.

MF3C	**MF2 Charity or NRI support**

Location:	48-49(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Question:	Does this medical faciilty receive funding or other support from a non-religious charity or NRI?

Value	Label	Unweighted Frequency	%
0	No	3530	93.5 %
1	Yes	247	6.5 %

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00

- Standard Deviation: 0.25

Based upon 3777 valid cases out of 3777 total cases.

MF4	MF2 Year opened

Location:	50-53(width: 4; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-2
Question:	In what year did this medical facility open?

Value	Label
-2	Valid skip

* Frequencies not displayed for this variable.

- Mean: 1984.39
- Median: 1989.00
- Mode: 2000.00
- Minimum: 1812.00
- Maximum: 2005.00
- Standard Deviation: 17.77

Based upon 3712 valid cases out of 3777 total cases.

MF5	MF2 Distance to Dist Hospital

Location:	54-56(width: 3; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-3 , -2 , -1
Question:	How far is this facility from the District Hospital?

Value	Label
-3	Don't know
-2	Valid skip
-1	Valid blank

* Frequencies not displayed for this variable.

- Mean: 38.08
- Median: 30.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 220.00
- Standard Deviation: 32.80

Based upon 3767 valid cases out of 3777 total cases.

MF6A	MF2 # Beds for overnight care

Location:	57-59(width: 3; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-2 , -1

Question: Does this facility have beds for overnight in-patient care?

Value	Label
-2	Valid skip
-1	Valid blank

* Frequencies not displayed for this variable.

- Mean: 11.73
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 942.00
- Standard Deviation: 46.31

Based upon 3752 valid cases out of 3777 total cases.

MF6B	MF2 # Beds Occupied -Average Day

Location: 60-62(width: 3; decimal: 0)
Variable Type: numeric (ISO)
Range of Missing Values (M): -2 , -1
Question: On an average day, how many of these beds are occupied?

Value	Label	Unweighted Frequency	%
0	-	2427	64.3 %
1	-	211	5.6 %
2	-	221	5.9 %
3	-	107	2.8 %
4	-	91	2.4 %
5	-	106	2.8 %
6	-	63	1.7 %
7	-	25	0.7 %
8	-	41	1.1 %
9	-	4	0.1 %
10	-	79	2.1 %
11	-	2	0.1 %
12	-	17	0.5 %
13	-	3	0.1 %
14	-	1	0.0 %
15	-	51	1.4 %
16	-	4	0.1 %
17	-	1	0.0 %
18	-	3	0.1 %
20	-	51	1.4 %
22	-	2	0.1 %

Value	Label	Unweighted Frequency	%
24	-	1	0.0 %
25	-	26	0.7 %
26	-	4	0.1 %
27	-	4	0.1 %
28	-	2	0.1 %
29	-	2	0.1 %
30	-	29	0.8 %
32	-	2	0.1 %
35	-	5	0.1 %
36	-	2	0.1 %
38	-	1	0.0 %
40	-	19	0.5 %
44	-	1	0.0 %
45	-	3	0.1 %
48	-	1	0.0 %
50	-	19	0.5 %
55	-	1	0.0 %
56	-	1	0.0 %
58	-	1	0.0 %
60	-	7	0.2 %
62	-	1	0.0 %
68	-	1	0.0 %
70	-	5	0.1 %
73	-	2	0.1 %
74	-	1	0.0 %
75	-	3	0.1 %
80	-	7	0.2 %
85	-	4	0.1 %
90	-	4	0.1 %
100	-	8	0.2 %
120	-	6	0.2 %
128	-	2	0.1 %
130	-	1	0.0 %
132	-	1	0.0 %
140	-	1	0.0 %
142	-	1	0.0 %
144	-	2	0.1 %
148	-	1	0.0 %
150	-	2	0.1 %
154	-	1	0.0 %

Value	Label	Unweighted Frequency	%
160	-	2	0.1 %
170	-	1	0.0 %
180	-	1	0.0 %
195	-	1	0.0 %
200	-	2	0.1 %
210	-	1	0.0 %
240	-	1	0.0 %
250	-	2	0.1 %
265	-	1	0.0 %
270	-	1	0.0 %
280	-	1	0.0 %
300	-	2	0.1 %
325	-	1	0.0 %
350	-	1	0.0 %
400	-	3	0.1 %
465	-	1	0.0 %
500	-	1	0.0 %
580	-	1	0.0 %
850	-	1	0.0 %
942	-	1	0.0 %
-2	Valid skip	0	0.0 %
-1	Valid blank	56	1.5 %

- Mean: 6.66
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 942.00
- Standard Deviation: 35.31

Based upon 3721 valid cases out of 3777 total cases.

MF6C	**MF2 # Outpatients weekly**

Location:	63-66(width: 4; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-2 , -1
Question:	On average, how many out-patients does the facility treat each week?

Value	Label
-2	Valid skip
-1	Valid blank

* Frequencies not displayed for this variable.

- Mean: 517.05
- Minimum: 0.00
- Maximum: 9999.00
- Standard Deviation: 1335.65

Based upon 3777 valid cases out of 3777 total cases.

MF7A	MF2 Hours Monday?

Location:	67-68(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-2 , -1
Question:	For how many hours is the clinic open on Monday?

Value	Label	Unweighted Frequency	%
0	-	40	1.1 %
1	-	5	0.1 %
2	-	36	1.0 %
3	-	57	1.5 %
4	-	192	5.1 %
5	-	198	5.2 %
6	-	973	25.8 %
7	-	273	7.2 %
8	-	819	21.7 %
9	-	122	3.2 %
10	-	266	7.0 %
11	-	24	0.6 %
12	-	170	4.5 %
13	-	1	0.0 %
14	-	22	0.6 %
15	-	7	0.2 %
16	-	7	0.2 %
18	-	21	0.6 %
20	-	3	0.1 %
24	-	541	14.3 %
-2	Valid skip	0	0.0 %
-1	Valid blank	0	0.0 %

- Mean: 9.62
- Median: 8.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 6.33

Based upon 3777 valid cases out of 3777 total cases.

MF7B	MF2 Hours Tuesday?

Location:	69-70(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-2 , -1
Question:	For how many hours is the clinic open on Tuesday?

Value	Label	Unweighted Frequency	%
0	-	48	1.3 %
1	-	8	0.2 %
2	-	40	1.1 %
3	-	54	1.4 %
4	-	188	5.0 %
5	-	194	5.1 %
6	-	971	25.7 %
7	-	271	7.2 %
8	-	820	21.7 %
9	-	121	3.2 %
10	-	267	7.1 %
11	-	23	0.6 %
12	-	173	4.6 %
13	-	1	0.0 %
14	-	21	0.6 %
15	-	6	0.2 %
16	-	7	0.2 %
18	-	20	0.5 %
20	-	4	0.1 %
24	-	540	14.3 %
-2	Valid skip	0	0.0 %
-1	Valid blank	0	0.0 %

- Mean: 9.60
- Median: 8.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 6.35

Based upon 3777 valid cases out of 3777 total cases.

MF7C	MF2 Hours Wednesday?

Location:	71-72(width: 2; decimal: 0)
Variable Type:	numeric (ISO)

Range of Missing Values (M):	-2 , -1		
Question:	For how many hours is the clinic open on Wednesday?		

Value	Label	Unweighted Frequency	%
0	-	28	0.7 %
1	-	5	0.1 %
2	-	41	1.1 %
3	-	56	1.5 %
4	-	186	4.9 %
5	-	199	5.3 %
6	-	976	25.8 %
7	-	277	7.3 %
8	-	822	21.8 %
9	-	122	3.2 %
10	-	271	7.2 %
11	-	24	0.6 %
12	-	172	4.6 %
13	-	1	0.0 %
14	-	22	0.6 %
15	-	6	0.2 %
16	-	7	0.2 %
18	-	20	0.5 %
19	-	1	0.0 %
20	-	3	0.1 %
24	-	538	14.2 %
-2	Valid skip	0	0.0 %
-1	Valid blank	0	0.0 %

- Mean: 9.63
- Median: 8.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 6.30

Based upon 3777 valid cases out of 3777 total cases.

MF7D	**MF2 Hours Thursday?**

Location:	73-74(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-2 , -1
Question:	For how many hours is the clinic open on Thursday?

Value	Label	Unweighted Frequency	%
0	-	53	1.4 %
1	-	7	0.2 %
2	-	37	1.0 %
3	-	55	1.5 %
4	-	182	4.8 %
5	-	195	5.2 %
6	-	975	25.8 %
7	-	275	7.3 %
8	-	812	21.5 %
9	-	122	3.2 %
10	-	267	7.1 %
11	-	25	0.7 %
12	-	170	4.5 %
13	-	1	0.0 %
14	-	22	0.6 %
15	-	6	0.2 %
16	-	7	0.2 %
18	-	20	0.5 %
20	-	4	0.1 %
24	-	541	14.3 %
-2	Valid skip	0	0.0 %
-1	Valid blank	1	0.0 %

- Mean: 9.60
- Median: 8.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 6.35

Based upon 3776 valid cases out of 3777 total cases.

MF7E	**MF2 Hours Friday?**

Location:	75-76(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-2 , -1
Question:	For how many hours is the clinic open on Friday?

Value	Label	Unweighted Frequency	%
0	-	43	1.1 %
1	-	6	0.2 %
2	-	41	1.1 %

Value	Label	Unweighted Frequency	%
3	-	54	1.4 %
4	-	183	4.8 %
5	-	198	5.2 %
6	-	977	25.9 %
7	-	274	7.3 %
8	-	812	21.5 %
9	-	121	3.2 %
10	-	267	7.1 %
11	-	24	0.6 %
12	-	172	4.6 %
13	-	1	0.0 %
14	-	23	0.6 %
15	-	6	0.2 %
16	-	7	0.2 %
17	-	1	0.0 %
18	-	20	0.5 %
20	-	4	0.1 %
24	-	542	14.4 %
-2	Valid skip	0	0.0 %
-1	Valid blank	1	0.0 %

- Mean: 9.62
- Median: 8.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 6.34

Based upon 3776 valid cases out of 3777 total cases.

MF7F	MF2 Hours Saturdays?

Location:	77-78(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-2 , -1
Question:	For how many hours is the clinic open on Saturday?

Value	Label	Unweighted Frequency	%
0	-	56	1.5 %
1	-	4	0.1 %
2	-	55	1.5 %
3	-	58	1.5 %
4	-	201	5.3 %

Value	Label	Unweighted Frequency	%
5	-	210	5.6 %
6	-	965	25.5 %
7	-	259	6.9 %
8	-	797	21.1 %
9	-	119	3.2 %
10	-	264	7.0 %
11	-	21	0.6 %
12	-	169	4.5 %
13	-	1	0.0 %
14	-	22	0.6 %
15	-	7	0.2 %
16	-	7	0.2 %
18	-	20	0.5 %
20	-	3	0.1 %
24	-	538	14.2 %
-2	Valid skip	0	0.0 %
-1	Valid blank	1	0.0 %

- Mean: 9.52
- Median: 8.00
- Mode: 6.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 6.38

Based upon 3776 valid cases out of 3777 total cases.

MF7G	MF2 Hours Sunday?

Location:	79-80(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-2 , -1
Question:	For how many hours is the clinic open on Sunday?

Value	Label	Unweighted Frequency	%
0	-	1337	35.4 %
1	-	12	0.3 %
2	-	66	1.7 %
3	-	115	3.0 %
4	-	472	12.5 %
5	-	130	3.4 %
6	-	241	6.4 %
7	-	78	2.1 %

Value	Label	Unweighted Frequency	%
8	-	347	9.2 %
9	-	78	2.1 %
10	-	195	5.2 %
11	-	15	0.4 %
12	-	156	4.1 %
13	-	1	0.0 %
14	-	21	0.6 %
15	-	7	0.2 %
16	-	3	0.1 %
18	-	19	0.5 %
20	-	3	0.1 %
24	-	480	12.7 %
-2	Valid skip	0	0.0 %
-1	Valid blank	1	0.0 %

- Mean: 6.59
- Median: 4.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 7.70

Based upon 3776 valid cases out of 3777 total cases.

MF8	MF2 Hours of Electricity

Location: 81-82(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Question: How many hours per day is electricity usually available?

Value	Unweighted Frequency	%
0	488	12.9 %
1	34	0.9 %
2	57	1.5 %
3	67	1.8 %
4	187	5.0 %
5	102	2.7 %
6	246	6.5 %
7	65	1.7 %
8	233	6.2 %
9	24	0.6 %
10	103	2.7 %
11	4	0.1 %

Value	Unweighted Frequency	%
12	94	2.5 %
13	4	0.1 %
14	26	0.7 %
15	35	0.9 %
16	60	1.6 %
17	10	0.3 %
18	279	7.4 %
19	17	0.5 %
20	224	5.9 %
21	51	1.4 %
22	99	2.6 %
23	134	3.5 %
24	1134	30.0 %

- Mean: 14.10
- Median: 18.00
- Mode: 24.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 9.22

Based upon 3777 valid cases out of 3777 total cases.

MF8B	**MF2 Electricity failure**

Location:	83-84(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-2 , -1
Question:	How often is electric service interrupted?

Value	Label	Unweighted Frequency	%
0	No electricity	873	23.1 %
1	Never, less than I a week	675	17.9 %
2	1 or 2 times/week	1961	51.9 %
3	Almost every day	0	0.0 %
-2	Valid skip	0	0.0 %
-1	Valid blank	268	7.1 %

- Mean: 1.31
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.84

Based upon 3509 valid cases out of 3777 total cases.

MF8C	MF2 Use of Electric Generator

Location: 85-86(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -2 , -1

Question: Does this facility have its own electric generator?

Value	Label	Unweighted Frequency	%
0	No	2743	72.6 %
1	Yes, backup	1013	26.8 %
2	Yes, main source	15	0.4 %
-2	Valid skip	0	0.0 %
-1	Valid blank	6	0.2 %

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.46

Based upon 3771 valid cases out of 3777 total cases.

MF9	MF2 Main Source of water

Location: 87-88(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -3 , -2 , -1

Question: What is the main source of drinking water in this medical facility?

Value	Label	Unweighted Frequency	%
0	No drinking water	1	0.0 %
1	Piped	1944	51.5 %
2	Tubewell	383	10.1 %
3	Handpump	822	21.8 %
4	Dug-open well	106	2.8 %
5	Covered well	56	1.5 %
6	River, canal	12	0.3 %
7	Pond	14	0.4 %
8	Tanker truck	38	1.0 %
9	Rainwater	4	0.1 %
10	Bottled	140	3.7 %
11	Other	118	3.1 %
-3	Don't know	1	0.0 %

Value	Label	Unweighted Frequency	%
-2	Valid skip	138	3.7 %
-1	Valid blank	0	0.0 %

- Mean: 2.50
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 11.00
- Standard Deviation: 2.54

Based upon 3638 valid cases out of 3777 total cases.

MF10	**MF2 Type of toilet available**

Location: 89-90(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -2 , -1

Question: What toilet facilities are available for the use of patients in the clinic?

Value	Label	Unweighted Frequency	%
0	No toilet	1479	39.2 %
1	Latrine	786	20.8 %
2	VIP Latrine	386	10.2 %
3	Flush toilet	1125	29.8 %
-2	Valid skip	0	0.0 %
-1	Valid blank	1	0.0 %

- Mean: 1.31
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 3.00
- Standard Deviation: 1.26

Based upon 3776 valid cases out of 3777 total cases.

MF10B	**MF2 Wash basin next to toilet?**

Location: 91-92(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Is there a wash basin next to the toilet for washing hands?

Value	Label	Unweighted Frequency	%
0	No	564	14.9 %
1	Yes	1746	46.2 %

Value	Label	Unweighted Frequency	%
-1	Valid blank	1467	38.8 %

- Mean: 0.76
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

Based upon 2310 valid cases out of 3777 total cases.

MF11	**MF3 Registration Fees**

Location:	93-95(width: 3; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-2 , -1
Question:	Is there a fee for patients to register at this facility the first time they come? If yes, how much is that fee?

Value	Label	Unweighted Frequency	%
0	-	2589	68.5 %
1	-	310	8.2 %
2	-	279	7.4 %
3	-	7	0.2 %
5	-	83	2.2 %
7	-	1	0.0 %
8	-	4	0.1 %
10	-	115	3.0 %
12	-	2	0.1 %
15	-	33	0.9 %
17	-	2	0.1 %
20	-	112	3.0 %
25	-	33	0.9 %
30	-	69	1.8 %
35	-	2	0.1 %
40	-	22	0.6 %
50	-	70	1.9 %
60	-	4	0.1 %
70	-	5	0.1 %
80	-	7	0.2 %
100	-	10	0.3 %
140	-	1	0.0 %
200	-	1	0.0 %

Value	Label	Unweighted Frequency	%
-2	Valid skip	0	0.0 %
-1	Valid blank	16	0.4 %

- Mean: 4.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 200.00
- Standard Deviation: 12.05

Based upon 3761 valid cases out of 3777 total cases.

MF12	MF3 Ususal visit fee

Location:	96-99(width: 4; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-2 , -1 , .
Question:	What is the usual visit fee charged for a routine visit, for instance, for an infant with diarrhea?

Value	Label	Unweighted Frequency	%
0	-	2332	61.7 %
1	-	9	0.2 %
2	-	11	0.3 %
5	-	23	0.6 %
6	-	1	0.0 %
7	-	2	0.1 %
8	-	1	0.0 %
10	-	209	5.5 %
12	-	2	0.1 %
13	-	1	0.0 %
15	-	134	3.5 %
20	-	272	7.2 %
25	-	87	2.3 %
30	-	178	4.7 %
35	-	9	0.2 %
40	-	82	2.2 %
45	-	7	0.2 %
50	-	180	4.8 %
60	-	20	0.5 %
70	-	27	0.7 %
75	-	5	0.1 %
80	-	22	0.6 %
90	-	5	0.1 %

Value	Label	Unweighted Frequency	%
100	-	64	1.7 %
120	-	2	0.1 %
125	-	3	0.1 %
150	-	39	1.0 %
170	-	1	0.0 %
200	-	11	0.3 %
210	-	1	0.0 %
250	-	5	0.1 %
270	-	1	0.0 %
300	-	5	0.1 %
350	-	1	0.0 %
400	-	2	0.1 %
450	-	1	0.0 %
500	-	2	0.1 %
1200	-	2	0.1 %
1500	-	2	0.1 %
-2	Valid skip	0	0.0 %
-1	Valid blank	15	0.4 %
.	-	1	0.0 %

- Mean: 16.57
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1500.00
- Standard Deviation: 56.09

Based upon 3761 valid cases out of 3777 total cases.

MF12B	**MF3 Fee includes basic medicine?**

Location:	100-102(width: 3; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-2 , -1
Question:	Does this fee include basic medicine that would be given for diarrhea?

Value	Label	Unweighted Frequency	%
0	-	2295	60.8 %
1	-	9	0.2 %
2	-	15	0.4 %
3	-	1	0.0 %
5	-	14	0.4 %
6	-	1	0.0 %

Value	Label	Unweighted Frequency	%
7	-	1	0.0 %
8	-	1	0.0 %
10	-	105	2.8 %
12	-	2	0.1 %
13	-	1	0.0 %
15	-	65	1.7 %
20	-	168	4.4 %
24	-	1	0.0 %
25	-	68	1.8 %
30	-	154	4.1 %
35	-	18	0.5 %
40	-	105	2.8 %
45	-	10	0.3 %
50	-	190	5.0 %
55	-	2	0.1 %
60	-	58	1.5 %
62	-	1	0.0 %
70	-	25	0.7 %
75	-	8	0.2 %
80	-	41	1.1 %
85	-	1	0.0 %
90	-	7	0.2 %
95	-	1	0.0 %
100	-	93	2.5 %
120	-	16	0.4 %
125	-	8	0.2 %
130	-	4	0.1 %
140	-	1	0.0 %
150	-	91	2.4 %
170	-	1	0.0 %
180	-	2	0.1 %
200	-	60	1.6 %
230	-	1	0.0 %
250	-	26	0.7 %
300	-	34	0.9 %
350	-	6	0.2 %
400	-	18	0.5 %
500	-	12	0.3 %
600	-	4	0.1 %
700	-	1	0.0 %

Value	Label	Unweighted Frequency	%
-2	Valid skip	0	0.0 %
-1	Valid blank	31	0.8 %

- Mean: 29.67
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 700.00
- Standard Deviation: 68.51

Based upon 3746 valid cases out of 3777 total cases.

MF13A	**MF3 Child Immunization**

Location:	103-104(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-6 , -2 , -1
Question:	Does this clinic provide child immunization?

Value	Label	Unweighted Frequency	%
0	No	1594	42.2 %
1	Yes	2180	57.7 %
-6	Out of range	1	0.0 %
-2	Valid skip	0	0.0 %
-1	Valid blank	2	0.1 %

- Mean: 0.58
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

Based upon 3774 valid cases out of 3777 total cases.

MF13B	**MF3 Contraceptive Oral pills?**

Location:	105-106(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does this clinic provide contraception: oral pills?

Value	Label	Unweighted Frequency	%
0	No	1581	41.9 %
1	Yes	2193	58.1 %
-1	Valid blank	3	0.1 %

- Mean: 0.58
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

Based upon 3774 valid cases out of 3777 total cases.

MF13C	**MF3 IUD insertion?**

Location:	107-108(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does this clinic provide contraception: IUD insertion?

Value	Label	Unweighted Frequency	%
0	No	2004	53.1 %
1	Yes	1771	46.9 %
-1	Valid blank	2	0.1 %

- Mean: 0.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

Based upon 3775 valid cases out of 3777 total cases.

MF13D	**MF3 Male sterilzation**

Location:	109-110(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does this clinic provide contraception: male sterilization?

Value	Label	Unweighted Frequency	%
0	No	2762	73.1 %
1	Yes	1013	26.8 %
-1	Valid blank	2	0.1 %

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00

- Standard Deviation: 0.44

Based upon 3775 valid cases out of 3777 total cases.

MF13E	MF3 Female sterilization

Location:	111-112(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does this clinic provide contraception: female sterilization?

Value	Label	Unweighted Frequency	%
0	No	2514	66.6 %
1	Yes	1261	33.4 %
-1	Valid blank	2	0.1 %

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

Based upon 3775 valid cases out of 3777 total cases.

MF13F	MF3 Contraceptive Injection

Location:	113-114(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does this clinic provide contraception: injection?

Value	Label	Unweighted Frequency	%
0	No	2804	74.2 %
1	Yes	971	25.7 %
-1	Valid blank	2	0.1 %

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

Based upon 3775 valid cases out of 3777 total cases.

MF13G	MF3 Incision of abcess

Location:	115-116(width: 2; decimal: 0)

Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does this clinic provide incision of abcess/piercing of boils?

Value	Label	Unweighted Frequency	%
0	No	1623	43.0 %
1	Yes	2152	57.0 %
-1	Valid blank	2	0.1 %

- Mean: 0.57
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

Based upon 3775 valid cases out of 3777 total cases.

MF13H	**MF3 Saline I V**

Location:	117-118(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does this clinic provide saline IV?

Value	Label	Unweighted Frequency	%
0	No	1037	27.5 %
1	Yes	2738	72.5 %
-1	Valid blank	2	0.1 %

- Mean: 0.73
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

Based upon 3775 valid cases out of 3777 total cases.

MF13I	**MF3 Set broken bones**

Location:	119-120(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does this clinic set broken bones?

Value	Label	Unweighted Frequency	%
0	No	2816	74.6 %

Value	Label	Unweighted Frequency	%
1	Yes	958	25.4 %
-1	Valid blank	3	0.1 %

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

Based upon 3774 valid cases out of 3777 total cases.

MF13J	**MF3 Treat gynecological**

Location:	121-122(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does this clinic treat gynecological conditions such as white discharge?

Value	Label	Unweighted Frequency	%
0	No	1402	37.1 %
1	Yes	2373	62.8 %
-1	Valid blank	2	0.1 %

- Mean: 0.63
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

Based upon 3775 valid cases out of 3777 total cases.

MF13K	**MF3 Treat gonorrhea**

Location:	123-124(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does this clinic provide treatment of STDs such as gonorrhea?

Value	Label	Unweighted Frequency	%
0	No	1650	43.7 %
1	Yes	2125	56.3 %
-1	Valid blank	2	0.1 %

- Mean: 0.56
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

Based upon 3775 valid cases out of 3777 total cases.

MF13L	**MF3 Treat tuberculosis**

Location:	125-126(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does this clinic treat tuberculosis?

Value	Label	Unweighted Frequency	%
0	No	1602	42.4 %
1	Yes	2173	57.5 %
-1	Valid blank	2	0.1 %

- Mean: 0.58
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

Based upon 3775 valid cases out of 3777 total cases.

MF13M	**MF3 Prenatal care**

Location:	127-128(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does this clinic provide prenatal care?

Value	Label	Unweighted Frequency	%
0	No	1503	39.8 %
1	Yes	2272	60.2 %
-1	Valid blank	2	0.1 %

- Mean: 0.60
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

Based upon 3775 valid cases out of 3777 total cases.

MF13N	**MF3 Eye Exam**

Location: 129-130(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does this clinic provide eye exams?

Value	Label	Unweighted Frequency	%
0	No	2218	58.7 %
1	Yes	1557	41.2 %
-1	Valid blank	2	0.1 %

- Mean: 0.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

Based upon 3775 valid cases out of 3777 total cases.

MF13O	**MF3 Treatment of diarrhea**

Location: 131-132(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does this clinic provide treatment of diarrhea?

Value	Label	Unweighted Frequency	%
0	No	145	3.8 %
1	Yes	3630	96.1 %
-1	Valid blank	2	0.1 %

- Mean: 0.96
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

Based upon 3775 valid cases out of 3777 total cases.

MF13P	**MF3 Dressing wounds**

Location: 133-134(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does this clinic provide dressing wounds?

Value	Label	Unweighted Frequency	%
0	No	247	6.5 %
1	Yes	3528	93.4 %
-1	Valid blank	2	0.1 %

- Mean: 0.93
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

Based upon 3775 valid cases out of 3777 total cases.

| **MF13Q** | **MF3 Stitching wounds** |

Location: 135-136(width: 2; decimal: 0)
Variable Type: numeric (ISO)
Range of Missing Values (M):   -1
Question: Does this clinic provide stitching wounds?

Value	Label	Unweighted Frequency	%
0	No	570	15.1 %
1	Yes	3205	84.9 %
-1	Valid blank	2	0.1 %

- Mean: 0.85
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

Based upon 3775 valid cases out of 3777 total cases.

| **MF13R** | **MF3 Treat malaria** |

Location: 137-138(width: 2; decimal: 0)
Variable Type: numeric (ISO)
Range of Missing Values (M):   -1
Question: Does this clinic treat malaria?

Value	Label	Unweighted Frequency	%
0	No	246	6.5 %
1	Yes	3529	93.4 %
-1	Valid blank	2	0.1 %

- Mean: 0.93
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.25

Based upon 3775 valid cases out of 3777 total cases.

MF13S	**MF3 Minor illnesses**

Location:	139-140(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does this clinic provide treatment for minor illnesses like fever?

Value	Label	Unweighted Frequency	%
0	No	135	3.6 %
1	Yes	3640	96.4 %
-1	Valid blank	2	0.1 %

- Mean: 0.96
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

Based upon 3775 valid cases out of 3777 total cases.

MF13T	**MF3 Treat Rabies**

Location:	141-142(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does this clinic provide treatment of Rabies?

Value	Label	Unweighted Frequency	%
0	No	2106	55.8 %
1	Yes	1669	44.2 %
-1	Valid blank	2	0.1 %

- Mean: 0.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00

- Standard Deviation: 0.50

Based upon 3775 valid cases out of 3777 total cases.

MF13U	MF3 Childbirth

Location:	143-144(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does this clinic provide childbirth delivery?

Value	Label	Unweighted Frequency	%
0	No	2059	54.5 %
1	Yes	1716	45.4 %
-1	Valid blank	2	0.1 %

- Mean: 0.45
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

Based upon 3775 valid cases out of 3777 total cases.

MF13V	MF3 D&C or abortions

Location:	145-146(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does this clinic provide D&C or abortions?

Value	Label	Unweighted Frequency	%
0	No	2842	75.2 %
1	Yes	933	24.7 %
-1	Valid blank	2	0.1 %

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

Based upon 3775 valid cases out of 3777 total cases.

MF13W	MF3 Blood Transfusion

| Location: | 147-148(width: 2; decimal: 0) |

Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does this clinic provide blood transfusions?

Value	Label	Unweighted Frequency	%
0	No	3369	89.2 %
1	Yes	406	10.7 %
-1	Valid blank	2	0.1 %

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

Based upon 3775 valid cases out of 3777 total cases.

MF13X	**MF3 Cataract surgery**

Location:	149-150(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does this clinic provide cataract surgery?

Value	Label	Unweighted Frequency	%
0	No	3461	91.6 %
1	Yes	314	8.3 %
-1	Valid blank	2	0.1 %

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.28

Based upon 3775 valid cases out of 3777 total cases.

MF13Y	**MF3 Abdominal surgery**

Location:	151-152(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does this clinic provide abdominal surgery?

Value	Label	Unweighted Frequency	%
0	No	3356	88.9 %

Value	Label	Unweighted Frequency	%
1	Yes	419	11.1 %
-1	Valid blank	2	0.1 %

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.31

Based upon 3775 valid cases out of 3777 total cases.

MF13Z	**MF3 Heart surgery**

Location: 153-154(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M):   -1

Question: Does this clinic provide heart surgery?

Value	Label	Unweighted Frequency	%
0	No	3722	98.5 %
1	Yes	52	1.4 %
-1	Valid blank	3	0.1 %

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.12

Based upon 3774 valid cases out of 3777 total cases.

MF14A	**MF4 Blood:Heamoglobin test**

Location: 155-156(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M):   -1

Question: Does the clinic do tests for heamoglobin?

Value	Label	Unweighted Frequency	%
0	No	2160	57.2 %
1	Yes but send out	692	18.3 %
2	Yes analyze here	922	24.4 %
-1	Valid blank	3	0.1 %

- Mean: 0.67
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.84

Based upon 3774 valid cases out of 3777 total cases.

MF14B	**MF4 Blood:Lukemia**

Location:	157-158(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does the clinic do tests for lukemia?

Value	Label	Unweighted Frequency	%
0	No	2997	79.3 %
1	Yes but send out	444	11.8 %
2	Yes analyze here	333	8.8 %
-1	Valid blank	3	0.1 %

- Mean: 0.29
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.62

Based upon 3774 valid cases out of 3777 total cases.

MF14C	**MF4 Blood:AIDS**

Location:	159-160(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does the clinic do tests for AIDS?

Value	Label	Unweighted Frequency	%
0	No	3171	84.0 %
1	Yes but send out	345	9.1 %
2	Yes analyze here	258	6.8 %
-1	Valid blank	3	0.1 %

- Mean: 0.23
- Median: 0.00
- Mode: 0.00

- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.56

Based upon 3774 valid cases out of 3777 total cases.

MF14D	**MF4 Blood:TLC**

Location: 161-162(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does the clinic do tests for TLC?

Value	Label	Unweighted Frequency	%
0	No	2781	73.6 %
1	Yes but send out	478	12.7 %
2	Yes analyze here	514	13.6 %
-1	Valid blank	4	0.1 %

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.72

Based upon 3773 valid cases out of 3777 total cases.

MF14E	**MF4 Urinanalysis:Routine**

Location: 163-164(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does the clinic do tests for routine urinanalysis?

Value	Label	Unweighted Frequency	%
0	No	2365	62.6 %
1	Yes but send out	638	16.9 %
2	Yes analyze here	771	20.4 %
-1	Valid blank	3	0.1 %

- Mean: 0.58
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.81

Based upon 3774 valid cases out of 3777 total cases.

MF14F	**MF4 Urinanalysis:Culture**

Location:	165-166(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does the clinic do tests for urinalysis culture?

Value	Label	Unweighted Frequency	%
0	No	2981	78.9 %
1	Yes but send out	461	12.2 %
2	Yes analyze here	331	8.8 %
4	-	1	0.0 %
-1	Valid blank	3	0.1 %

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 4.00
- Standard Deviation: 0.62

Based upon 3774 valid cases out of 3777 total cases.

MF14G	**MF4 Stool Test**

Location:	167-168(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does the clinic do tests for stool?

Value	Label	Unweighted Frequency	%
0	No	2717	71.9 %
1	Yes but send out	553	14.6 %
2	Yes analyze here	504	13.3 %
-1	Valid blank	3	0.1 %

- Mean: 0.41
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.71

Based upon 3774 valid cases out of 3777 total cases.

MF14H	**MF4 Pregnancy Test**

Location:	169-170(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does the clinic do tests for pregnancy?

Value	Label	Unweighted Frequency	%
0	No	2263	59.9 %
1	Yes but send out	682	18.1 %
2	Yes analyze here	828	21.9 %
-1	Valid blank	4	0.1 %

- Mean: 0.62
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.82

Based upon 3773 valid cases out of 3777 total cases.

MF14I	**MF4 malarial parasite Test**

Location:	171-172(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does the clinic do tests for malarial parasite?

Value	Label	Unweighted Frequency	%
0	No	1985	52.6 %
1	Yes but send out	944	25.0 %
2	Yes analyze here	845	22.4 %
-1	Valid blank	3	0.1 %

- Mean: 0.70
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.81

Based upon 3774 valid cases out of 3777 total cases.

MF14J	**MF4 Cerebral malar parasite Test**

Location:	173-174(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does the clinic do tests for malar parasite?

Value	Label	Unweighted Frequency	%
0	No	2507	66.4 %
1	Yes but send out	707	18.7 %
2	Yes analyze here	559	14.8 %
-1	Valid blank	4	0.1 %

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.74

Based upon 3773 valid cases out of 3777 total cases.

MF14K	MF4 Tuberculosis Test

Location:	175-176(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does the clinic do tests for tuberculosis?

Value	Label	Unweighted Frequency	%
0	No	2294	60.7 %
1	Yes but send out	765	20.3 %
2	Yes analyze here	715	18.9 %
-1	Valid blank	3	0.1 %

- Mean: 0.58
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.79

Based upon 3774 valid cases out of 3777 total cases.

MF15A	MF4 Penicillin in stock

Location:	177-178(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Do you usually have penicillin in stock?

Value	Label	Unweighted Frequency	%
0	No	1800	47.7 %
1	Yes	1974	52.3 %

Value	Label	Unweighted Frequency	%
-1	Valid blank	3	0.1 %

- Mean: 0.52
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

Based upon 3774 valid cases out of 3777 total cases.

MF15B	**MF4 Ampicillin**

Location: 179-180(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Do you usually have ampicillin in stock?

Value	Label	Unweighted Frequency	%
0	No	1041	27.6 %
1	Yes	2733	72.4 %
-1	Valid blank	3	0.1 %

- Mean: 0.72
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

Based upon 3774 valid cases out of 3777 total cases.

MF15C	**MF4 Tetracyclin**

Location: 181-182(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Do you usually have tetracyclin in stock?

Value	Label	Unweighted Frequency	%
0	No	1133	30.0 %
1	Yes	2641	69.9 %
-1	Valid blank	3	0.1 %

- Mean: 0.70
- Median: 1.00

- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

Based upon 3774 valid cases out of 3777 total cases.

MF15D	**MF4 Streptomicyn**

Location:	183-184(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Do you usually have streptomicyn in stock?

Value	*Label*	*Unweighted Frequency*	*%*
0	No	1562	41.4 %
1	Yes	2212	58.6 %
-1	Valid blank	3	0.1 %

- Mean: 0.59
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

Based upon 3774 valid cases out of 3777 total cases.

MF15E	**MF4 Other Antibiotics**

Location:	185-186(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Do you usually have other antibiotics in stock?

Value	*Label*	*Unweighted Frequency*	*%*
0	No	585	15.5 %
1	Yes	3189	84.4 %
-1	Valid blank	3	0.1 %

- Mean: 0.84
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.36

Based upon 3774 valid cases out of 3777 total cases.

MF15F	**MF4 Iron or Folic Acid**

Location:	187-188(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Do you usually have iron or folic acid in stock?

Value	Label	Unweighted Frequency	%
0	No	732	19.4 %
1	Yes	3042	80.5 %
-1	Valid blank	3	0.1 %

- Mean: 0.81
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.40

Based upon 3774 valid cases out of 3777 total cases.

MF15G	**MF4 Vitamin A**

Location:	189-190(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Do you usually have Vitamin A in stock?

Value	Label	Unweighted Frequency	%
0	No	907	24.0 %
1	Yes	2867	75.9 %
-1	Valid blank	3	0.1 %

- Mean: 0.76
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

Based upon 3774 valid cases out of 3777 total cases.

MF15H	**MF4 BCG Vaccination**

Location:	191-192(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Do you usually have BCG vaccination in stock?

Value	Label	Unweighted Frequency	%
0	No	1916	50.7 %
1	Yes	1858	49.2 %
-1	Valid blank	3	0.1 %

- Mean: 0.49
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

Based upon 3774 valid cases out of 3777 total cases.

MF15I	MF4 Polio Immunization

Location: 193-194(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Do you usually have polio immunization in stock?

Value	Label	Unweighted Frequency	%
0	No	1861	49.3 %
1	Yes	1913	50.6 %
-1	Valid blank	3	0.1 %

- Mean: 0.51
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

Based upon 3774 valid cases out of 3777 total cases.

MF15J	MF4 Hepatitis B vaccine

Location: 195-196(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Do you usually have Hepatitis B vaccine?

Value	Label	Unweighted Frequency	%
0	No	2796	74.0 %
1	Yes	978	25.9 %
-1	Valid blank	3	0.1 %

- Mean: 0.26
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.44

Based upon 3774 valid cases out of 3777 total cases.

MF15K	**MF4 Anti malarial medicine**

Location:	197-198(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Do you usually have anti-malarial medicine?

Value	Label	Unweighted Frequency	%
0	No	1229	32.5 %
1	Yes	2545	67.4 %
-1	Valid blank	3	0.1 %

- Mean: 0.67
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

Based upon 3774 valid cases out of 3777 total cases.

MF15L	**MF4 DPT vaccination**

Location:	199-200(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Do you usually have DPT vaccination?

Value	Label	Unweighted Frequency	%
0	No	1979	52.4 %
1	Yes	1795	47.5 %
-1	Valid blank	3	0.1 %

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

Based upon 3774 valid cases out of 3777 total cases.

MF15M	MF4 MMR vaccination

Location:	201-202(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Do you usually have MMR vaccination?

Value	Label	Unweighted Frequency	%
0	No	3062	81.1 %
1	Yes	710	18.8 %
-1	Valid blank	5	0.1 %

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.39

Based upon 3772 valid cases out of 3777 total cases.

MF16A	MF4 Sthethoscope

Location:	203-204(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does the facility have in good working order a stethoscope?

Value	Label	Unweighted Frequency	%
0	No	134	3.5 %
1	Yes	3641	96.4 %
-1	Valid blank	2	0.1 %

- Mean: 0.96
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.19

Based upon 3775 valid cases out of 3777 total cases.

MF16B	MF4 Strerilisation/Autoclaves

Location:	205-206(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1

Question: Does the facility have in good working order a sterilization/autoclaves?

Value	Label	Unweighted Frequency	%
0	No	1299	34.4 %
1	Yes	2476	65.6 %
-1	Valid blank	2	0.1 %

- Mean: 0.66
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.48

Based upon 3775 valid cases out of 3777 total cases.

MF16C	**MF4 Weighing scale: Adults**

Location: 207-208(width: 2; decimal: 0)
Variable Type: numeric (ISO)
Range of Missing Values (M):   -1
Question: Does the facility have in good working order a weighing scale for adults?

Value	Label	Unweighted Frequency	%
0	No	1116	29.5 %
1	Yes	2659	70.4 %
-1	Valid blank	2	0.1 %

- Mean: 0.70
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

Based upon 3775 valid cases out of 3777 total cases.

MF16D	**MF4 Weighing scale: Infants**

Location: 209-210(width: 2; decimal: 0)
Variable Type: numeric (ISO)
Range of Missing Values (M):   -1
Question: Does the facility have in good working order a weighing scale for infants?

Value	Label	Unweighted Frequency	%
0	No	1482	39.2 %
1	Yes	2293	60.7 %
-1	Valid blank	2	0.1 %

- Mean: 0.61
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

Based upon 3775 valid cases out of 3777 total cases.

MF16E	**MF4 Thermometer**

Location:	211-212(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does the facility have in good working order a thermometer?

Value	*Label*	*Unweighted Frequency*	*%*
0	No	110	2.9 %
1	Yes	3665	97.0 %
-1	Valid blank	2	0.1 %

- Mean: 0.97
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.17

Based upon 3775 valid cases out of 3777 total cases.

MF16F	**MF4 Vaginal Speculum**

Location:	213-214(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does the facility have in good working order a vaginal speculum?

Value	*Label*	*Unweighted Frequency*	*%*
0	No	1922	50.9 %
1	Yes	1852	49.0 %
-1	Valid blank	3	0.1 %

- Mean: 0.49
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00

- Standard Deviation: 0.50

Based upon 3774 valid cases out of 3777 total cases.

MF16G	**MF4 Sonograph**		

Location:	215-216(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does the facility have in good working order a sonograph?

Value	*Label*	*Unweighted Frequency*	*%*
0	No	3329	88.1 %
1	Yes	447	11.8 %
-1	Valid blank	1	0.0 %

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

Based upon 3776 valid cases out of 3777 total cases.

MF16H	**MF4 X-ray machine**		

Location:	217-218(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does the facility have in good working order an x-ray machine?

Value	*Label*	*Unweighted Frequency*	*%*
0	No	3161	83.7 %
1	Yes	614	16.3 %
-1	Valid blank	2	0.1 %

- Mean: 0.16
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.37

Based upon 3775 valid cases out of 3777 total cases.

MF16I	**MF4 Blood Pressure guage**		

Location:	219-220(width: 2; decimal: 0)

Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does the facility have in good working order a blood pressure guage?

Value	Label	Unweighted Frequency	%
0	No	442	11.7 %
1	Yes	3333	88.2 %
-1	Valid blank	2	0.1 %

- Mean: 0.88
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.32

Based upon 3775 valid cases out of 3777 total cases.

MF16J	**MF4 Oxygen**

Location:	221-222(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does the facility have in good working order oxygen?

Value	Label	Unweighted Frequency	%
0	No	2519	66.7 %
1	Yes	1256	33.3 %
-1	Valid blank	2	0.1 %

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

Based upon 3775 valid cases out of 3777 total cases.

MF16K	**MF4 Ear Exam**

Location:	223-224(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does the facility have in good working order an ear exam?

Value	Label	Unweighted Frequency	%
0	No	2551	67.5 %

Value	Label	Unweighted Frequency	%
1	Yes	1223	32.4 %
-1	Valid blank	3	0.1 %

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

Based upon 3774 valid cases out of 3777 total cases.

MF16L	**MF4 Delivery kit**

Location:	225-226(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does the facility have in good working order a delivery kit?

Value	Label	Unweighted Frequency	%
0	No	1899	50.3 %
1	Yes	1876	49.7 %
-1	Valid blank	2	0.1 %

- Mean: 0.50
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

Based upon 3775 valid cases out of 3777 total cases.

MF16M	**MF4 Forceps**

Location:	227-228(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Does the facility have in good working order forceps?

Value	Label	Unweighted Frequency	%
0	No	1490	39.4 %
1	Yes	2285	60.5 %
-1	Valid blank	2	0.1 %

- Mean: 0.61
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

Based upon 3775 valid cases out of 3777 total cases.

MF16N	**MF4 Microscope**

Location: 229-230(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does the facility have in good working order a microscope?

Value	Label	Unweighted Frequency	%
0	No	2309	61.1 %
1	Yes	1466	38.8 %
-1	Valid blank	2	0.1 %

- Mean: 0.39
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.49

Based upon 3775 valid cases out of 3777 total cases.

MF16O	**MF4 Centrifuge**

Location: 231-232(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does the facility have in good working order a centrifuge?

Value	Label	Unweighted Frequency	%
0	No	2728	72.2 %
1	Yes	1046	27.7 %
-1	Valid blank	3	0.1 %

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.45

Based upon 3774 valid cases out of 3777 total cases.

MF16P	MF4 Refrigerator

Location: 233-234(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does the facility have in good working order a refrigerator?

Value	Label	Unweighted Frequency	%
0	No	1773	46.9 %
1	Yes	2002	53.0 %
-1	Valid blank	2	0.1 %

- Mean: 0.53
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.50

Based upon 3775 valid cases out of 3777 total cases.

MF16Q	MF4 Cold Chest

Location: 235-236(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does the facility have in good working order a cold chest?

Value	Label	Unweighted Frequency	%
0	No	2482	65.7 %
1	Yes	1292	34.2 %
-1	Valid blank	3	0.1 %

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.47

Based upon 3774 valid cases out of 3777 total cases.

MF16R	MF4 ECG monitor

Location: 237-238(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -1

Question: Does the facility have in good working order a ECG monitor?

Value	Label	Unweighted Frequency	%
0	No	3225	85.4 %
1	Yes	551	14.6 %
-1	Valid blank	1	0.0 %

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.35

Based upon 3776 valid cases out of 3777 total cases.

MF16S	**MF4 Ambulance**

Location: 239-240(width: 2; decimal: 0)
Variable Type: numeric (ISO)
Range of Missing Values (M):   -1
Question: Does the facility have in good working order an ambulance?

Value	Label	Unweighted Frequency	%
0	No	3116	82.5 %
1	Yes	660	17.5 %
-1	Valid blank	1	0.0 %

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

Based upon 3776 valid cases out of 3777 total cases.

MF16T	**MF4 Wheelchair**

Location: 241-242(width: 2; decimal: 0)
Variable Type: numeric (ISO)
Range of Missing Values (M):   -1
Question: Does the facility have in good working order a wheelchair?

Value	Label	Unweighted Frequency	%
0	No	2863	75.8 %
1	Yes	913	24.2 %
-1	Valid blank	1	0.0 %

- Mean: 0.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.43

Based upon 3776 valid cases out of 3777 total cases.

MF17	**MF5 N Employees**

Location:	243-245(width: 3; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-2 , -1
Question:	How many people currently work at this clinic/center?

Value	*Label*
-2	Valid skip
-1	Valid blank

* Frequencies not displayed for this variable.

- Mean: 10.93
- Median: 3.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 500.00
- Standard Deviation: 29.45

Based upon 3767 valid cases out of 3777 total cases.

MF18	**MF5 Vacant positions**

Location:	246-248(width: 3; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Are there any sanctioned positions that are currently vacant?

Value	*Label*	*Unweighted Frequency*	*%*
0	-	2403	63.6 %
1	-	351	9.3 %
2	-	271	7.2 %
3	-	154	4.1 %
4	-	132	3.5 %
5	-	80	2.1 %
6	-	67	1.8 %
7	-	35	0.9 %
8	-	27	0.7 %

Value	Label	Unweighted Frequency	%
9	-	16	0.4 %
10	-	26	0.7 %
11	-	7	0.2 %
12	-	22	0.6 %
13	-	7	0.2 %
14	-	10	0.3 %
15	-	9	0.2 %
16	-	9	0.2 %
17	-	6	0.2 %
18	-	2	0.1 %
19	-	4	0.1 %
20	-	9	0.2 %
21	-	1	0.0 %
22	-	3	0.1 %
23	-	3	0.1 %
25	-	3	0.1 %
26	-	1	0.0 %
27	-	1	0.0 %
30	-	1	0.0 %
36	-	1	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %
43	-	1	0.0 %
50	-	1	0.0 %
54	-	1	0.0 %
56	-	1	0.0 %
60	-	1	0.0 %
65	-	1	0.0 %
67	-	1	0.0 %
70	-	1	0.0 %
80	-	1	0.0 %
88	-	1	0.0 %
103	-	1	0.0 %
106	-	1	0.0 %
131	-	1	0.0 %
-1	Valid blank	98	2.6 %

- Mean: 1.72
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 131.00
- Standard Deviation: 5.76

Based upon 3679 valid cases out of 3777 total cases.

MF31A	MF6 Type of Examination room

Location:	249-250(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-6 , -2 , -1
Question:	Is the examination a separate room that provides privacy from other patients?

Value	Label	Unweighted Frequency	%
1	Separate room	1917	50.8 %
2	Same, with curtains	1073	28.4 %
3	Same, no curtains	745	19.7 %
-6	Out of range	1	0.0 %
-2	Valid skip	1	0.0 %
-1	Valid blank	40	1.1 %

- Mean: 1.69
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.78

Based upon 3735 valid cases out of 3777 total cases.

MF31B	MF6 Curtains?

Location:	251-252(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-6 , -2 , -1
Question:	Are there curtains for closing the examination area to provide privacy?

Value	Label	Unweighted Frequency	%
0	No curtains	794	21.0 %
1	Clean	940	24.9 %
2	Dirty	140	3.7 %
-6	Out of range	0	0.0 %
-2	Valid skip	1	0.0 %
-1	Valid blank	1902	50.4 %

- Mean: 0.65
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.61

Based upon 1874 valid cases out of 3777 total cases.

MF31C	MF6 Floor Clean?

Location: 253-254(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -6 , -2 , -1

Question: Is the floor clean?

Value	Label	Unweighted Frequency	%
1	Clean	3320	87.9 %
2	Dirty	415	11.0 %
-6	Out of range	0	0.0 %
-2	Valid skip	1	0.0 %
-1	Valid blank	41	1.1 %

- Mean: 1.11
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.31

Based upon 3735 valid cases out of 3777 total cases.

MF31D	MF6 Walls Clean?

Location: 255-256(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -6 , -2 , -1

Question: Are the walls clean?

Value	Label	Unweighted Frequency	%
0	-	1	0.0 %
1	Clean	3261	86.3 %
2	Dirty	473	12.5 %
-6	Out of range	0	0.0 %
-2	Valid skip	0	0.0 %
-1	Valid blank	42	1.1 %

- Mean: 1.13
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.33

Based upon 3735 valid cases out of 3777 total cases.

MF31E	MF6 Wash Basin?

Location:	257-258(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-6 , -2 , -1
Question:	Is there a wash basin?

Value	Label	Unweighted Frequency	%
0	No basin	1652	43.7 %
1	Basin-no piped water	915	24.2 %
2	Basin-piped water	1169	31.0 %
-6	Out of range	0	0.0 %
-2	Valid skip	0	0.0 %
-1	Valid blank	41	1.1 %

- Mean: 0.87
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 2.00
- Standard Deviation: 0.86

Based upon 3736 valid cases out of 3777 total cases.

MF31F	MF6 Examination table?

Location:	259-260(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-6 , -2 , -1
Question:	Is there an examination table?

Value	Label	Unweighted Frequency	%
0	No exam table	633	16.8 %
1	Yes-Exam table	3102	82.1 %
-6	Out of range	0	0.0 %
-2	Valid skip	0	0.0 %
-1	Valid blank	42	1.1 %

- Mean: 0.83
- Median: 1.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.38

Based upon 3735 valid cases out of 3777 total cases.

MF32	**MF6 Immunization needle**

Location: 261-262(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -6 , -2 , -1

Question: Can I see what you use to give patients injections and immunizations?

Value	Label	Unweighted Frequency	%
1	Disposable needle	2364	62.6 %
2	Non-disposable needle	206	5.5 %
3	Both kinds of needles	1008	26.7 %
4	No needles	150	4.0 %
-6	Out of range	2	0.1 %
-2	Valid skip	0	0.0 %
-1	Valid blank	47	1.2 %

- Mean: 1.72
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 0.99

Based upon 3728 valid cases out of 3777 total cases.

MF33A	**MF6 Sterilisation method 1**

Location: 263-264(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -6 , -2 , -1

Question: Can you show me how you sterilize your non-disposable needles?: Method 1

Value	Label	Unweighted Frequency	%
1	Sterilizer	855	22.6 %
2	Needle in boiling water	299	7.9 %
3	Rinse with alcohol	17	0.5 %
4	Needle in flame	5	0.1 %
5	Other	26	0.7 %

Value	Label	Unweighted Frequency	%
6	Not sterilized	14	0.4 %
9	Not applicable	0	0.0 %
-6	Out of range	7	0.2 %
-2	Valid skip	2406	63.7 %
-1	Valid blank	148	3.9 %

- Mean: 1.43
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 0.89

Based upon 1216 valid cases out of 3777 total cases.

MF33B	**MF6 Sterilisation method 2**

Location: 265-266(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M):   -6 , -2 , -1

Question: Can you show me how you sterilize your non-disposable needles?: Method 2

Value	Label	Unweighted Frequency	%
1	Sterilizer	63	1.7 %
2	Needle in boiling water	410	10.9 %
3	Rinse with alcohol	145	3.8 %
4	Needle in flame	33	0.9 %
5	Other	23	0.6 %
6	Not sterilized	6	0.2 %
9	Not applicable	0	0.0 %
-6	Out of range	12	0.3 %
-2	Valid skip	241	6.4 %
-1	Valid blank	2844	75.3 %

- Mean: 2.35
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 0.91

Based upon 680 valid cases out of 3777 total cases.

MF33C	**MF6 Sterilisation method 3**

Location:	267-268(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-6 , -2 , -1
Question:	Can you show me how you sterilize your non-disposable needles?: Method 3

Value	Label	Unweighted Frequency	%
1	Sterilizer	20	0.5 %
2	Needle in boiling water	49	1.3 %
3	Rinse with alcohol	97	2.6 %
4	Needle in flame	51	1.4 %
5	Other	77	2.0 %
6	Not sterilized	19	0.5 %
9	Not applicable	0	0.0 %
-6	Out of range	14	0.4 %
-2	Valid skip	331	8.8 %
-1	Valid blank	3119	82.6 %

- Mean: 3.55
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 6.00
- Standard Deviation: 1.34

Based upon 313 valid cases out of 3777 total cases.

MF34	**MF6 Vaccine Storage**

Location:	269-270(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-6 , -3 , -2 , -1
Question:	Can you please show me where the vaccines are stored?

Value	Label	Unweighted Frequency	%
1	Special Refrigerator	1699	45.0 %
2	Other Refrigerator	218	5.8 %
3	Cold chian box	153	4.1 %
4	Not refrigerated	98	2.6 %
5	No regular storage place	532	14.1 %
9	Not Applicable	0	0.0 %
-6	Out of range	25	0.7 %
-3	Don't know	4	0.1 %
-2	Valid skip	1003	26.6 %
-1	Valid blank	45	1.2 %

- Mean: 2.09
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 5.00
- Standard Deviation: 1.61

Based upon 2700 valid cases out of 3777 total cases.

MF35	MF6 Floor type

Location:	271-272(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-1
Question:	Clinic's predominant floor type

Value	Label	Unweighted Frequency	%
1	Mud	150	4.0 %
2	Wood-bamboo	25	0.7 %
3	Brick	97	2.6 %
4	Stone	39	1.0 %
5	Cement	2506	66.3 %
6	Tiles-Mosaic	896	23.7 %
7	Other	21	0.6 %
-1	Valid blank	43	1.1 %

- Mean: 5.01
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.04

Based upon 3734 valid cases out of 3777 total cases.

MF36	MF6 Wall type

Location:	273-274(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-3 , -2 , -1
Question:	Clinic's predominant wall type

Value	Label	Unweighted Frequency	%
1	Grass-Thatch	9	0.2 %
2	Mud-Unburnt bricks	261	6.9 %
3	Plastic	7	0.2 %
4	Wood	25	0.7 %

Value	Label	Unweighted Frequency	%
5	Burnt bricks	938	24.8 %
6	GI sheets/metal	27	0.7 %
7	Stone	173	4.6 %
8	Cement-Concrete	0	0.0 %
9	Other	0	0.0 %
-3	Don't know	2270	60.1 %
-2	Valid skip	24	0.6 %
-1	Valid blank	43	1.1 %

- Mean: 4.66
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 7.00
- Standard Deviation: 1.47

Based upon 1440 valid cases out of 3777 total cases.

MF37	**MF6 Roof type**

Location: 275-276(width: 2; decimal: 0)

Variable Type: numeric (ISO)

Range of Missing Values (M): -2 , -1

Question: Clinic's predominant roof type

Value	Label	Unweighted Frequency	%
1	Grass-Mud-Wood	137	3.6 %
2	Tiles	157	4.2 %
3	Slate	127	3.4 %
4	Plastic	6	0.2 %
5	GI sheets-Asbestos	206	5.5 %
6	Cement	1088	28.8 %
7	Brick	83	2.2 %
8	Stone	135	3.6 %
9	Concrete	1763	46.7 %
10	Other	33	0.9 %
-2	Valid skip	0	0.0 %
-1	Valid blank	42	1.1 %

- Mean: 7.03
- Median: 8.00
- Mode: 9.00
- Minimum: 1.00

- Maximum: 10.00
- Standard Deviation: 2.33

Based upon 3735 valid cases out of 3777 total cases.

MF38	**MF6 Type of approach road**

Location:	277-278(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-2 , -1
Question:	Type of approach road to the hospital

Value	Label	Unweighted Frequency	%
1	Footpath	225	6.0 %
2	Kutcha	724	19.2 %
3	Pukka	2789	73.8 %
-2	Valid skip	0	0.0 %
-1	Valid blank	39	1.0 %

- Mean: 2.69
- Median: 3.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 3.00
- Standard Deviation: 0.58

Based upon 3738 valid cases out of 3777 total cases.

MF39	**MF6 Ad for Sex determination?**

Location:	279-280(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-2 , -1
Question:	Is there an advertisement on the building that this clinic does sonograms (or a practice that might determine the sex of a fetus)?

Value	Label	Unweighted Frequency	%
0	No	2568	68.0 %
1	Yes	1167	30.9 %
-2	Valid skip	0	0.0 %
-1	Valid blank	42	1.1 %

- Mean: 0.31
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 1.00
- Standard Deviation: 0.46

Based upon 3735 valid cases out of 3777 total cases.

MFT2H	MF6 Time finished - hour

Location:	281-284(width: 4; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-2 , -1
Question:	Time interview finished

Value	Label
-2	Valid skip
-1	Valid blank

* Frequencies not displayed for this variable.

- Mean: 723.32
- Median: 720.00
- Mode: 1100.00
- Minimum: 100.00
- Maximum: 1256.00
- Standard Deviation: 413.64

Based upon 3772 valid cases out of 3777 total cases.

MFT2A	MF6 am/pm

Location:	285-286(width: 2; decimal: 0)
Variable Type:	numeric (ISO)
Range of Missing Values (M):	-2 , -1
Question:	AM/PM

Value	Label	Unweighted Frequency	%
1	AM	1205	31.9 %
2	PM	2567	68.0 %
-2	Valid skip	0	0.0 %
-1	Valid blank	5	0.1 %

- Mean: 1.68
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.47

Based upon 3772 valid cases out of 3777 total cases.