

PROJECT REPORT

Personal Portfolio Website

Student Name: Namra Nabeel

Internship Domain: Web Development

Task # 01

OBJECTIVE

The main objective of this project is to design and develop a web-based **Inventory Management System** that automates the process of tracking, managing, and controlling inventory within an organization, replacing manual and error-prone record-keeping methods.

TECHNOLOGIES USED

- HTML 5
- CSS 3
- JavaScript
- PHP
- MySQL

WEBSITE STRUCTURE

Dashboard:

The dashboard displays the statistics of the stock, Quick actions to manage the inventory and recent activities.

Products:

The products page shows the search bar to search the products and filter button to filter the products and it also includes the details of the products and add, edit and delete product features.

Categories:

The categories page shows search bar to search the category and buttons to add/delete the category.

Inventory:

The inventory shows the details of the stock it also has feature to update the stock.

Activity:

In activity page, all the activities performed by the user are displayed.

DESIGN APPROACH

The Inventory Management System is designed using a soft, neutral color palette that reflects the handmade and creative identity of the crochet brand. The interface uses clear spacing, consistent cards, subtle shadows, and easily readable text to create a clean and professional appearance. The dashboard provides an organized overview of products, categories, stock levels, and recent inventory activities. A sidebar navigation system is used to connect the different pages of the system, including Dashboard, Products, Categories, Inventory, and Activity. Each page is designed to provide easy access to important inventory management features while maintaining a consistent and user-friendly interface throughout the system.

WEBSITE FEATURES

Following are the features of the website:

- User Registration.
- Secure Login.
- Logout.
- Low Stock and Out of Stock alerts.
- Recent activities tracking.
- Search and Filter Options.
- Responsive and User-Friendly Interface.
- Consistent Navigation.

CODE SCREENSHOTS

This screenshot shows the Visual Studio Code editor with the file explorer on the left and the code editor on the right. The file explorer shows a project named 'twisted_threads_inventory' with various files and folders. The code editor is displaying the 'style.css' file, which contains CSS rules for styling the 'activity-details' section. The rules include styles for the 'activity-list' (flex display, column direction, 15px gap), 'activity-item' (background color, border, padding, flex display, 18px gap), 'activity-icon' (width, height, min-width, background color, color, border radius, flex display, justify-content, align-items), 'activity-details h3' (font size, margin-bottom), and 'activity-details p' (color).

```
assets > css > # style.css > activity-details h3
662 /* =====
663 | ACTIVITY
664 | ===== */
665 .activity-list {
666   display: flex;
667   flex-direction: column;
668   gap: 15px;
669 }
670 .activity-item {
671   background-color: var(--white);
672   border: 1px solid var(--border);
673   border-radius: 6px;
674   padding: 20px;
675   display: flex;
676   gap: 18px;
677 }
678 .activity-icon {
679   width: 45px;
680   height: 45px;
681   min-width: 45px;
682   background-color: var(--cream);
683   color: var(--primary-dark);
684   border-radius: 50%;
685   display: flex;
686   justify-content: center;
687   align-items: center;
688 }
689 .activity-details h3 {
690   font-size: 16px;
691   margin-bottom: 7px;
692 }
693 .activity-details p {
694   color: var(--muted);
```

This screenshot shows the Visual Studio Code editor with the file explorer on the left and the code editor on the right. The file explorer shows the same project as the first screenshot. The code editor is displaying the 'style.css' file, which contains CSS rules for styling the 'stock-form' and 'categories' sections. The rules include styles for 'out-stock' (display: flex), 'categories-layout' (display: grid, grid-template-columns: 320px 1fr, gap: 25px), 'category-form-card h2' (font-family: Georgia, 'Times New Roman', serif; font-weight: normal; margin-bottom: 25px), 'stock-form' (display: flex, gap: 8px), 'stock-form input' (width: 75px, padding: 8px, border: 1px solid var(--border), border-radius: 4px), and 'small-button' (padding: 8px 12px).

```
assets > css > # style.css > stock-form input
629 .out-stock {
630   display: flex;
631 }
632 }
633 /* =====
634 | CATEGORIES
635 | ===== */
636 .categories-layout {
637   display: grid;
638   grid-template-columns: 320px 1fr;
639   gap: 25px;
640 }
641 .category-form-card h2 {
642   font-family: Georgia, "Times New Roman", serif;
643   font-weight: normal;
644   margin-bottom: 25px;
645 }
646 /* =====
647 | INVENTORY
648 | ===== */
649 .stock-form {
650   display: flex;
651   gap: 8px;
652 }
653 .stock-form input {
654   width: 75px;
655   padding: 8px;
656   border: 1px solid var(--border);
657   border-radius: 4px;
658 }
659 .small-button {
660   padding: 8px 12px;
661 }
662 }
663 /* =====
664 | ACTIVITY
```


The screenshot shows the VS Code editor with the file explorer on the left displaying the project structure for 'twisted_threads_inventory'. The main editor window shows the 'style.css' file with the following CSS rules:

```
assets > css > # style.css > low-stock
597 .delete-button {
598   border-radius: 4px;
599   font-size: 12px;
600 }
601
602 .edit-button {
603   background-color: #EEE9DD;
604   color: var(--primary-dark);
605 }
606
607 .delete-button {
608   background-color: #FBEAEA;
609   color: var(--danger);
610 }
611
612 /* =====
613    STOCK STATUS
614    ===== */
615
616 .status-badge {
617   display: inline-block;
618   padding: 7px 10px;
619   border-radius: 20px;
620   font-size: 11px;
621   font-weight: bold;
622 }
623
624 .in-stock {
625   background-color: #E8F1E5;
626   color: #527047;
627 }
628
629 .low-stock {
630   background-color: #FFF3D8;
631   color: #9A6B16;
632 }
633
634 .out-stock {
635   background-color: #FBEAEA;
636   color: #A64848;
637 }
```

The status bar at the bottom indicates the cursor is at line 626, column 17, with 4 spaces, UTF-8 encoding, and CRLF line endings. It also shows icons for CSS, Go Live, and Prettier.

The screenshot shows the VS Code editor with the file explorer on the left displaying the project structure for 'twisted_threads_inventory'. The main editor window shows the 'style.css' file with the following CSS rules:

```
assets > css > # style.css > action-buttons
567 td {
568   border-top: 1px solid var(--border);
569   font-size: 14px;
570 }
571
572 .product-thumbnail {
573   width: 55px;
574   height: 55px;
575   object-fit: cover;
576   border-radius: 5px;
577 }
578
579 .no-image {
580   width: 55px;
581   height: 55px;
582   background-color: var(--cream);
583   display: flex;
584   justify-content: center;
585   align-items: center;
586   border-radius: 5px;
587 }
588
589 .empty-table {
590   text-align: center;
591   color: var(--muted);
592   padding: 40px;
593 }
594
595 .action-buttons {
596   display: flex;
597   gap: 8px;
598 }
599
600 .edit-button,
601 .delete-button {
602   text-decoration: none;
603   padding: 8px 12px;
604   border-radius: 4px;
605 }
```

The status bar at the bottom indicates the cursor is at line 595, column 2, with 4 spaces, UTF-8 encoding, and CRLF line endings. It also shows icons for CSS, Go Live, and Prettier.

File Edit Selection View Go Run ...

twisted_threads_inventory

Sign In

Assets CSS Images JS Config Database Includes Uploads Activity Add Product Categories Dashboard Delete Product Edit Product Index Inventory Login Logout

style.css

assets > css > # style.css > th

531 .small-button {
532 cursor: pointer;
533 }
534 .clear-button {
535 text-decoration: none;
536 color: var(--text);
537 padding: 12px 18px;
538 }
539 /* =====
540 TABLES
541 ===== */
542 .table-card {
543 background-color: var(--white);
544 border: 1px solid var(--border);
545 border-radius: 6px;
546 overflow: hidden;
547 }
548 .table-responsive {
549 width: 100%;
550 overflow-x: auto;
551 }
552 table {
553 width: 100%;
554 border-collapse: collapse;
555 }
556 th {
557 background-color: #F1FEE8;
558 text-align: left;
559 padding: 15px;
560 font-size: 13px;
561 }
562 td {
563 padding: 15px;
564 }

Ln 563, Col 17 Spaces: 4 UTF-8 CRLF CSS Go Live Prettier

File Edit Selection View Go Run ...

twisted_threads_inventory

Sign In

Assets CSS Images JS Config Database Includes Uploads Activity Add Product Categories Dashboard Delete Product Edit Product Index Inventory Login Logout

style.css

assets > css > # style.css > .filter-button

500 .current-image img {
501 }
502 /* =====
503 FILTERS
504 ===== */
505 .filter-card {
506 background-color: var(--white);
507 border: 1px solid var(--border);
508 padding: 20px;
509 margin-bottom: 25px;
510 border-radius: 6px;
511 }
512 .filter-form {
513 display: flex;
514 gap: 12px;
515 }
516 .filter-form input,
517 .filter-form select {
518 padding: 12px;
519 border: 1px solid var(--border);
520 border-radius: 4px;
521 font-size: 14px;
522 }
523 .filter-form input {
524 flex: 1;
525 }
526 .filter-button,
527 .small-button {
528 background-color: var(--primary);
529 color: var(--white);
530 border: none;
531 padding: 12px 18px;
532 border-radius: 4px;
533 }

Ln 531, Col 16 Spaces: 4 UTF-8 CRLF CSS Go Live Prettier

File Edit Selection View Go Run ... twisted_threads_inventory

Explorer

assets > css > # style.css > current-image p

471 .input-group textarea {
472 padding: 14px 15px;
473 border: 1px solid var(--border);
474 background-color: var(--white);
475 border-radius: 4px;
476 font-family: Arial, Helvetica, sans-serif;
477 font-size: 14px;
478 outline: none;
479 }
480
481 .input-group textarea {
482 resize: vertical;
483 }
484 .input-group small {
485 display: block;
486 margin-top: 7px;
487 color: var(--muted);
488 font-size: 12px;
489 }
490 .form-submit {
491 max-width: 220px;
492 }
493 .current-image {
494 margin-bottom: 25px;
495 }
496 .current-image p {
497 margin-bottom: 10px;
498 font-weight: bold;
499 }
500 .current-image img {
501 width: 140px;
502 height: 140px;
503 object-fit: cover;
504 border-radius: 5px;
505 }

Ln 499, Col 2 Spaces: 4 UTF-8 CRLF CSS Go Live Prettier

File Edit Selection View Go Run ... twisted_threads_inventory

Explorer

assets > css > # style.css > form-grid

440 .secondary-button {
441 color: var(--primary-dark);
442 border: 1px solid var(--primary);
443 padding: 12px 18px;
444 border-radius: 4px;
445 font-size: 14px;
446 }
447
448 .success-message {
449 background-color: #E8F1E5;
450 color: #527047;
451 border-left: 4px solid var(--success);
452 padding: 14px;
453 margin-bottom: 25px;
454 border-radius: 4px;
455 }
456 /* =====
457 FORMS
458 ===== */
459 .form-card {
460 background-color: var(--white);
461 border: 1px solid var(--border);
462 border-radius: 6px;
463 padding: 30px;
464 }
465 .form-grid {
466 display: grid;
467 grid-template-columns: repeat(2, 1fr);
468 gap: 20px;
469 }
470 .input-group select,
471 .input-group textarea {
472 width: 100%;
473 padding: 14px 15px;
474 }

Ln 468, Col 2 Spaces: 4 UTF-8 CRLF CSS Go Live Prettier

This screenshot shows the VS Code editor with the file explorer on the left displaying the project structure for 'twisted_threads_inventory'. The main editor area shows the 'style.css' file with CSS code. The code includes a media query for a maximum width of 768px, defining styles for the main content area, top section, stats grid, and page header. The page header section is currently selected, showing styles for the h1 element and a secondary button.

```
assets > css > # style.css > @media (max-width: 768px) > .page-header h1
395 @media (max-width: 768px) {
410   .main-content {
411     padding: 30px 20px;
412   }
413   .top-section {
414     flex-direction: column;
415     align-items: flex-start;
416     gap: 20px;
417   }
418   .stats-grid {
419     grid-template-columns: 1fr;
420   }
421   .top-section h1 {
422     font-size: 30px;
423   }
424 }
425 /* =====
426  GENERAL PAGE STYLES
427 ===== */
428 .page-header {
429   display: flex;
430   justify-content: space-between;
431   align-items: center;
432   margin-bottom: 30px;
433 }
434 .page-header h1 {
435   font-family: Georgia, "Times New Roman", serif;
436   font-size: 30px;
437   font-weight: normal;
438   margin-bottom: 10px;
439 }
440 .secondary-button {
441   text-decoration: none;
```

This screenshot shows the VS Code editor with the file explorer on the left. The main editor area shows the 'style.css' file with CSS code. The code includes a media query for a maximum width of 1000px, defining styles for the stats grid, quick actions, and a dashboard layout. The dashboard layout section is currently selected, showing styles for the sidebar, sidebar navigation, sidebar bottom, and main content area.

```
assets > css > # style.css > {} @media (max-width: 768px) > .sidebar-nav
377 .activity-box {
379   border: 1px solid var(--border);
380   padding: 35px;
381   border-radius: 6px;
382 }
383 .empty-activity {
384   color: var(--muted);
385   font-size: 14px;
386 }
387 @media (max-width: 1000px) {
388   .stats-grid {
389     grid-template-columns: repeat(2, 1fr);
390   }
391   .quick-actions {
392     grid-template-columns: 1fr;
393   }
394 }
395 @media (max-width: 768px) {
396   .dashboard-layout {
397     flex-direction: column;
398   }
399   .sidebar {
400     width: 100%;
401     min-height: auto;
402   }
403   .sidebar-nav {
404     flex-direction: row;
405     flex-wrap: wrap;
406   }
407   .sidebar-bottom {
408     margin-top: 30px;
409   }
410   .main-content {
```

The screenshot shows the VS Code editor with the Explorer sidebar on the left displaying the project structure for 'twisted_threads_inventory'. The main editor area shows the 'style.css' file with the following CSS code:

```
assets > css > # style.css > action-box p
341 .action-box {
342   color: var(--text);
343   transition: 0.3s;
344 }
345 .action-box:hover {
346   transform: translateY(-4px);
347   border-color: var(--primary);
348 }
349 .action-symbol {
350   width: 45px;
351   height: 45px;
352   background-color: var(--primary);
353   color: var(--white);
354   display: flex;
355   justify-content: center;
356   align-items: center;
357   border-radius: 50%;
358   font-size: 22px;
359   margin-bottom: 18px;
360 }
361 .action-box h3 {
362   font-family: Georgia, "Times New Roman", serif;
363   font-size: 20px;
364   font-weight: normal;
365   margin-bottom: 10px;
366 }
367 .action-box p {
368   font-size: 13px;
369   line-height: 1.7;
370   color: var(--muted);
371 }
372 .activity-box {
373   background-color: var(--white);
```

The status bar at the bottom indicates 'Ln 373, Col 2', 'Spaces: 4', 'UTF-8', 'CRLF', and 'CSS'.

The screenshot shows the VS Code editor with the Explorer sidebar on the left displaying the project structure for 'twisted_threads_inventory'. The main editor area shows the 'style.css' file with the following CSS code:

```
assets > css > # style.css > action-box
314 }
315 .stat-card p {
316   color: var(--muted);
317   font-size: 13px;
318   margin-bottom: 8px;
319 }
320 .stat-card h2 {
321   font-family: Georgia, "Times New Roman", serif;
322   font-size: 28px;
323   font-weight: normal;
324 }
325 .dashboard-section {
326   margin-top: 40px;
327 }
328 .section-heading {
329   margin-bottom: 20px;
330 }
331 .section-heading h2 {
332   font-family: Georgia, "Times New Roman", serif;
333   font-size: 26px;
334   font-weight: normal;
335 }
336 .quick-actions {
337   display: grid;
338   grid-template-columns: repeat(3, 1fr);
339   gap: 20px;
340 }
341 .action-box {
342   background-color: var(--white);
343   border: 1px solid var(--border);
344   padding: 25px;
345   border-radius: 6px;
346   text-decoration: none;
```

The status bar at the bottom indicates 'Ln 341, Col 2', 'Spaces: 4', 'UTF-8', 'CRLF', and 'CSS'.


```
assets > css > # style.css > stat-icon
277 .add-product-btn {
284   transition: 0.3s;
285 }
286 .add-product-btn:hover {
287   background-color: var(--primary-dark);
288 }
289 .stats-grid {
290   display: grid;
291   grid-template-columns: repeat(4, 1fr);
292   gap: 20px;
293   margin-bottom: 45px;
294 }
295 .stat-card {
296   background-color: var(--white);
297   border: 1px solid var(--border);
298   padding: 25px;
299   display: flex;
300   align-items: center;
301   gap: 18px;
302   border-radius: 6px;
303 }
304 .stat-icon {
305   width: 48px;
306   height: 48px;
307   background-color: var(--cream);
308   color: var(--primary-dark);
309   display: flex;
310   justify-content: center;
311   align-items: center;
312   border-radius: 50%;
313   font-size: 22px;
314 }
315 .stat-card p {
```

```
assets > css > # style.css > add-product-btn
250 .main-content {
252   padding: 45px;
253 }
254 .top-section {
255   display: flex;
256   justify-content: space-between;
257   align-items: center;
258   margin-bottom: 40px;
259 }
260 .page-label {
261   font-size: 11px;
262   font-weight: bold;
263   letter-spacing: 2px;
264   color: var(--primary-dark);
265   margin-bottom: 10px;
266 }
267 .top-section h1 {
268   font-family: Georgia, "Times New Roman", serif;
269   font-size: 38px;
270   font-weight: normal;
271   margin-bottom: 10px;
272 }
273 .page-description {
274   color: var(--muted);
275   font-size: 14px;
276 }
277 .add-product-btn {
278   background-color: var(--primary);
279   color: var(--white);
280   text-decoration: none;
281   padding: 14px 22px;
282   border-radius: 4px;
283   font-size: 14px;
```

File Edit Selection View Go Run ...

twisted_threads_inventory

Sign In

assets > css > # style.css > .logout-link

220 }
221 .nav-link:hover,
222 .nav-link.active {
223 background-color: rgba(255, 255, 255, 0.18);
224 color: var(--white);
225 }
226 .nav-link span {
227 width: 20px;
228 text-align: center;
229 }
230 .sidebar-bottom {
231 margin-top: auto;
232 padding: 20px 10px 5px;
233 border-top: 1px solid rgba(255, 255, 255, 0.25);
234 }
235 .sidebar-bottom p {
236 font-size: 11px;
237 opacity: 0.8;
238 margin-bottom: 5px;
239 }
240 .sidebar-bottom strong {
241 display: block;
242 font-size: 14px;
243 margin-bottom: 15px;
244 }
245 .logout-link {
246 color: var(--white);
247 font-size: 13px;
248 text-decoration: none;
249 }
250 .main-content {
251 flex: 1;
252 padding: 45px;

Ln 247, Col 2 Spaces: 4 UTF-8 CRLF CSS Go Live Prettier

File Edit Selection View Go Run ...

twisted_threads_inventory

Sign In

assets > css > # style.css > .nav-link

188 .sidebar-logo {
189 width: 55px;
190 height: 55px;
191 object-fit: cover;
192 border-radius: 50%;
193 }
194 .sidebar-brand h2 {
195 font-family: Georgia, "Times New Roman", serif;
196 font-size: 22px;
197 font-weight: normal;
198 margin-bottom: 3px;
199 }
200 .sidebar-brand span {
201 font-size: 9px;
202 letter-spacing: 3px;
203 }
204 .sidebar-nav {
205 margin-top: 30px;
206 display: flex;
207 flex-direction: column;
208 gap: 8px;
209 }
210 .nav-link {
211 color: rgba(255, 255, 255, 0.85);
212 text-decoration: none;
213 padding: 13px 14px;
214 border-radius: 5px;
215 display: flex;
216 align-items: center;
217 gap: 14px;
218 font-size: 14px;
219 transition: 0.3s;
220 }

Ln 215, Col 16 Spaces: 4 UTF-8 CRLF CSS Go Live Prettier

twisted_threads_inventory

assets > css > # style.css > sidebar-brand

```
140 @media (max-width: 768px) {
157   .brand-side h1 {
159   }
160   .form-side {
161     padding: 45px 25px;
162   }
163   .form-box h2 {
164     font-size: 28px;
165   }
166 }
167 .dashboard-layout {
168   min-height: 100vh;
169   display: flex;
170   background-color: var(--cream);
171 }
172 .sidebar {
173   width: 260px;
174   min-height: 100vh;
175   background-color: var(--primary);
176   padding: 20px 18px;
177   display: flex;
178   flex-direction: column;
179   color: var(--white);
180 }
181 .sidebar-brand {
182   display: flex;
183   align-items: center;
184   gap: 12px;
185   padding: 0 10px 35px;
186   border-bottom: 1px solid rgba(255, 255, 255, 0.25);
187 }
188 .sidebar-logo {
189   width: 55px;
```

Ln 184, Col 15 Spaces: 4 UTF-8 CRLF CSS Go Live Prettier

twisted_threads_inventory

assets > css > # style.css > {} @media (max-width: 768px) > .brand-logo

```
126 }
127 .switch-text a {
128   color: var(--primary-dark);
129   font-weight: bold;
130   text-decoration: none;
131 }
132 .error-message {
133   background-color: #FCEB8;
134   color: var(--danger);
135   border-left: 4px solid var(--danger);
136   padding: 12px;
137   margin-bottom: 20px;
138   font-size: 14px;
139 }
140 @media (max-width: 768px) {
141   .auth-page {
142     flex-direction: column;
143   }
144   .brand-side,
145   .form-side {
146     width: 100%;
147     min-height: auto;
148   }
149   .brand-side {
150     padding: 40px 25px;
151   }
152   .brand-logo {
153     width: 130px;
154     height: 130px;
155     margin-bottom: 20px;
156   }
157   .brand-side h1 {
158     font-size: 32px;
```

Ln 153, Col 22 Spaces: 4 UTF-8 CRLF CSS Go Live Prettier

File Edit Selection View Go Run ...

twisted_threads_inventory

Sign In

Assets CSS Images JS Config Database Includes Uploader Activity Add Product Categories Dashboard Delete Product Edit Product Index Inventory Login Logout

assets > css > # style.css > input-group input-focus

94 .input-group input {
95 width: 100%;
96 padding: 14px 15px;
97 border: 1px solid var(--border);
98 background-color: var(--white);
99 outline: none;
100 font-size: 14px;
101 border-radius: 4px;
102 }
103 .input-group input:focus {
104 border-color: var(--primary-dark);
105 }
106 .main-button {
107 width: 100%;
108 padding: 15px;
109 background-color: var(--primary);
110 color: var(--white);
111 border: none;
112 border-radius: 4px;
113 cursor: pointer;
114 font-size: 15px;
115 margin-top: 8px;
116 transition: 0.3s;
117 }
118 .main-button:hover {
119 background-color: var(--primary-dark);
120 }
121 .switch-text {
122 text-align: center;
123 margin-top: 25px;
124 color: var(--muted);
125 font-size: 14px;
126 }

Ln 103, Col 1 Spaces: 4 UTF-8 CRLF CSS Go Live Prettier

File Edit Selection View Go Run ...

twisted_threads_inventory

Sign In

Assets CSS Images JS Config Database Includes Uploader Activity Add Product Categories Dashboard Delete Product Edit Product Index Inventory Login Logout

assets > css > # style.css > input-group label

59 .form-side {
60 align-items: center;
61 padding: 30px;
62 }
63 .form-box {
64 width: 100%;
65 max-width: 430px;
66 }
67 .small-heading {
68 color: var(--primary-dark);
69 font-size: 12px;
70 font-weight: bold;
71 letter-spacing: 2px;
72 margin-bottom: 12px;
73 }
74 .form-box h2 {
75 font-family: Georgia, "Times New Roman", serif;
76 font-size: 32px;
77 font-weight: 400;
78 margin-bottom: 35px;
79 }
80 .input-group {
81 margin-bottom: 20px;
82 }
83 .input-group label {
84 display: block;
85 font-size: 14px;
86 margin-bottom: 8px;
87 font-weight: bold;
88 }
89 .input-group input {
90 width: 100%;
91 padding: 14px 15px;
92 }

Ln 91, Col 2 Spaces: 4 UTF-8 CRLF CSS Go Live Prettier

```
assets > css > # style.css > form-side
29 .brand-side {
30   display: flex;
31   flex-direction: column;
32   justify-content: center;
33   align-items: center;
34   padding: 50px;
35   text-align: center;
36   color: var(--white);
37 }
38
39 .brand-logo {
40   width: 210px;
41   height: 210px;
42   object-fit: cover;
43   margin-bottom: 30px;
44 }
45
46 .brand-side h1 {
47   font-family: Georgia, "Times New Roman", serif;
48   font-size: 42px;
49   font-weight: 400;
50   letter-spacing: 1px;
51   margin-bottom: 18px;
52 }
53
54 .brand-side p {
55   max-width: 380px;
56   line-height: 1.8;
57   font-size: 16px;
58 }
59 .form-side {
60   width: 55%;
61   min-height: 100vh;
62   background-color: var(--cream);
63   display: flex;
64   justify-content: center;
```

```
assets > css > # style.css > root
1 :root {
2   --primary: #A69D80;
3   --primary-dark: #857D63;
4   --cream: #F7F5EF;
5   --white: #FFFFFF;
6   --text: #3F3A32;
7   --muted: #777166;
8   --border: #DDD8C8;
9   --danger: #885C5C;
10  --success: #6FBA63;
11 }
12 * {
13   margin: 0;
14   padding: 0;
15   box-sizing: border-box;
16 }
17 body {
18   font-family: Arial, Helvetica, sans-serif;
19   color: var(--text);
20   background-color: var(--cream);
21 }
22 .auth-body {
23   min-height: 100vh;
24 }
25 .auth-page {
26   min-height: 100vh;
27   display: flex;
28 }
29 .brand-side {
30   width: 45%;
31   min-height: 100vh;
32   background-color: var(--primary);
33   display: flex;
```

```
assets > js > JS script.js
1 function confirmDelete(message) {
2   |   return confirm(message || "Are you sure you want to delete this item?");
3 }
```

Ln 3, Col 2 Spaces: 4 UTF-8 CRLF JavaScript Go Live Prettier

```
config > database.php
1 <?php
2 $host = "localhost";
3 $dbname = "twisted_threads_inventory";
4 $username = "root";
5 $password = "abcd4321";
6 try {
7     $pdo = new PDO(
8         "mysql:host=$host;dbname=$dbname;charset=utf8mb4",
9         $username,
10        $password
11    );
12    $pdo->setAttribute(
13        PDO::ATTR_ERRMODE,
14        PDO::ERRMODE_EXCEPTION
15    );
16 } catch (PDOException $e) {
17     die("Database connection failed: " . $e->getMessage());
18 }
19 ?>
```

Ln 1, Col 6 Spaces: 4 UTF-8 CRLF {} PHP Go Live Prettier

twisted_threads_inventory

delete_product.php X dashboard.php X categories.php X add_product.php X activity.php X header.php X

twisted_threads_inventory

- assets
- css
 - style.css
- images
- js
- config
- database
- includes
 - auth_check.php
 - footer.php
 - header.php
 - uploads
- activity.php
- add_product.php
- categories.php
- dashboard.php
- delete_product.php
- edit_product.php
- index.php
- inventory.php
- login.php
- logout.php
- products.php
- register.php

Outline

Timeline

```
42 <span></span>
43 <a>
44 </a>
45 <a href="inventory.php"
46 class="nav-link <?php echo $current_page == 'inventory.php' ? 'active' : '' ?>"
47 <span></span>
48 </a>
49 </a>
50 <a href="activity.php"
51 class="nav-link <?php echo $current_page == 'activity.php' ? 'active' : '' ?>"
52 <span></span>
53 </a>
54 </a>
55 </nav>
56 <div class="sidebar-bottom">
57 <p>Logged in as</p>
58 <strong>
59 <?php echo htmlspecialchars(
60 $SESSION["user_name"] ?? "Admin"
61 ); ?>
62 </strong>
63 <a href="logout.php"
64 class="logout-link">
65 Logout
66 </a>
67 </div>
68 </aside>
69 <main class="main-content">
```

Ln 69, Col 32 Spaces: 4 UTF-8 CRLF {} PHP Go Live Prettier

twisted_threads_inventory

delete_product.php X dashboard.php X categories.php X add_product.php X activity.php X header.php X

twisted_threads_inventory

- assets
- css
 - style.css
- images
- js
- config
- database
- includes
 - auth_check.php
 - footer.php
 - header.php
 - uploads
- activity.php
- add_product.php
- categories.php
- dashboard.php
- delete_product.php
- edit_product.php
- index.php
- inventory.php
- login.php
- logout.php
- products.php
- register.php

Outline

Timeline

```
33 <a href="products.php"
34 class="nav-link <?php echo in_array($current_page, ['products.php', 'add_product.php'
35 <span></span>
36 </a>
37 </a>
38 <a href="categories.php"
39 class="nav-link <?php echo $current_page == 'categories.php' ? 'active' : '' ?>"
40 <span></span>
41 </a>
42 <a href="inventory.php"
43 class="nav-link <?php echo $current_page == 'inventory.php' ? 'active' : '' ?>"
44 <span></span>
45 </a>
46 <a href="activity.php"
47 class="nav-link <?php echo $current_page == 'activity.php' ? 'active' : '' ?>"
48 <span></span>
49 </a>
50 </a>
51 <a href="activity.php"
52 class="nav-link <?php echo $current_page == 'activity.php' ? 'active' : '' ?>"
53 <span></span>
54 </a>
55 </nav>
56 <div class="sidebar-bottom">
57 <p>Logged in as</p>
58 <strong>
59 <?php echo htmlspecialchars(
60 $SESSION["user_name"] ?? "Admin"
61 ); ?>
62 </strong>
63 <a href="logout.php"
64 class="logout-link">
65 Logout
```

Ln 60, Col 1 Spaces: 4 UTF-8 CRLF {} PHP Go Live Prettier

twisted_threads_inventory

delete_product.php X dashboard.php X categories.php X add_product.php X activity.php X header.php X ...

includes > header.php

```
1 <?php
2 if (session_status() === PHP_SESSION_NONE) {
3     session_start();
4 }
5 $current_page = basename($_SERVER["PHP_SELF"]);
6 ?>
7 <!DOCTYPE html>
8 <html lang="en">
9 <head>
10     <meta charset="UTF-8">
11     <meta name="viewport"
12         content="width=device-width, initial-scale=1.0">
13     <title><?php echo $page_title ?? "Twisted Threads"; ?></title>
14     <link rel="stylesheet"
15         href="assets/css/style.css">
16 </head>
17 <body>
18     <div class="dashboard-layout">
19         <aside class="sidebar">
20             <div class="sidebar-brand">
21                 
24                 <div>
25                     <h2>Twisted</h2>
26                     <span>THREADS</span>
27                 </div>
28             </div>
29             <nav class="sidebar-nav">
30                 <a href="dashboard.php"
31                     class="nav-link <?php echo $current_page == 'dashboard.php' ? 'active' : ''>?>"
32                     <span></span>
33                 Dashboard
```

Ln 1, Col 1 Spaces: 4 UTF-8 CRLF {} PHP Go Live Prettier

twisted_threads_inventory

delete_product.php X dashboard.php X categories.php X add_product.php X activity.php X footer.php X ...

includes > footer.php

```
1 </main>
2
3 </div>
4
5 <script src="assets/js/script.js"></script>
6
7 </body>
8 </html>
```

Ln 6, Col 1 Spaces: 4 UTF-8 CRLF {} PHP Go Live Prettier

The screenshot shows the VS Code editor interface with the 'twisted_threads_inventory' project open. The Explorer sidebar on the left lists the project structure, including folders like 'assets', 'css', 'images', 'js', 'config', 'database', 'includes', and 'uploads', and files like 'auth_check.php', 'footer.php', 'header.php', 'activity.php', 'add_product.php', 'categories.php', 'dashboard.php', 'delete_product.php', 'edit_product.php', 'index.php', 'inventory.php', 'login.php', 'logout.php', 'products.php', and 'register.php'. The main editor area displays the 'auth_check.php' file, which contains PHP code for session management and user authentication. The code includes a session start check, a redirect to 'login.php' if the user is not logged in, and a session variable check for 'user_id'. The status bar at the bottom indicates 'Ln 12, Col 3', 'Spaces: 4', 'UTF-8', 'CRLF', and 'PHP'.

```
includes > auth_check.php
1  <?php
2
3  if (session_status() === PHP_SESSION_NONE) {
4      session_start();
5  }
6
7  if (!isset($_SESSION["user_id"])) {
8      header("Location: login.php");
9      exit();
10 }
11
12 ?>
```

The screenshot shows the VS Code editor interface with the 'twisted_threads_inventory' project open. The Explorer sidebar on the left lists the project structure, including folders like 'assets', 'css', 'images', 'js', 'config', 'database', 'includes', and 'uploads', and files like 'auth_check.php', 'footer.php', 'header.php', 'activity.php', 'add_product.php', 'categories.php', 'dashboard.php', 'delete_product.php', 'edit_product.php', 'index.php', 'inventory.php', 'login.php', 'logout.php', 'products.php', and 'register.php'. The main editor area displays the 'activity.php' file, which contains PHP code for displaying a list of activities. The code includes a loop to iterate over activities, displaying their details (author, date, and content) in a table. If no activities are found, a message 'No inventory activity yet.' is displayed. The status bar at the bottom indicates 'Ln 67, Col 19', 'Spaces: 4', 'UTF-8', 'CRLF', and 'PHP'.

```
edit_product.php X delete_product.php X dashboard.php X categories.php X add_product.php X activity.php X
27 <div class="activity-list">
28     <?php if (count($activities) > 0): ?>
29         <?php foreach ($activities as $activity): ?>
30             <div class="activity-item">
31                 <div class="activity-details">
32                     <small>
33                         By
34                         <?php echo htmlspecialchars(
35                             $activity["full_name"] ?? "Unknown User"
36                         ); ?>
37                         •
38                         <?php echo date(
39                             "d M Y, h:i A",
40                             strtotime($activity["created_at"])
41                         ); ?>
42                     </small>
43                 </div>
44             </div>
45             <?php endforeach; ?>
46         <?php else: ?>
47             <div class="activity-box">
48                 <p class="empty-activity">
49                     No inventory activity yet.
50                 </p>
51             </div>
52         <?php endif; ?>
53     </div>
54     <?php require_once "includes/footer.php"; ?>
```



```
File Edit Selection View Go Run ... twisted_threads_inventory Sign In
Explorer
  twisted_threads_inventory
    assets
    css
      style.css
    images
    js
    config
    database
    includes
      auth_check.php
      footer.php
      header.php
      uploads
    activity.php
    add_product.php
    categories.php
    dashboard.php
    delete_product.php
    edit_product.php
    index.php
    inventory.php
    login.php
    logout.php
    products.php
    register.php
  Outline
  Timeline

activity.php
27 <div class="activity-list">
28   <?php if (count($activities) > 0): ?>
29     <?php foreach ($activities as $activity): ?>
30       <div class="activity-item">
31         <div class="activity-details">
32           <?php echo htmlspecialchars(
33             $activity["activity_type"]
34           ); ?>
35         </div>
36         <p>
37           <?php echo htmlspecialchars(
38             $activity["description"]
39           ); ?>
40         </p>
41         <small>
42           By
43           <?php echo htmlspecialchars(
44             $activity["full_name"] ?? "Unknown User"
45           ); ?>
46           .
47           <?php echo date(
48             "d M Y, h:i A",
49             strtotime($activity["created_at"])
50           ); ?>
51         </small>
52       </div>
53     </div>
54   <?php endforeach; ?>
55   <?php else: ?>
56     <div class="activity-box">
57       <p class="empty-activity">
58         No inventory activity yet.
59       </p>
60   </div>
```

```
File Edit Selection View Go Run ... twisted_threads_inventory Sign In
Explorer
  twisted_threads_inventory
    assets
    css
      style.css
    images
    js
    config
    database
    includes
      auth_check.php
      footer.php
      header.php
      uploads
    activity.php
    add_product.php
    categories.php
    dashboard.php
    delete_product.php
    edit_product.php
    index.php
    inventory.php
    login.php
    logout.php
    products.php
    register.php
  Outline
  Timeline

activity.php
1 <?php
2 require_once "includes/auth_check.php";
3 require_once "config/database.php";
4 $page_title = "Activity | Twisted Threads";
5 $activities = $pdo->query(
6     "SELECT
7       inventory_activity.*,
8       users.full_name
9     FROM inventory_activity
10    LEFT JOIN users
11      ON inventory_activity.user_id = users.id
12    ORDER BY inventory_activity.created_at DESC"
13  )->fetchAll(PDO::FETCH_ASSOC);
14 require_once "includes/header.php";
15 ?>
16 <div class="page-header">
17   <div>
18     <p class="page-label">
19       INVENTORY HISTORY
20     </p>
21     <h1>Recent Activity</h1>
22     <p class="page-description">
23       View all important changes made to your inventory.
24     </p>
25   </div>
26 </div>
27 <div class="activity-list">
28   <?php if (count($activities) > 0): ?>
29     <?php foreach ($activities as $activity): ?>
30       <div class="activity-item">
31         <div class="activity-icon">
32           ⓪
33         </div>
```



```
File Edit Selection View Go Run ... twisted_threads_inventory Sign In
Explorer
  twisted_threads_inventory
  assets
  css
    style.css
  images
  js
  config
  database
  includes
    auth_check.php
    footer.php
    header.php
    uploads
    activity.php
    add_product.php
    categories.php
    dashboard.php
    delete_product.php
    edit_product.php
    index.php
    inventory.php
    login.php
    logout.php
    products.php
    register.php
  Outline
  Timeline

products.php X edit_product.php X delete_product.php X dashboard.php X categories.php X add_product.php X ...
add_product.php
162 <div class="form-card">
168 <form method="POST">
171 <div class="form-grid">
234 </div>
235 </div>
236 <div class="input-group">
237 <label>Product Description</label>
238 <textarea
239   name="description"
240   placeholder="Write a short description about the product..."
241   rows="5"
242 ><?php echo htmlspecialchars($_POST["description"] ?? ""); ?></textarea>
243 </div>
244 <div class="input-group">
245 <label>Product Image</label>
246 <input
247   type="file"
248   name="image"
249   accept=".jpg,.jpeg,.png,.webp,image/jpeg,image/png,image/webp"
250 >
251 <small>
252   JPG, PNG or WEBP. Maximum size: 5MB.
253 </small>
254 </div>
255 <button
256   type="submit"
257   class="main-button form-submit"
258 >
259   Add Product
260 </button>
261 </form>
262 </div>
263 <?php require_once "includes/footer.php"; ?>
```

```
File Edit Selection View Go Run ... twisted_threads_inventory Sign In
Explorer
  twisted_threads_inventory
  assets
  css
    style.css
  images
  js
  config
  database
  includes
    auth_check.php
    footer.php
    header.php
    uploads
    activity.php
    add_product.php
    categories.php
    dashboard.php
    delete_product.php
    edit_product.php
    index.php
    inventory.php
    login.php
    logout.php
    products.php
    register.php
  Outline
  Timeline


products.php X edit_product.php X delete_product.php X dashboard.php X categories.php X add_product.php X ...
add_product.php
162 <div class="form-card">
168 <form method="POST">
171 <div class="form-grid">
182 <div class="input-group">
187 >
208 </option>
209 <?php endforeach; ?>
210 </select>
211 </div>
212 <div class="input-group">
213 <label>Quantity *</label>
214 <input
215   type="number"
216   name="quantity"
217   min="0"
218   placeholder="0"
219   value="<?php echo htmlspecialchars($_POST["quantity"] ?? ""); ?>"
220   required
221 >
222 </div>
223 <div class="input-group">
224 <label>Price (PKR) *</label>
225 <input
226   type="number"
227   name="price"
228   min="0"
229   step="0.01"
230   placeholder="0.00"
231   value="<?php echo htmlspecialchars($_POST["price"] ?? ""); ?>"
232   required
233 >
234 </div>
235 </div>
```

```
File Edit Selection View Go Run ... twisted_threads_inventory Sign In
Explorer
  twisted_threads_inventory
    assets
    css
      style.css
    images
    js
    config
    database
    includes
      auth_check.php
      footer.php
      header.php
      uploads
    activity.php
    add_product.php
    categories.php
    dashboard.php
    delete_product.php
    edit_product.php
    index.php
    inventory.php
    login.php
    logout.php
    products.php
    register.php
  Outline
  Timeline


add_product.php
162 <div class="form-card">
163 <form method="POST"
171 <div class="form-grid">
172 <div class="input-group">
174 <input
180 >
181 </div>
182 <div class="input-group">
183 <label>Category *</label>
184 <select
185   name="category_id"
186   required
187 >
188 <option value="">
189   Select Category
190 </option>
191 <?php foreach ($categories as $category): ?>
192   <option
193     value="<?php echo $category["id"]; ?>"
194   <?php
195     if (
196       isset($_POST["category_id"]) &&
197       $_POST["category_id"] == $category["id"]
198     ) {
199       echo "selected";
200     }
201   <?>
202 </option>
203 </div>
204 <?php
205   echo htmlspecialchars(
206     $category["category_name"]
207   );
208 </div>
```

```
File Edit Selection View Go Run ... twisted_threads_inventory Sign In
Explorer
  twisted_threads_inventory
    assets
    css
      style.css
    images
    js
    config
    database
    includes
      auth_check.php
      footer.php
      header.php
      uploads
    activity.php
    add_product.php
    categories.php
    dashboard.php
    delete_product.php
    edit_product.php
    index.php
    inventory.php
    login.php
    logout.php
    products.php
    register.php
  Outline
  Timeline

add_product.php
147 require_once "includes/header.php";
148 ?>
149 <div class="page-header">
150 <div>
151 <p class="page-label">PRODUCT MANAGEMENT</p>
152 <h1>Add New Product</h1>
153 <p class="page-description">
154   Add a handmade Twisted Threads product to your inventory.
155 </p>
156 </div>
157 <a href="products.php"
158   class="secondary-button">
159   ← Back to Products
160 </a>
161 </div>
162 <div class="form-card">
163 <?php if (!empty($error)): ?>
164 <div class="error-message">
165   <?php echo htmlspecialchars($error); ?>
166 </div>
167 <?php endif; ?>
168 <form method="POST"
169   enctype="multipart/form-data"
170   class="product-form">
171 <div class="form-grid">
172 <div class="input-group">
173 <label>Product Name *</label>
174 <input
175   type="text"
176   name="product_name"
177   placeholder="Example: Crochet Sunflower"
178   value="<?php echo htmlspecialchars($_POST["product_name"] ?? ""); ?>"
179   required
```



```
13 if ($_SERVER["REQUEST_METHOD"] === "POST") {
14     } else {
38     } else {
112         if (empty($error)) {
113             try {
114                 $stmt->execute([
115                     $product_name,
116                     $category_id,
117                     $description,
118                     $quantity,
119                     $price,
120                     $image_name
121                 ]);
122                 /* Save activity */
123                 $activity = $pdo->prepare(
124                     "INSERT INTO inventory_activity
125                     (user_id, activity_type, description)
126                     VALUES (?, ?, ?)"
127                 );
128                 $activity->execute([
129                     $_SESSION["user_id"],
130                     "Product Added",
131                     $product_name . " was added to inventory."
132                 ]);
133                 header("Location: products.php?success=added");
134                 exit();
135             } catch (PDOException $e) {
136                 $error = "Unable to add the product. Please check your database setup.";
137             }
138         }
139     }
140 }
141
142
143
144
145
146 }
```



```
13 if ($_SERVER["REQUEST_METHOD"] === "POST") {
14     } else {
38     } else {
43         } {
52     } else {
91         $extension;
92         $upload_path =
93         $upload_directory .
94         $image_name;
95         /* Upload image */
96         if (
97             move_uploaded_file(
98                 $_FILES["image"]["tmp_name"],
99                 $upload_path
100             )
101         ) {
102             $error = "Failed to upload the product image.";
103             $image_name = null;
104         }
105     }
106 }
107
108
109
110
111 /* Insert product into database */
112 if (empty($error)) {
113     try {
114         $stmt = $pdo->prepare(
115             "INSERT INTO products
116             (product_name, category_id, description, quantity, price, image)
117             VALUES (?, ?, ?, ?, ?, ?)"
118         );
119     }
120 }
```

```
13 if ($_SERVER["REQUEST_METHOD"] === "POST") {
14     } else {
38     } else {
43     } {
52     } else {
64         finfo_close($finfo);
65         $allowed_types = [
66             "image/jpeg",
67             "image/png",
68             "image/webp"
69         ];
70         if (in_array($file_type, $allowed_types, true)) {
71             $error = "Only JPG, JPEG, PNG and WEBP images are allowed.";
72         } else {
73             /* Get correct extension */
74             $extension = pathinfo(
75                 $_FILES["image"]["name"],
76                 PATHINFO_EXTENSION
77             );
78             $extension = strtolower($extension);
79             /* Create uploads folder if it does not exist */
80             $upload_directory = __DIR__ . "/uploads/";
81             if (!is_dir($upload_directory)) {
82                 mkdir(
83                     $upload_directory,
84                     0777,
85                     true
86                 );
87             }
88             /* Create unique image name */
89             $image_name =
90                 time() . "_" .
91                 uniqid() . ". " .
```

```
13 if ($_SERVER["REQUEST_METHOD"] === "POST") {
14     } else {
32     } elseif (!is_numeric($category_id) || $category_id <= 0) {
33     } elseif (!is_numeric($quantity) || $quantity < 0) {
34         $error = "Please enter a valid quantity.";
35     } elseif (!is_numeric($price) || $price < 0) {
36         $error = "Please enter a valid price.";
37     } else {
38         /* Process image upload */
39         if (
40             isset($_FILES["image"]) &&
41             $_FILES["image"]["error"] !== UPLOAD_ERR_NO_FILE
42         ) {
43             $upload_error = $_FILES["image"]["error"];
44             /* Handle PHP upload errors */
45             if ($upload_error === UPLOAD_ERR_INI_SIZE) {
46                 $error = "The selected image is too large for the server upload limit.";
47             } elseif ($upload_error === UPLOAD_ERR_FORM_SIZE) {
48                 $error = "The selected image is too large.";
49             } elseif ($upload_error !== UPLOAD_ERR_OK) {
50                 $error = "There was a problem uploading the image.";
51             } else {
52                 /* Maximum image size: 5MB */
53                 $max_file_size = 5 * 1024 * 1024;
54                 if ($_FILES["image"]["size"] > $max_file_size) {
55                     $error = "Image size must be less than 5MB.";
56                 } else {
57                     /* Check real file MIME type */
58                     $finfo = finfo_open(FILEINFO_MIME_TYPE);
59                     $file_type = finfo_file(
60                         $finfo,
61                         $_FILES["image"]["tmp_name"]
62                     );
63                 }

```

The screenshot shows the VS Code editor with the file explorer on the left displaying the project structure. The main editor window shows the `add_product.php` file. The code includes error reporting, database connection, and a form validation process for adding a new product.

```
1 <?php
2 error_reporting(E_ALL);
3 ini_set("display_errors", 1);
4 require_once "includes/auth_check.php";
5 require_once "config/database.php";
6 $page_title = "Add Product | Twisted Threads";
7 $error = "";
8 $success = "";
9 /* Get all categories */
10 $categories = $pdo->query(
11     "SELECT * FROM categories ORDER BY category_name ASC"
12 )->fetchAll(PDO::FETCH_ASSOC);
13 if ($_SERVER["REQUEST_METHOD"] === "POST") {
14     if (empty($_POST) && empty($_FILES)) {
15         $error = "The uploaded file is too large for the server. Please choose a smaller image or ir";
16     } else {
17         /* Safely get form values */
18         $product_name = trim($_POST["product_name"]) ?? "";
19         $category_id = $_POST["category_id"] ?? "";
20         $description = trim($_POST["description"]) ?? "";
21         $quantity = $_POST["quantity"] ?? "";
22         $price = $_POST["price"] ?? "";
23         $image_name = null;
24         /* Validate required fields */
25         if (
26             empty($product_name) ||
27             empty($category_id) ||
28             $quantity === "" ||
29             $price === ""
30         ) {
31             $error = "Please fill in all required fields.";
32         } elseif (!is_numeric($category_id) || $category_id <= 0) {
33             $error = "Please select a valid category.";
```

The screenshot shows the VS Code editor with the file explorer on the left. The main editor window shows the `categories.php` file. The code displays a table of categories with a delete button for each row.

```
84 <div class="categories-layout">
85     <div class="table-card">
86         <div class="table-responsive">
87             <table>
88                 <tbody>
89                     <tr>
90                         <td>
91                             <?php echo htmlspecialchars(
92                                 $category["category_name"]
93                             ); ?>
94                         </td>
95                         <td>
96                             <?php echo $category["product_count"]; ?>
97                         </td>
98                         <td>
99                             <a href="categories.php?delete=<?php echo $category["id"]; ?>"
100                               class="delete-button"
101                               onclick="return confirmDelete('Delete this category?')>
102                                 Delete
103                             </a>
104                         </td>
105                     </tr>
106                 </tbody>
107             </table>
108         </div>
109     </div>
110 </div>
111 <?php require_once "includes/footer.php"; ?>
```

```
File Edit Selection View Go Run ... twisted_threads_inventory Sign In
categories.php
84 <div class="categories-layout">
85 <div class="form-card category-form-card">
90 <form method="POST">
91 <div class="input-group">
93 <input type="text"
97 </div>
98 <button type="submit"
99 class="main-button">
100 Add Category
101 </button>
102 </form>
103 </div>
104 <div class="table-card">
105 <div class="table-responsive">
106 <table>
107 <thead>
108 <tr>
109 <th>Category</th>
110 <th>Total Products</th>
111 <th>Action</th>
112 </tr>
113 </thead>
114 <tbody>
115 <?php foreach ($categories as $category): ?>
116 <tr>
117 <td>
118 <?php echo htmlspecialchars(
119 $category["category_name"]
120 ); ?>
121 </td>
122 <td>
123 <?php echo $category["product_count"]; ?>
124 </td>
```

```
File Edit Selection View Go Run ... twisted_threads_inventory Sign In
categories.php
59 <div class="page-header">
60 <div>
65 <p class="page-description">
67 </p>
68 </div>
69 </div>
70 <?php if (!empty($error)): ?>
71 <div class="error-message">
72 <?php echo htmlspecialchars($error); ?>
73 </div>
74 <?php endif; ?>
75 <?php if (isset($_GET["success"])): ?>
76 <div class="success-message">
77 <?php
78 echo $_GET["success"] === "added"
79 ? "Category added successfully!"
80 : "Category deleted successfully!";
81 ?>
82 </div>
83 <?php endif; ?>
84 <div class="categories-layout">
85 <div class="form-card category-form-card">
86 <p class="page-label">
87 NEW CATEGORY
88 </p>
89 <h2>Add Category</h2>
90 <form method="POST">
91 <div class="input-group">
92 <label>Category Name</label>
93 <input type="text"
94 name="category_name"
95 placeholder="Example: Crochet Bags"
96 required
```



```
login.php X products.php X edit_product.php X delete_product.php X dashboard.php X categories.php X ...

categories.php
31 } {
32     try {
33         $delete = $pdo->prepare(
34             );
35         $delete->execute([$id]);
36         header(
37             "Location: categories.php?success=deleted"
38         );
39         exit();
40     } catch (PDOException $e) {
41         $error =
42             "This category cannot be deleted because products may be using it.";
43     }
44 }
45
46 $categories = $pdo->query(
47     "SELECT
48         categories.*,
49         COUNT(products.id) AS product_count
50     FROM categories
51     LEFT JOIN products
52         ON categories.id = products.category_id
53     GROUP BY categories.id
54     ORDER BY categories.category_name ASC"
55 )->fetchAll(PDO::FETCH_ASSOC);
56 require_once "includes/header.php";
57 ?>
58
59 <div class="page-header">
60     <div>
61         <p class="page-label">
62             ORGANIZATION
63         </p>
64         <h1>Categories</h1>
65         <p class="page-description">
```


```
login.php X products.php X edit_product.php X delete_product.php X dashboard.php X categories.php X ...

categories.php
1 <?php
2 require_once "includes/auth_check.php";
3 require_once "config/database.php";
4 $page_title = "Categories | Twisted Threads";
5 $error = "";
6 if ($_SERVER["REQUEST_METHOD"] === "POST") {
7     $category_name = trim(
8         $_POST["category_name"]
9     );
10    if (empty($category_name)) {
11        $error = "Please enter a category name.";
12    } else {
13        try {
14            $stmt = $pdo->prepare(
15                "INSERT INTO categories (category_name)
16                VALUES (?)"
17            );
18            $stmt->execute([$category_name]);
19            header(
20                "Location: categories.php?success=added"
21            );
22            exit();
23        } catch (PDOException $e) {
24            $error =
25                "This category already exists.";
26        }
27    }
28 }
29 if (
30     isset($_GET["delete"])
31 ) {
32     $id = (int) $_GET["delete"];
33     try {
```



```
61 <div class="dashboard-layout">
122 <main class="main-content">
266 <section class="dashboard-section">
277 <div class="activity-box">
278 <?php if (!empty($activities)): ?>
333 <p>
334 <small>
335 <div>
336 <div>
337 <div>
338 <div>
339 <div>
340 <div>
341 <div>
342 <div>
343 <div>
344 <div>
345 <div>
346 <div>
347 <div>
348 <div>
349 <div>
350 <div>
351 <div>
352 <div>
353 <div>
354 <div>
355 <div>
```

```
61 <div class="dashboard-layout">
122 <main class="main-content">
266 <section class="dashboard-section">
277 <div class="activity-box">
278 <?php if (!empty($activities)): ?>
323 <p>
324 <small>
325 <div>
326 <div>
327 <div>
328 <div>
329 <div>
330 <div>
331 <div>
332 <div>
333 <div>
334 <div>
335 <div>
336 <div>
337 <div>
338 <div>
339 <div>
340 <div>
341 <div>
342 <div>
343 <div>
344 <div>
345 <div>
346 <div>
347 <div>
348 <div>
349 <div>
350 <div>
```



File Edit Selection View Go Run ...

twisted_threads_inventory

login.php X products.php X edit_product.php X delete_product.php X dashboard.php X

twisted_threads_inventory

- assets
- css
 - style.css
- images
- js
- config
- database
- includes
 - auth_check.php
 - footer.php
 - header.php
 - uploads
 - activity.php
 - add_product.php
 - categories.php
 - dashboard.php
 - delete_product.php
 - edit_product.php
 - index.php
 - inventory.php
 - login.php
 - logout.php
 - products.php
 - register.php
- Outline
- Timeline

dashboard.php61<div class="dashboard-layout">122<main class="main-content">210<section class="dashboard-section">221<div class="quick-actions">235240<h3>241View Products242</h3>243<p>244View, edit and manage245all your crochet products.246</p>247248249class="action-box">250<div class="action-symbol">251252</div>253<h3>254Categories255</h3>256<p>257Organize your products258into different categories.259</p>260261</div>262</section>263<!-- =====>264RECENT ACTIVITY265===== -->266<section class="dashboard-section">267<div class="section-heading">

Ln 262, Col 19 Spaces: 4 UTF-8 CRLF {} PHP Go Live Prettier

File Edit Selection View Go Run ...

twisted_threads_inventory

login.php X products.php X edit_product.php X delete_product.php X dashboard.php X

twisted_threads_inventory

- assets
- css
 - style.css
- images
- js
- config
- database
- includes
 - auth_check.php
 - footer.php
 - header.php
 - uploads
 - activity.php
 - add_product.php
 - categories.php
 - dashboard.php
 - delete_product.php
 - edit_product.php
 - index.php
 - inventory.php
 - login.php
 - logout.php
 - products.php
 - register.php
- Outline
- Timeline

dashboard.php61<div class="dashboard-layout">122<main class="main-content">210<section class="dashboard-section">211<div class="section-heading">212<div>213<p class="page-label">214QUICK ACTIONS215</p>216<h2>217Manage your inventory218</h2>219</div>220</div>221<div class="quick-actions">222223class="action-box">224<div class="action-symbol">225226</div>227<h3>228Add Product229</h3>230<p>231Add a new handmade item232to your inventory.233</p>234235236class="action-box">237<div class="action-symbol">238239</div>240<h3>

Ln 235, Col 19 Spaces: 4 UTF-8 CRLF {} PHP Go Live Prettier

twisted_threads_inventory

login.php X products.php X edit_product.php X delete_product.php X dashboard.php X

twisted_threads_inventory

- assets
- css
 - style.css
- images
- js
- config
- database
- includes
 - auth_check.php
 - footer.php
 - header.php
 - uploads
 - activity.php
 - add_product.php
 - categories.php
 - dashboard.php
 - delete_product.php
 - edit_product.php
 - index.php
 - inventory.php
 - login.php
 - logout.php
 - products.php
 - register.php
- Outline
- Timeline

```
61 <div class="dashboard-layout">
122 <main class="main-content">
145 <section class="stats-grid">
176 <div class="stat-card warning-card">
180 <div>
183 </div>
184 <h2>
185 <?php
186 echo $low_stock;
187 ?>
188 </h2>
189 </div>
190 </div>
191 <div class="stat-card danger-card">
192 <div class="stat-icon">
193 </div>
194 <div>
195 <p>
196 Out of Stock
197 </p>
198 <h2>
199 <?php
200 echo $out_of_stock;
201 ?>
202 </h2>
203 </div>
204 </div>
205 </div>
206 </section>
207 <!-- =====
208 QUICK ACTIONS
209 ===== -->
210 <section class="dashboard-section">
```

Ln 183, Col 25 Spaces: 4 UTF-8 CRLF {} PHP Go Live Prettier

twisted_threads_inventory

login.php X products.php X edit_product.php X delete_product.php X dashboard.php X

twisted_threads_inventory

- assets
- css
 - style.css
- images
- js
- config
- database
- includes
 - auth_check.php
 - footer.php
 - header.php
 - uploads
 - activity.php
 - add_product.php
 - categories.php
 - dashboard.php
 - delete_product.php
 - edit_product.php
 - index.php
 - inventory.php
 - login.php
 - logout.php
 - products.php
 - register.php
- Outline
- Timeline

```
61 <div class="dashboard-layout">
122 <main class="main-content">
145 <section class="stats-grid">
146 <div class="stat-card">
150 <div>
155 <?php
156 echo $total_products;
157 ?>
158 </h2>
159 </div>
160 </div>
161 <div class="stat-card">
162 <div class="stat-icon">
163 </div>
164 <div>
165 <p>
166 Categories
167 </p>
168 <h2>
169 <?php
170 echo $total_categories;
171 ?>
172 </h2>
173 </div>
174 </div>
175 </div>
176 <div class="stat-card warning-card">
177 <div class="stat-icon">
178 </div>
179 <div>
180 <p>
181 Low Stock
182 </p>
```

Ln 177, Col 7 Spaces: 4 UTF-8 CRLF {} PHP Go Live Prettier

twisted_threads_inventory

login.php X products.php X edit_product.php X delete_product.php X dashboard.php X

twisted_threads_inventory

- assets
 - css
 - style.css
 - images
 - js
 - config
 - database
 - includes
 - auth_check.php
 - footer.php
 - header.php
 - uploads
 - activity.php
 - add_product.php
 - categories.php
 - dashboard.php
 - delete_product.php
 - edit_product.php
 - index.php
 - inventory.php
 - login.php
 - logout.php
 - products.php
 - register.php
- Outline
- Timeline

```
61 <div class="dashboard-layout">
62
63 <div class="sidebar">
64
65 <div class="sidebar-brand">
66 
69
70 <div>
71 <h2>Twisted</h2>
72 <span>THREADS</span>
73 </div>
74 </div>
75 <nav class="sidebar-nav">
76 <a href="dashboard.php"
77 class="nav-link active">
78 <span></span>
79 Dashboard
80 </a>
81 <a href="products.php"
82 class="nav-link">
83 <span></span>
84 Products
85 </a>
86 <a href="categories.php"
87 class="nav-link">
88 <span></span>
89 Categories
90 </a>
91 <a href="inventory.php"
92 class="nav-link">
93 <span></span>
94 Inventory
95 </a>
```

Ln 90, Col 7 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier

twisted_threads_inventory

login.php X products.php X edit_product.php X delete_product.php X dashboard.php X

twisted_threads_inventory

- assets
 - css
 - style.css
 - images
 - js
 - config
 - database
 - includes
 - auth_check.php
 - footer.php
 - header.php
 - uploads
 - activity.php
 - add_product.php
 - categories.php
 - dashboard.php
 - delete_product.php
 - edit_product.php
 - index.php
 - inventory.php
 - login.php
 - logout.php
 - products.php
 - register.php
- Outline
- Timeline

```
12 try {
13
14 if (isset($_SESSION["user_id"])) {
15 $activityStmt = $pdo->prepare(
16 "SELECT activity_type, description, created_at
17 FROM inventory_activity
18 WHERE user_id = ?
19 ORDER BY created_at DESC
20 LIMIT 5"
21 );
22 $activityStmt->execute([
23 $_SESSION["user_id"]
24 ]);
25 $activities = $activityStmt->fetchAll(PDO::FETCH_ASSOC);
26 }
27 } catch (PDOException $e) {
28 $database_error = $e->getMessage();
29 }
30
31 <!DOCTYPE html>
32 <html lang="en">
33 <head>
34 <meta charset="UTF-8">
35 <meta name="viewport"
36 content="width=device-width, initial-scale=1.0">
37 <title>Dashboard | Twisted Threads</title>
38 <link rel="stylesheet"
39 href="assets/css/style.css">
40 </head>
41 <body>
42 <div class="dashboard-layout">
43 <div class="sidebar">
44 <div class="sidebar-brand">
45 
48 <div>
49 <h2>Twisted</h2>
50 <span>THREADS</span>
51 </div>
52 </div>
53 <nav class="sidebar-nav">
54 <a href="dashboard.php"
55 class="nav-link active">
56 <span></span>
57 Dashboard
58 </a>
59 <a href="products.php"
60 class="nav-link">
61 <span></span>
62 Products
63 </a>
```

Ln 36, Col 21 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier

The screenshot shows the Visual Studio Code editor with the `twisted_threads_inventory` project open. The Explorer sidebar on the left shows the project structure, including `assets`, `css`, `images`, `js`, `config`, `database`, `includes`, and various PHP files. The `dashboard.php` file is selected in the Explorer and is also the active file in the editor. The editor displays the following PHP code:

```
1 <?php
2 error_reporting(E_ALL);
3 ini_set('display_errors', 1);
4 session_start();
5 require_once "includes/auth_check.php";
6 require_once "config/database.php";
7 $total_products = 0;
8 $total_categories = 0;
9 $low_stock = 0;
10 $out_of_stock = 0;
11 $activities = [];
12 try {
13     /* =====
14     DASHBOARD STATISTICS
15     ===== */
16     $stmt = $pdo->query("SELECT COUNT(*) FROM products");
17     $total_products = $stmt->fetchColumn();
18     $stmt = $pdo->query("SELECT COUNT(*) FROM categories");
19     $total_categories = $stmt->fetchColumn();
20     $stmt = $pdo->query(
21         "SELECT COUNT(*)
22          FROM products
23          WHERE quantity > 0 AND quantity <= 5"
24     );
25     $low_stock = $stmt->fetchColumn();
26     $stmt = $pdo->query(
27         "SELECT COUNT(*)
28          FROM products
29          WHERE quantity = 0"
30     );
31     $out_of_stock = $stmt->fetchColumn();
32     if (isset($_SESSION["user_id"])) {
```

The screenshot shows the Visual Studio Code editor with the `twisted_threads_inventory` project open. The Explorer sidebar on the left shows the project structure, and the `delete_product.php` file is selected in the Explorer and is also the active file in the editor. The editor displays the following PHP code:

```
16 $product = $stmt->fetch(PDO::FETCH_ASSOC);
17 if ($product) {
18     $delete = $pdo->prepare(
19         "DELETE FROM products WHERE id = ?"
20     );
21     $delete->execute([$id]);
22     if (
23         !empty($product["image"]) &&
24         file_exists("uploads/" . $product["image"])
25     ) {
26         unlink("uploads/" . $product["image"]);
27     }
28     $activity = $pdo->prepare(
29         "INSERT INTO inventory_activity
30          (user_id, activity_type, description)
31          VALUES (?, ?, ?)"
32     );
33     $activity->execute([
34         $_SESSION["user_id"],
35         "Product Deleted",
36         $product["product_name"] .
37         " was deleted from inventory."
38     ]);
39 }
40 header("Location: products.php?success=deleted");
41 exit();
42 ?>
```

The screenshot shows the VS Code editor with the file explorer on the left displaying the project structure of 'twisted_threads_inventory'. The file 'delete_product.php' is selected. The main editor area shows the PHP code for this file, which includes database connection, SQL queries to delete a product and insert an activity, and file management for the product image.

```
1 <?php
2 require_once "includes/auth_check.php";
3 require_once "config/database.php";
4 if (!isset($_GET["id"])) {
5
6     header("Location: products.php");
7     exit();
8 }
9 $id = (int) $_GET["id"];
10 $stmt = $pdo->prepare(
11     "SELECT product_name, image
12     FROM products
13     WHERE id = ?"
14 );
15 $stmt->execute([$id]);
16 $product = $stmt->fetch(PDO::FETCH_ASSOC);
17 if ($product) {
18     $delete = $pdo->prepare(
19         "DELETE FROM products WHERE id = ?"
20     );
21     $delete->execute([$id]);
22     if (
23         !empty($product["image"]) &&
24         file_exists("uploads/" . $product["image"])
25     ) {
26         unlink("uploads/" . $product["image"]);
27     }
28 }
29 $activity = $pdo->prepare(
30     "INSERT INTO inventory_activity
31     (user_id, activity_type, description)
32     VALUES (?, ?, ?)"
33 );
```

The screenshot shows the VS Code editor with the file explorer on the left displaying the project structure of 'twisted_threads_inventory'. The file 'edit_product.php' is selected. The main editor area shows the HTML and PHP code for this file, which includes a form for editing product details and a section for changing the product image.

```
135 <div class="form-card">
141 <form method="POST"
144 <div class="form-grid">
174 <div class="input-group">
182
183 </div>
184 <div class="input-group">
185 <label>Description</label>
186 <textarea name="description"
187         rows="5"><?php echo htmlspecialchars($product["description"]) ?? "></text
188 </div>
189 <?php if (!empty($product["image"])): ?>
190 <div class="current-image">
191 <p>Current Image</p>
192 "
193         alt="Current Product Image">
194 </div>
195 <?php endif; ?>
196 <div class="input-group">
197 <label>Change Product Image</label>
198 <input type="file"
199         name="image"
200         accept=".jpg,.jpeg,.png,.webp">
201 </div>
202 <button type="submit"
203         class="main-button form-submit">
204     Update Product
205 </button>
206 </form>
207 </div>
208 <?php require_once "includes/footer.php"; ?>
```

```
File Edit Selection View Go Run ... twisted_threads_inventory Sign In
edit_product.php X
edit_product.php
135 <div class="form-card">
141 <form method="POST"
144 <div class="form-grid">
152 <div class="input-group">
154 <select name="category_id"
155 required
156 <?php foreach ($categories as $category): ?>
157 <option value="<?php echo $category["id"]; ?>"
158 <?php echo $product["category_id"] == $category["id"] ? "selected" : "";
159 <?php echo htmlspecialchars(
160 $category["category_name"]
161 ); ?>
162 </option>
163 <?php endforeach; ?>
164 </select>
165 </div>
166 <div class="input-group">
167 <label>Quantity *</label>
168 <input type="number"
169 name="quantity"
170 min="0"
171 value="<?php echo $product["quantity"]; ?>"
172 required>
173 </div>
174 <div class="input-group">
175 <label>Price (PKR) *</label>
176 <input type="number"
177 name="price"
178 min="0"
179 step="0.01"
180 value="<?php echo $product["price"]; ?>"
181 required>
182 </div>
```

```
File Edit Selection View Go Run ... twisted_threads_inventory Sign In
edit_product.php X
edit_product.php
120 <div class="page-header">
121 <div>
122 <p class="page-label">
123 </p>
124 <h1>Edit Product</h1>
125 <p class="page-description">
126 Update your crochet product details.
127 </p>
128 </div>
129 <a href="products.php"
130 class="secondary-button">
131 ← Back to Products
132 </a>
133 </div>
134 <div class="form-card">
135 <?php if (!empty($error)): ?>
136 <div class="error-message">
137 <?php echo htmlspecialchars($error); ?>
138 </div>
139 <?php endif; ?>
140 <form method="POST"
141 enctype="multipart/form-data"
142 class="product-form">
143 <div class="form-grid">
144 <div class="input-group">
145 <label>Product Name *</label>
146 <input type="text"
147 name="product_name"
148 value="<?php echo htmlspecialchars($product["product_name"]); ?>"
149 required>
150 </div>
151 <div class="input-group">
152 <label>Category *</label>
```

```
edit_product.php
23 if ($_SERVER["REQUEST_METHOD"] === "POST") {
39 } else {
84 $update = $pdo->prepare(
86     SET
93     WHERE id = ?"
94 );
95 $update->execute([
96     $product_name,
97     $category_id,
98     $description,
99     $quantity,
100     $price,
101     $image_name,
102     $id
103 ]);
104 $activity = $pdo->prepare(
105     "INSERT INTO inventory_activity
106     (user_id, activity_type, description)
107     VALUES (?, ?, ?)"
108 );
109 $activity->execute([
110     $_SESSION["user_id"],
111     "Product Updated",
112     $product_name . " was updated."
113 ]);
114 header("Location: products.php?success=updated");
115 exit();
116 }
117 }
118 require_once "includes/header.php";
119 ?>
120 <div class="page-header">
121 <div>
```

```
edit_product.php
23 if ($_SERVER["REQUEST_METHOD"] === "POST") {
39 } else {
43 } {
55 } {
64 if (
65     move_uploaded_file(
66         $_FILES["image"]["tmp_name"],
67         "uploads/" . $new_image
68     )
69 ) {
70 if (
71     !empty($product["image"]) &&
72     file_exists(
73         "uploads/" . $product["image"]
74     )
75 ) {
76     unlink(
77         "uploads/" . $product["image"]
78     );
79 }
80 $image_name = $new_image;
81 }
82 }
83 }
84 $update = $pdo->prepare(
85     "UPDATE products
86     SET
87     product_name = ?,
88     category_id = ?,
89     description = ?,
90     quantity = ?,
91     price = ?,
92     image = ?
```

```
edit_product.php
23 if ($_SERVER["REQUEST_METHOD"] == "POST") {
24     if (
25         $price == ""
26     ) {
27         $error = "Please fill in all required fields.";
28     } else {
29         if (
30             isset($_FILES["image"]) &&
31             $_FILES["image"]["error"] == 0
32         ) {
33             $allowed_types = [
34                 "image/jpeg",
35                 "image/png",
36                 "image/jpg",
37                 "image/webp"
38             ];
39             if (
40                 in_array(
41                     $_FILES["image"]["type"],
42                     $allowed_types
43                 )
44             ) {
45                 $extension = pathinfo(
46                     $_FILES["image"]["name"],
47                     PATHINFO_EXTENSION
48                 );
49                 $new_image =
50                     time() . "-" .
51                     uniqid() . "." .
52                     $extension;
53             }
54         }
55     }
56 }
```


```
edit_product.php
1 <?php
2 require_once "includes/auth_check.php";
3 require_once "config/database.php";
4 $page_title = "Edit Product | Twisted Threads";
5 if (!isset($_GET["id"])) {
6     header("Location: products.php");
7     exit();
8 }
9 $id = (int) $_GET["id"];
10 $stmt = $pdo->prepare(
11     "SELECT * FROM products WHERE id = ?"
12 );
13 $stmt->execute([$id]);
14 $product = $stmt->fetch(PDO::FETCH_ASSOC);
15 if (!$product) {
16     header("Location: products.php");
17     exit();
18 }
19 $categories = $pdo->query(
20     "SELECT * FROM categories ORDER BY category_name ASC"
21 )->fetchAll(PDO::FETCH_ASSOC);
22 $error = "";
23 if ($_SERVER["REQUEST_METHOD"] == "POST") {
24     $product_name = trim($_POST["product_name"]);
25     $category_id = $_POST["category_id"];
26     $description = trim($_POST["description"]);
27     $quantity = $_POST["quantity"];
28     $price = $_POST["price"];
29     $image_name = $product["image"];
30     if (
31         empty($product_name) ||
32         empty($category_id) ||
33         $quantity == "" ||
```

```
register.php
88 <body class="auth-body">
89 <div class="auth-page">
107 <div class="form-side">
109 <div class="form-box">
123 <form method="POST"
165
166 <button type="submit"
167 <class="main-button">
168 Create Account
169 </button>
170
171 </form>
172
173 <p class="switch-text">
174 Already have an account?
175 <a href="login.php">
176 Sign in
177 </a>
178 </p>
179
180 </div>
181
182 </div>
183
184 </div>
185
186 </body>
187 </html>
```

```
register.php
88 <body class="auth-body">
89 <div class="auth-page">
107 <div class="form-side">
109 <div class="form-box">
123 <form method="POST"
153 >
154 </div>
155
156 <div class="input-group">
157 <label>Confirm Password</label>
158
159 <input
160 type="password"
161 name="confirm_password"
162 required
163 >
164 </div>
165
166 <button type="submit"
167 <class="main-button">
168 Create Account
169 </button>
170
171 </form>
172
173 <p class="switch-text">
174 Already have an account?
175 <a href="login.php">
176 Sign in
177 </a>
178 </p>
179
180 </div>
```

```
login.php X products.php X register.php X
register.php
88 <body class="auth-body">
89 <div class="auth-page">
107 <div class="form-side">
109 <div class="form-box">
123 <form method="POST"
125
126 <div class="input-group">
127 <label>Full Name</label>
128
129 <input
130 type="text"
131 name="full_name"
132 required
133 >
134 </div>
135
136 <div class="input-group">
137 <label>Email Address</label>
138
139 <input
140 type="email"
141 name="email"
142 required
143 >
144 </div>
145
146 <div class="input-group">
147 <label>Password</label>
148
149 <input
150 type="password"
151 name="password"
152 required
```

```
login.php X products.php X register.php X
register.php
88 <body class="auth-body">
89 <div class="auth-page">
92 <div class="brand-side">
94 
97
98 <h1>Twisted Threads</h1>
99
100 <p>
101 Your handmade creations deserve
102 an organized workspace.
103 </p>
104 </div>
105
106 <div class="form-side">
107 <div class="form-box">
108
109 <p class="small-heading">
110 CREATE ACCOUNT
111 </p>
112
113 <h2>Join your workspace</h2>
114
115 <?php if (!empty($error)): ?>
116 <div class="error-message">
117 <?php echo htmlspecialchars($error); ?>
118 </div>
119 <?php endif; ?>
120
121 <form method="POST"
122 <div class="input-group">
123 <label>Full Name</label>
124 <input
```





twisted_threads_inventory

login.php X products.php X register.php X

```
register.php
7  if ($_SERVER["REQUEST_METHOD"] === "POST") {
35  } else {
47  } else {
64  ];
65  ];
66  header("Location: login.php");
67  exit();
68  }
69  }
70  }
71  ?>
72
73  <!DOCTYPE html>
74  <html lang="en">
75
76  <head>
77  <meta charset="UTF-8">
78
79  <meta name="viewport"
80  | content="width=device-width, initial-scale=1.0">
81
82  <title>Register | Twisted Threads</title>
83
84  <link rel="stylesheet"
85  | href="assets/css/style.css">
86  </head>
87
88  <body class="auth-body">
89
90  <div class="auth-page">
91
92  <div class="brand-side">
93
```

Ln 88, Col 25 Spaces: 4 UTF-8 CRLF {} PHP Go Live Prettier



twisted_threads_inventory

login.php X products.php X register.php X

```
register.php
7  if ($_SERVER["REQUEST_METHOD"] === "POST") {
31  } elseif ($password !== $confirm_password) {
33  $error = "Passwords do not match.";
34
35  } else {
36
37  $check = $pdo->prepare(
38  | "SELECT id FROM users WHERE email = ?"
39  );
40
41  $check->execute([$email]);
42
43  if ($check->fetch()) {
44
45  $error = "An account with this email already exists.";
46
47  } else {
48
49  $hashed_password = password_hash(
50  | $password,
51  | PASSWORD_DEFAULT
52  );
53
54  $stmt = $pdo->prepare(
55  | "INSERT INTO users
56  | (full_name, email, password)
57  | VALUES (?, ?, ?)"
58  );
59
60  $stmt->execute([
61  | $full_name,
62  | $email,
63  | $hashed_password
64
```

Ln 36, Col 1 Spaces: 4 UTF-8 CRLF {} PHP Go Live Prettier

The screenshot shows the VS Code editor with the file explorer on the left displaying the project structure of 'twisted_threads_inventory'. The 'register.php' file is selected and open in the main editor. The code is a PHP script for user registration, starting with session management and database connection. It checks for POST requests and validates the input fields: full name, email, password, and confirm password. Error messages are set for various validation failures, such as empty fields, invalid email, short password, and mismatched confirm password.

```
1 <?php
2 session_start();
3 require_once "config/database.php";
4
5 $error = "";
6
7 if ($_SERVER["REQUEST_METHOD"] === "POST") {
8
9     $full_name = trim($_POST["full_name"]);
10    $email = trim($_POST["email"]);
11    $password = $_POST["password"];
12    $confirm_password = $_POST["confirm_password"];
13
14    if (
15        empty($full_name) ||
16        empty($email) ||
17        empty($password) ||
18        empty($confirm_password)
19    ) {
20
21        $error = "Please fill in all fields.";
22
23    } elseif (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
24
25        $error = "Please enter a valid email address.";
26
27    } elseif (strlen($password) < 8) {
28
29        $error = "Password must be at least 8 characters long.";
30
31    } elseif ($password !== $confirm_password) {
32
33        $error = "Passwords do not match.";
```

The screenshot shows the VS Code editor with the file explorer on the left displaying the project structure of 'twisted_threads_inventory'. The 'products.php' file is selected and open in the main editor. The code is an HTML template for displaying a list of products. It uses PHP to check if there are any products in the database. If there are, it loops through them and displays each product in a table row, including an 'Edit' button. If there are no products, it displays a message 'No products found.' The code also includes a 'Delete' button for each product, which triggers a confirmation dialog.

```
104 <div class="table-card">
105     <div class="table-responsive">
106         <table>
107             <tbody>
108                 <tr>
109                     <td>
110                         <?php if (count($products) > 0): ?>
111                             <a href="delete_product.php?id=<?php echo $product["id"]; ?>"
112                                 class="delete-button"
113                                 onclick="return confirmDelete('Are you sure you want to delete this product?');">Delete
114                         </a>
115                     </td>
116                 </tr>
117                 <tr>
118                     <td colspan="7">
119                         <?php endforeach; ?>
120                     </td>
121                 </tr>
122                 <tr>
123                     <td colspan="7">
124                         <?php else: ?>
125                             <td colspan="7">
126                                 No products found.
127                             </td>
128                         </tr>
129                     </td>
130                 </tr>
131                 <tr>
132                     <td colspan="7">
133                         <?php endif; ?>
134                     </td>
135                 </tr>
136             </tbody>
137         </table>
138     </div>
139 </div>
140 <?php require_once "includes/footer.php"; ?>
```

twisted_threads_inventory

login.php X products.php X

products.php

```
104 <div class="table-card">
105 <div class="table-responsive">
106 <table>
107 <tbody>
108 <?php if (count($products) > 0): ?>
109 <tr>
110 <td>
111 <span class="status-badge out-stock">
112 Out of Stock
113 </span>
114 <?php elseif ($product["quantity"] <= 5): ?>
115 <span class="status-badge low-stock">
116 Low Stock
117 </span>
118 <?php else: ?>
119 <span class="status-badge in-stock">
120 In Stock
121 </span>
122 <?php endif; ?>
123 </td>
124 <td class="action-buttons">
125 <a href="edit_product.php?id=<?php echo $product["id"]; ?>"
126 class="edit-button">
127 Edit
128 </a>
129 <a href="delete_product.php?id=<?php echo $product["id"]; ?>"
130 class="delete-button"
131 onclick="return confirmDelete('Are you sure you want to delete this product?');"
132 >Delete
133 </a>
134 </td>
135 </tr>
136 <?php endforeach; ?>
137 </tbody>
138 </table>
139 </div>
140 </div>
```

Ln 179, Col 6 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier

twisted_threads_inventory

login.php X products.php X

products.php

```
104 <div class="table-card">
105 <div class="table-responsive">
106 <table>
107 <tbody>
108 <?php if (count($products) > 0): ?>
109 <tr>
110 <td>
111 <strong>
112 <?php echo htmlspecialchars(
113 $product["product_name"]
114 ); ?>
115 </strong>
116 </td>
117 <td>
118 <?php echo htmlspecialchars(
119 $product["category_name"]
120 ); ?>
121 </td>
122 <td>
123 Rs. <?php echo number_format(
124 $product["price"],
125 2
126 ); ?>
127 </td>
128 <td>
129 <?php echo $product["quantity"]; ?>
130 </td>
131 <td>
132 <?php if ($product["quantity"] == 0): ?>
```

Ln 129, Col 6 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier

```
File Edit Selection View Go Run ... twisted_threads_inventory Sign In
products.php X
products.php
74 <div class="filter-card">
75 <form method="GET"
98 <a href="products.php"
99 class="clear-button">
100 Clear
101 </a>
102 </form>
103 </div>
104 <div class="table-card">
105 <div class="table-responsive">
106 <table>
107 <thead>
108 <tr>
109 <th>Image</th>
110 <th>Product</th>
111 <th>Category</th>
112 <th>Price</th>
113 <th>Quantity</th>
114 <th>Stock Status</th>
115 <th>Actions</th>
116 </tr>
117 </thead>
118 <tbody>
119 <?php if (count($products) > 0): ?>
120 <?php foreach ($products as $product): ?>
121 <tr>
122 <td>
123 <?php if (empty($product["image"])): ?>
124 
127 <?php else: ?>
128 <div class="no-image">
```

```
File Edit Selection View Go Run ... twisted_threads_inventory Sign In
products.php X
products.php
64 <?php if (isset($_GET["success"]) && $_GET["success"] === "updated"): ?>
65 </div>
66 <?php endif; ?>
67 <?php if (isset($_GET["success"]) && $_GET["success"] === "deleted"): ?>
68 <div class="success-message">
69 Product deleted successfully!
70 </div>
71 <?php endif; ?>
72 <div class="filter-card">
73 <form method="GET"
74 class="filter-form">
75 <input type="text"
76 name="search"
77 placeholder="Search products..."
78 value="<?php echo htmlspecialchars($search); ?>"
79 <select name="category">
80 <option value="">
81 All Categories
82 </option>
83 <?php foreach ($categories as $category): ?>
84 <option value="<?php echo $category["id"]; ?>"
85 <?php echo $category_filter == $category["id"] ? "selected" : ""; ?>
86 <?php echo htmlspecialchars(
87 $category["category_name"]
88 ); ?>
89 </option>
90 <?php endforeach; ?>
91 </select>
92 <button type="submit"
93 class="filter-button">
94 Search
95 </button>
96 <a href="products.php"
```

```
login.php X products.php X
products.php
30 if (!empty($category_filter)) {
31     $params[] = $category_filter;
32 }
33 $sql .= "
34     ORDER BY products.created_at DESC
35 ";
36 $stmt = $pdo->prepare($sql);
37 $stmt->execute($params);
38 $products = $stmt->fetchAll(PDO::FETCH_ASSOC);
39 require_once "includes/header.php";
40 }
41 <div class="page-header">
42     <div>
43         <p class="page-label">
44             PRODUCT MANAGEMENT
45         </p>
46         <h1>Products</h1>
47         <p class="page-description">
48             View and manage all your crochet products.
49         </p>
50     </div>
51     <a href="add_product.php"
52         class="add-product-btn">
53         + Add New Product
54     </a>
55 </div>
56 <?php if (isset($_GET["success"]) && $_GET["success"] === "added"): ?>
57     <div class="success-message">
58         Product added successfully!
59     </div>
60 <?php endif; ?>
61 <?php if (isset($_GET["success"]) && $_GET["success"] === "updated"): ?>
62     <div class="success-message">
```

```
login.php X products.php X
products.php
1 <?php
2 require_once "includes/auth_check.php";
3 require_once "config/database.php";
4 $page_title = "Products | Twisted Threads";
5 $search = trim($_GET["search"] ?? "");
6 $category_filter = $_GET["category"] ?? "";
7 $categories = $pdo->query(
8     "SELECT * FROM categories ORDER BY category_name ASC"
9 )->fetchAll(PDO::FETCH_ASSOC);
10 $sql = "
11     SELECT
12         products.*,
13         categories.category_name
14     FROM products
15     JOIN categories
16         ON products.category_id = categories.id
17     WHERE 1=1
18 ";
19 $params = [];
20 if (!empty($search)) {
21     $sql .= "
22         AND (
23             products.product_name LIKE ?
24             OR products.description LIKE ?
25         )
26 ";
27     $params[] = "%$search%";
28     $params[] = "%$search%";
29 }
30 if (!empty($category_filter)) {
31     $sql .= "
32         AND products.category_id = ?
33 ";
```

The screenshot shows the Visual Studio Code editor with the 'twisted_threads_inventory' project open. The Explorer sidebar on the left lists the project structure, including folders like 'assets', 'css', 'images', 'js', 'config', 'database', 'includes', and 'uploads', and various PHP files. The 'logout.php' file is selected and open in the main editor. The code in 'logout.php' is as follows:


```
1 <?php
2 session_start();
3
4 $_SESSION = [];
5
6 session_unset();
7 session_destroy();
8
9 header("Location: login.php");
10 exit();
11 ?>
```

The status bar at the bottom indicates the cursor is at Line 11, Column 3, with 4 spaces, UTF-8 encoding, CRLF line endings, and PHP syntax. It also shows icons for Go Live and Prettier.


The screenshot shows the Visual Studio Code editor with the 'twisted_threads_inventory' project open. The Explorer sidebar on the left is the same as the previous screenshot. The 'login.php' file is selected and open in the main editor. The code in 'login.php' is as follows:

```
53 <body class="auth-body">
54
55 <div class="auth-page">
56
57 <div class="form-side">
58
59 <div class="form-box">
60
61 <form method="POST">
62
63
64 <button type="submit"
65       class="main-button">
66   Sign In
67 </button>
68
69 </form>
70
71 <p class="switch-text">
72   New to Twisted Threads?
73   <a href="register.php">
74     Create an account
75   </a>
76 </p>
77
78 </div>
79
80 </div>
81
82 </div>
83
84 </body>
85 </html>
```

The status bar at the bottom indicates the cursor is at Line 135, Column 8, with 4 spaces, UTF-8 encoding, CRLF line endings, and PHP syntax. It also shows icons for Go Live and Prettier.



```
login.php X
login.php
53 <body class="auth-body">
55 <div class="auth-page">
73 <div class="form-side">
75 <div class="form-box">
89 <form method="POST"
95 <input
96 type="email"
97 name="email"
98 placeholder="Enter your email"
99 required
100 >
101 </div>
102
103 <div class="input-group">
104 <label>Password</label>
105
106 <input
107 type="password"
108 name="password"
109 placeholder="Enter your password"
110 required
111 >
112 </div>
113
114 <button type="submit"
115 class="main-button">
116 Sign In
117 </button>
118
119 </form>
120
121 <p class="switch-text">
122 New to Twisted Threads?
```



```
login.php X
login.php
53 <body class="auth-body">
55 <div class="auth-page">
57 <div class="brand-side">
65 <p>
66 Manage your handmade creations,
67 track your inventory, and keep every
68 thread organized.
69 </p>
70 </div>
71
72 <div class="form-side">
73
74 <div class="form-box">
75
76 <p class="small-heading">
77 WELCOME BACK
78 </p>
79
80 <h2>Sign in to your workspace</h2>
81
82 <?php if (empty($error)): ?>
83 <div class="error-message">
84 <?php echo htmlspecialchars($error); ?>
85 </div>
86 <?php endif; ?>
87
88 <form method="POST"
89 action="login.php">
90
91 <div class="input-group">
92 <label>Email Address</label>
93
94
```


twisted_threads_inventory

login.php X

```
login.php
32 }else {
34 }
35 }
36 }
37 ?>
38
39 <!DOCTYPE html>
40 <html lang="en">
41
42 <head>
43 <meta charset="UTF-8">
44 <meta name="viewport"
45 content="width=device-width, initial-scale=1.0">
46
47 <title>Login | Twisted Threads</title>
48
49 <link rel="stylesheet"
50 href="assets/css/style.css">
51 </head>
52
53 <body class="auth-body">
54
55 <div class="auth-page">
56
57 <div class="brand-side">
58
59 
62
63 <h1>Twisted Threads</h1>
64
65 <p>
```


Ln 60, Col 1 Spaces: 4 UTF-8 CRLF {} PHP Go Live Prettier

twisted_threads_inventory

login.php X

```
login.php
1 <?php
2 session_start();
3 require_once "config/database.php";
4
5 $error = "";
6
7 if ($_SERVER["REQUEST_METHOD"] === "POST") {
8
9     $email = trim($_POST["email"]);
10    $password = $_POST["password"];
11
12    if (empty($email) || empty($password)) {
13        $error = "Please fill in all fields.";
14    } else {
15
16        $stmt = $pdo->prepare(
17            "SELECT * FROM users WHERE email = ?"
18        );
19
20        $stmt->execute([$email]);
21
22        $user = $stmt->fetch(PDO::FETCH_ASSOC);
23
24        if ($user && password_verify($password, $user["password"])) {
25
26            $_SESSION["user_id"] = $user["id"];
27            $_SESSION["user_name"] = $user["full_name"];
28
29            header("Location: dashboard.php");
30            exit();
31
32        }else {
33            $error = "Invalid email or password.";
```


Ln 1, Col 1 Spaces: 4 UTF-8 CRLF {} PHP Go Live Prettier



This screenshot shows the VS Code editor with the file `inventory.php` open. The Explorer sidebar on the left shows the project structure for `twisted_threads_inventory`, including folders for `assets` (css, images, js), `config`, `database`, `includes`, and `uploads`, along with various PHP files. The main editor area displays the following PHP code:

```
11 }  
17 if ($quantity >= 0) {  
31     $activity = $pdo->prepare(  
34         VALUES (?, ?, ?)  
35     );  
36  
37     $activity->execute([  
38         $_SESSION["user_id"],  
39         "Stock Updated",  
40         "Product stock quantity was updated."  
41     ]);  
42 }  
43  
44  
45 header("Location: inventory.php?success=updated");  
46 exit();  
47 }  
48  
49  
50 $products = $pdo->query(  
51     "SELECT  
52         products.*,  
53         categories.category_name  
54     FROM products  
55     JOIN categories  
56     ON products.category_id = categories.id  
57     ORDER BY products.quantity ASC"  
58 )->fetchAll(PDO::FETCH_ASSOC);  
59  
60  
61 require_once "includes/header.php";  
62 ?>  
63
```

The status bar at the bottom indicates the cursor is at line 36, column 1, with 4 spaces, UTF-8 encoding, CRLF line endings, and PHP syntax.



This screenshot shows the VS Code editor with the file `inventory.php` open. The Explorer sidebar on the left shows the project structure for `twisted_threads_inventory`. The main editor area displays the following PHP code:

```
1 <?php  
2  
3 require_once "includes/auth_check.php";  
4 require_once "config/database.php";  
5  
6 $page_title = "Inventory | Twisted Threads";  
7  
8  
9 if (  
10     $_SERVER["REQUEST_METHOD"] === "POST"  
11 ) {  
12  
13     $product_id = (int) $_POST["product_id"];  
14     $quantity = (int) $_POST["quantity"];  
15  
16  
17     if ($quantity >= 0) {  
18  
19         $stmt = $pdo->prepare(  
20             "UPDATE products  
21             SET quantity = ?  
22             WHERE id = ?"  
23         );  
24  
25         $stmt->execute([  
26             $quantity,  
27             $product_id  
28         ]);  
29  
30  
31         $activity = $pdo->prepare(  
32             "INSERT INTO inventory_activity  
33             (user_id, activity_type, description)"
```

The status bar at the bottom indicates the cursor is at line 1, column 1, with 4 spaces, UTF-8 encoding, CRLF line endings, and PHP syntax.

The screenshot shows the Visual Studio Code editor with the 'twisted_threads_inventory' project open. The Explorer sidebar on the left lists the project files, including 'index.php' which is currently selected. The main editor area displays the PHP code for 'index.php'.

```
index.php
1  <?php
2  session_start();
3
4  if (isset($_SESSION["user_id"])) {
5      header("Location: dashboard.php");
6      exit();
7  } else {
8      header("Location: login.php");
9      exit();
10 }
11 ?>
```

The status bar at the bottom indicates the cursor is at Line 11, Column 3, with 4 spaces, UTF-8 encoding, CRLF line endings, and the PHP file type.

The screenshot shows the Visual Studio Code editor with the 'twisted_threads_inventory' project open. The Explorer sidebar on the left lists the project files, including 'style.css' which is currently selected. The main editor area displays the CSS code for 'style.css'.

```
assets > css > # style.css > {} @media (max-width: 768px) > .page-header h1
693 .activity-details p {
694     margin-bottom: 10px;
695     font-size: 14px;
696 }
697
698 .activity-details small {
699     color: var(--muted);
700 }
701
702 /*
703  * RESPONSIVE EXTRA
704  *
705  * @media (max-width: 900px) {
706      .categories-layout {
707          grid-template-columns: 1fr;
708      }
709      .form-grid {
710          grid-template-columns: 1fr;
711      }
712      .filter-form {
713          flex-direction: column;
714      }
715  }
716
717 @media (max-width: 768px) {
718     .page-header {
719         flex-direction: column;
720         align-items: flex-start;
721         gap: 20px;
722     }
723     .page-header h1 {
724         font-size: 30px;
725     }
726     .action-buttons {
727         flex-direction: column;
728     }
729 }
```

The status bar at the bottom indicates the cursor is at Line 721, Column 17, with 4 spaces, UTF-8 encoding, CRLF line endings, and the CSS file type.

DESKTOP SCREENSHOTS

Register | Twisted Threads

localhost:8000/register.php

Twisted Threads

Your handmade creations deserve an organized workspace.

CREATE ACCOUNT

Join your workspace

Full Name

Email Address

Password

Confirm Password

Create Account

Already have an account? [Sign in](#)



Login | Twisted Threads

localhost:8000/login.php

Twisted Threads

Manage your handmade creations, track your inventory, and keep every thread organized.

WELCOME BACK


Sign in to your workspace

Email Address

Password

Sign In

New to Twisted Threads? [Create an account](#)



Dashboard | Twisted Threads

Ask Gemini

localhost:8000/dashboard.php

Finish update

RECENT UPDATES

Inventory activity

**Stock Updated**
Product stock quantity was updated.
Aug 30, 2026 • 04:35 PM

**Stock Updated**
Product stock quantity was updated.
Aug 30, 2026 • 04:35 PM

**Stock Updated**
Product stock quantity was updated.
Aug 30, 2026 • 04:35 PM

**Product Updated**
Pumpkin Keychain was updated.
Aug 28, 2026 • 07:49 PM

**Stock Updated**
Product stock quantity was updated.
Aug 28, 2026 • 07:26 PM

Logged in as
Namra Nabeel

Logout

Products | Twisted Threads

Ask Gemini

localhost:8000/products.php

Finish update

Twisted
THREADS

Dashboard

Products

Categories

Inventory

Activity

PRODUCT MANAGEMENT

Products

View and manage all your crochet products.

+ Add New Product

All Categories

Search

Clear

Image	Product	Category	Price	Quantity	Stock Status	Actions
	Butterfly Keychain	Keychains	Rs. 350.00	0	Out of Stock	EditDelete
	Bell Flower Keychain	Keychains	Rs. 350.00	200	In Stock	EditDelete
	Rose Bag	Crochet Bags	Rs. 3,500.00	150	In Stock	EditDelete
	Tulip	Flowers	Rs. 450.00	2000	In Stock	EditDelete

Categories | Twisted Threads

Ask Gemini

localhost:8000/categories.php

Twisted
THREADS

Dashboard

Products

Categories

Inventory

Activity

Logged in as
Namra Nabeel

Logout

ORGANIZATION

Categories

Organize your Twisted Threads products into categories.

NEW CATEGORY

Add Category

Category Name

Example: Crochet Bags

Add Category

Category	Total Products	Action
Crochet Bags	1	Delete
Flowers	1	Delete
Gloves	0	Delete
Home Decor	0	Delete
Keychains	3	Delete
Other	0	Delete
Phone Covers	0	Delete
Plushies	0	Delete
Wallets	0	Delete

CONCLUSION

In conclusion, the Inventory Management System was built to provide a simple and efficient way to manage the inventory of a crochet business. Overall, this project demonstrates the practical use of web development and database technologies to create a functional and professional solution for managing a small handmade business.