

PROJECT REPORT

Inventory Management System

Student Name: Namra Nabeel

Internship Domain: Web Development

Task # 04

OBJECTIVE

The main objective of this project is to design and develop a web-based **Inventory Management System** that automates the process of tracking, managing, and controlling inventory within an organization, replacing manual and error-prone record-keeping methods.

TECHNOLOGIES USED

- HTML 5
- CSS 3
- JavaScript
- PHP
- MySQL

WEBSITE STRUCTURE

Dashboard:

The dashboard displays the statistics of the stock, Quick actions to manage the inventory and recent activities.

Products:

The products page shows the search bar to search the products and filter button to filter the products and it also includes the details of the products and add, edit and delete product features.

Categories:

The categories page shows search bar to search the category and buttons to add/delete the category.

Inventory:

The inventory shows the details of the stock it also has feature to update the stock.

Activity:

In activity page, all the activities performed by the user are displayed.

DESIGN APPROACH


The Inventory Management System is designed using a soft, neutral color palette that reflects the handmade and creative identity of the crochet brand. The interface uses clear spacing, consistent cards, subtle shadows, and easily readable text to create a clean and professional appearance. The dashboard provides an organized overview of products, categories, stock levels, and recent inventory activities. A sidebar navigation system is used to connect the different pages of the system, including Dashboard, Products, Categories, Inventory, and Activity. Each page is designed to provide easy access to important inventory management features while maintaining a consistent and user-friendly interface throughout the system.

WEBSITE FEATURES


Following are the features of the website:

- User Registration.
- Secure Login.
- Logout.
- Low Stock and Out of Stock alerts.
- Recent activities tracking.
- Search and Filter Options.
- Responsive and User-Friendly Interface.
- Consistent Navigation.

CODE SCREENSHOTS



```
1 :root {
2   --primary: #A69D80;
3   --primary-dark: #857D63;
4   --cream: #F7F5EF;
5   --white: #FFFFFF;
6   --text: #3F3A32;
7   --muted: #777166;
8   --border: #DD8CB;
9   --danger: #85C5C;
10  --success: #6F8A63;
11 }
12 * {
13   margin: 0;
14   padding: 0;
15   box-sizing: border-box;
16 }
17 body {
18   font-family: Arial, Helvetica, sans-serif;
19   color: var(--text);
20   background-color: var(--cream);
21 }
22 .auth-body {
23   min-height: 100vh;
24 }
25 .auth-page {
26   min-height: 100vh;
27   display: flex;
28 }
29 .brand-side {
30   width: 45%;
31   min-height: 100vh;
32   background-color: var(--primary);
33   display: flex;
```



```
29 .brand-side {
33   display: flex;
34   flex-direction: column;
35   justify-content: center;
36   align-items: center;
37   padding: 50px;
38   text-align: center;
39   color: var(--white);
40 }
41 .brand-logo {
42   width: 210px;
43   height: 210px;
44   object-fit: cover;
45   margin-bottom: 30px;
46 }
47 .brand-side h1 {
48   font-family: Georgia, "Times New Roman", serif;
49   font-size: 42px;
50   font-weight: 400;
51   letter-spacing: 1px;
52   margin-bottom: 18px;
53 }
54 .brand-side p {
55   max-width: 300px;
56   line-height: 1.8;
57   font-size: 16px;
58 }
59 .form-side {
60   width: 55%;
61   min-height: 100vh;
62   background-color: var(--cream);
63   display: flex;
64   justify-content: center;
```


twisted_threads_inventory

assets > css > # style.css > input-group label

```
59 .form-side {
60   align-items: center;
61   padding: 30px;
62 }
63 .form-box {
64   width: 100%;
65   max-width: 430px;
66 }
67 .small-heading {
68   color: var(--primary-dark);
69   font-size: 12px;
70   font-weight: bold;
71   letter-spacing: 2px;
72   margin-bottom: 12px;
73 }
74 .form-box h2 {
75   font-family: Georgia, "Times New Roman", serif;
76   font-size: 32px;
77   font-weight: 400;
78   margin-bottom: 35px;
79 }
80 .input-group {
81   margin-bottom: 20px;
82 }
83 .input-group label {
84   display: block;
85   font-size: 14px;
86   margin-bottom: 8px;
87   font-weight: bold;
88 }
89 .input-group input {
90   width: 100%;
91   padding: 14px 15px;
```

Ln 91, Col 2 Spaces: 4 UTF-8 CRLF CSS Go Live Prettier

assets > css > # style.css > input-group input:focus

```
94 .input-group input {
95   width: 100%;
96   padding: 14px 15px;
97   border: 1px solid var(--border);
98   background-color: var(--white);
99   outline: none;
100   font-size: 14px;
101   border-radius: 4px;
102 }
103 .input-group input:focus {
104   border-color: var(--primary-dark);
105 }
106 .main-button {
107   width: 100%;
108   padding: 15px;
109   background-color: var(--primary);
110   color: var(--white);
111   border: none;
112   border-radius: 4px;
113   cursor: pointer;
114   font-size: 15px;
115   margin-top: 8px;
116   transition: 0.3s;
117 }
118 .main-button: hover {
119   background-color: var(--primary-dark);
120 }
121 .switch-text {
122   text-align: center;
123   margin-top: 25px;
124   color: var(--muted);
125   font-size: 14px;
126 }
```

Ln 103, Col 1 Spaces: 4 UTF-8 CRLF CSS Go Live Prettier

```
assets > css > # style.css > {} @media (max-width: 768px) > .brand-logo
126 }
127 .switch-text a {
128   color: var(--primary-dark);
129   font-weight: bold;
130   text-decoration: none;
131 }
132 .error-message {
133   background-color: #FCE8E8;
134   color: var(--danger);
135   border-left: 4px solid var(--danger);
136   padding: 12px;
137   margin-bottom: 20px;
138   font-size: 14px;
139 }
140 @media (max-width: 768px) {
141   .auth-page {
142     flex-direction: column;
143   }
144   .brand-side,
145   .form-side {
146     width: 100%;
147     min-height: auto;
148   }
149   .brand-side {
150     padding: 40px 25px;
151   }
152   .brand-logo {
153     width: 130px;
154     height: 130px;
155     margin-bottom: 20px;
156   }
157   .brand-side h1 {
158     font-size: 32px;
```

```
assets > css > # style.css > .sidebar-brand
140 @media (max-width: 768px) {
141   .brand-side h1 {
142   }
143   .form-side {
144     padding: 45px 25px;
145   }
146   .form-box h2 {
147     font-size: 28px;
148   }
149 }
150 .dashboard-layout {
151   min-height: 100vh;
152   display: flex;
153   background-color: var(--cream);
154 }
155 .sidebar {
156   width: 260px;
157   min-height: 100vh;
158   background-color: var(--primary);
159   padding: 28px 18px;
160   display: flex;
161   flex-direction: column;
162   color: var(--white);
163 }
164 .sidebar-brand {
165   display: flex;
166   align-items: center;
167   gap: 12px;
168   padding: 0 10px 35px;
169   border-bottom: 1px solid rgba(255, 255, 255, 0.25);
170 }
171 .sidebar-logo {
172   width: 55px;
```

The screenshot shows the VS Code editor with the file explorer on the left displaying the project structure for 'twisted_threads_inventory'. The main editor area shows the 'style.css' file with the following CSS rules:

```
assets > css > # style.css > .nav-link
188 .sidebar-logo {
189   width: 55px;
190   height: 55px;
191   object-fit: cover;
192   border-radius: 50%;
193 }
194 .sidebar-brand h2 {
195   font-family: Georgia, "Times New Roman", serif;
196   font-size: 22px;
197   font-weight: normal;
198   margin-bottom: 3px;
199 }
200 .sidebar-brand span {
201   font-size: 9px;
202   letter-spacing: 3px;
203 }
204 .sidebar-nav {
205   margin-top: 30px;
206   display: flex;
207   flex-direction: column;
208   gap: 8px;
209 }
210 .nav-link {
211   color: rgba(255, 255, 255, 0.85);
212   text-decoration: none;
213   padding: 13px 14px;
214   border-radius: 5px;
215   display: flex;
216   align-items: center;
217   gap: 14px;
218   font-size: 14px;
219   transition: 0.3s;
220 }
```

The status bar at the bottom indicates 'Ln 215, Col 16', 'Spaces: 4', 'UTF-8', 'CRLF', and 'CSS'.

The screenshot shows the VS Code editor with the file explorer on the left displaying the project structure for 'twisted_threads_inventory'. The main editor area shows the 'style.css' file with the following CSS rules:

```
assets > css > # style.css > .logout-link
220 }
221 .nav-link:hover,
222 .nav-link.active {
223   background-color: rgba(255, 255, 255, 0.18);
224   color: var(--white);
225 }
226 .nav-link span {
227   width: 20px;
228   text-align: center;
229 }
230 .sidebar-bottom {
231   margin-top: auto;
232   padding: 20px 10px 5px;
233   border-top: 1px solid rgba(255, 255, 255, 0.25);
234 }
235 .sidebar-bottom p {
236   font-size: 11px;
237   opacity: 0.8;
238   margin-bottom: 5px;
239 }
240 .sidebar-bottom strong {
241   display: block;
242   font-size: 14px;
243   margin-bottom: 15px;
244 }
245 .logout-link {
246   color: var(--white);
247   font-size: 13px;
248   text-decoration: none;
249 }
250 .main-content {
251   flex: 1;
252   padding: 45px;
253 }
```

The status bar at the bottom indicates 'Ln 247, Col 2', 'Spaces: 4', 'UTF-8', 'CRLF', and 'CSS'.

twisted_threads_inventory

assets > css > # style.css > add-product-btn

```
250 .main-content {
251   padding: 45px;
252 }
253
254 .top-section {
255   display: flex;
256   justify-content: space-between;
257   align-items: center;
258   margin-bottom: 40px;
259 }
260
261 .page-label {
262   font-size: 11px;
263   font-weight: bold;
264   letter-spacing: 2px;
265   color: var(--primary-dark);
266   margin-bottom: 10px;
267 }
268
269 .top-section h1 {
270   font-family: Georgia, "Times New Roman", serif;
271   font-size: 38px;
272   font-weight: normal;
273   margin-bottom: 10px;
274 }
275
276 .page-description {
277   color: var(--muted);
278   font-size: 14px;
279 }
280
281 .add-product-btn {
282   background-color: var(--primary);
283   color: var(--white);
284   text-decoration: none;
285   padding: 14px 22px;
286   border-radius: 4px;
287   font-size: 14px;
288 }
```

Ln 278, Col 2 Spaces: 4 UTF-8 CRLF CSS Go Live Prettier

twisted_threads_inventory

assets > css > # style.css > stat-icon

```
277 .add-product-btn {
278   transition: 0.3s;
279 }
280
281 .add-product-btn:hover {
282   background-color: var(--primary-dark);
283 }
284
285 .stats-grid {
286   display: grid;
287   grid-template-columns: repeat(4, 1fr);
288   gap: 20px;
289   margin-bottom: 45px;
290 }
291
292 .stat-card {
293   background-color: var(--white);
294   border: 1px solid var(--border);
295   padding: 25px;
296   display: flex;
297   align-items: center;
298   gap: 18px;
299   border-radius: 6px;
300 }
301
302 .stat-icon {
303   width: 48px;
304   height: 48px;
305   background-color: var(--cream);
306   color: var(--primary-dark);
307   display: flex;
308   justify-content: center;
309   align-items: center;
310   border-radius: 50%;
311   font-size: 22px;
312 }
313
314 .stat-card p {
315 }
```

Ln 310, Col 2 Spaces: 4 UTF-8 CRLF CSS Go Live Prettier

twisted_threads_inventory

File Edit Selection View Go Run ...

Explorer

- twisted_threads_inventory
 - assets
 - css
 - # style.css
 - images
 - logo.jpg
 - js
 - script.js
 - config
 - database.php
 - database
 - twisted_threads_inventory.sql
 - includes
 - auth_check.php
 - footer.php
 - header.php
 - uploads
 - activity.php
 - add_product.php
 - categories.php
 - dashboard.php
 - delete_product.php
 - edit_product.php
 - index.php
 - inventory.php
 - login.php
 - logout.php
- Outline
- Timeline

board.php X categories.php X add_product.php X activity.php X header.php X database.php X # style.css X ...

```
assets > css > # style.css > action-box
314
315
316     color: var(--muted);
317     font-size: 13px;
318     margin-bottom: 8px;
319 }
320
321 .stat-card h2 {
322     font-family: Georgia, "Times New Roman", serif;
323     font-size: 28px;
324     font-weight: normal;
325 }
326
327 .dashboard-section {
328     margin-top: 48px;
329 }
330
331 .section-heading {
332     margin-bottom: 20px;
333 }
334
335 .section-heading h2 {
336     font-family: Georgia, "Times New Roman", serif;
337     font-size: 26px;
338     font-weight: normal;
339 }
340
341 .quick-actions {
342     display: grid;
343     grid-template-columns: repeat(3, 1fr);
344     gap: 20px;
345 }
346
347 .action-box {
348     background-color: var(--white);
349     border: 1px solid var(--border);
350     padding: 25px;
351     border-radius: 6px;
352     text-decoration: none;
```

Ln 341, Col 2 Spaces: 4 UTF-8 CRLF CSS Go Live Prettier

twisted_threads_inventory

File Edit Selection View Go Run ...

Explorer

- twisted_threads_inventory
 - assets
 - css
 - # style.css
 - images
 - logo.jpg
 - js
 - script.js
 - config
 - database.php
 - database
 - twisted_threads_inventory.sql
 - includes
 - auth_check.php
 - footer.php
 - header.php
 - uploads
 - activity.php
 - add_product.php
 - categories.php
 - dashboard.php
 - delete_product.php
 - edit_product.php
 - index.php
 - inventory.php
 - login.php
 - logout.php
- Outline
- Timeline

board.php X categories.php X add_product.php X activity.php X header.php X database.php X # style.css X ...

```
assets > css > # style.css > action-box p
341
342 .action-box {
343     color: var(--text);
344     transition: 0.3s;
345 }
346
347 .action-box:hover {
348     transform: translateY(-4px);
349     border-color: var(--primary);
350 }
351
352 .action-symbol {
353     width: 45px;
354     height: 45px;
355     background-color: var(--primary);
356     color: var(--white);
357     display: flex;
358     justify-content: center;
359     align-items: center;
360     border-radius: 50%;
361     font-size: 22px;
362     margin-bottom: 18px;
363 }
364
365 .action-box h3 {
366     font-family: Georgia, "Times New Roman", serif;
367     font-size: 20px;
368     font-weight: normal;
369     margin-bottom: 10px;
370 }
371
372 .action-box p {
373     font-size: 13px;
374     line-height: 1.7;
375     color: var(--muted);
376 }
377
378 .activity-box {
379     background-color: var(--white);
```

Ln 373, Col 2 Spaces: 4 UTF-8 CRLF CSS Go Live Prettier

This screenshot shows the VS Code editor with the file explorer on the left displaying the project structure for 'twisted_threads_inventory'. The main editor area shows the 'style.css' file with CSS code. The code defines styles for a sidebar navigation, including a media query for a maximum width of 768px. The sidebar navigation is styled with a flex-direction of row and flex-wrap of wrap. The sidebar itself has a width of 100% and a min-height of auto. The sidebar navigation is positioned at the top of the sidebar with a margin-top of 30px.

```
assets > css > # style.css > {} @media (max-width: 768px) > sidebar-nav
377 .activity-box {
378   border: 1px solid var(--border);
379   padding: 35px;
380   border-radius: 6px;
381 }
382 .empty-activity {
383   color: var(--muted);
384   font-size: 14px;
385 }
386 @media (max-width: 1000px) {
387   .stats-grid {
388     grid-template-columns: repeat(2, 1fr);
389   }
390   .quick-actions {
391     grid-template-columns: 1fr;
392   }
393 }
394 @media (max-width: 768px) {
395   .dashboard-layout {
396     flex-direction: column;
397   }
398   .sidebar {
399     width: 100%;
400     min-height: auto;
401   }
402   .sidebar-nav {
403     flex-direction: row;
404     flex-wrap: wrap;
405   }
406   .sidebar-bottom {
407     margin-top: 30px;
408   }
409   .main-content {
```

This screenshot shows the VS Code editor with the file explorer on the left displaying the project structure for 'twisted_threads_inventory'. The main editor area shows the 'style.css' file with CSS code. The code defines styles for a page header, including a media query for a maximum width of 768px. The page header is styled with a display of flex, justify-content of space-between, align-items of center, and a margin-bottom of 30px. The page header h1 is styled with a font-family of Georgia, 'Times New Roman', serif, a font-size of 38px, a font-weight of normal, and a margin-bottom of 10px. The secondary button is styled with a text-decoration of none.

```
assets > css > # style.css > .page-header h1
395 @media (max-width: 768px) {
400   .main-content {
401     padding: 30px 20px;
402   }
403   .top-section {
404     flex-direction: column;
405     align-items: flex-start;
406     gap: 20px;
407   }
408   .stats-grid {
409     grid-template-columns: 1fr;
410   }
411   .top-section h1 {
412     font-size: 30px;
413   }
414 }
415 /* =====
416 | GENERAL PAGE STYLES
417 ===== */
418 .page-header {
419   display: flex;
420   justify-content: space-between;
421   align-items: center;
422   margin-bottom: 30px;
423 }
424 .page-header h1 {
425   font-family: Georgia, "Times New Roman", serif;
426   font-size: 38px;
427   font-weight: normal;
428   margin-bottom: 10px;
429 }
430 .secondary-button {
431   text-decoration: none;
432 }
```

```
File Edit Selection View Go Run ... twisted_threads_inventory
assets > css > # style.css > .form-grid
440 .secondary-button {
441   color: var(--primary-dark);
442   border: 1px solid var(--primary);
443   padding: 12px 18px;
444   border-radius: 4px;
445   font-size: 14px;
446 }
447
448 .success-message {
449   background-color: #EBF1E5;
450   color: #527047;
451   border-left: 4px solid var(--success);
452   padding: 14px;
453   margin-bottom: 25px;
454   border-radius: 4px;
455 }
456
457 /* =====
458 FORMS
459 ===== */
460
461 .form-card {
462   background-color: var(--white);
463   border: 1px solid var(--border);
464   border-radius: 6px;
465   padding: 30px;
466 }
467
468 .form-grid {
469   display: grid;
470   grid-template-columns: repeat(2, 1fr);
471   gap: 20px;
472 }
473
474 .input-group select,
475 .input-group textarea {
476   width: 100%;
477   padding: 14px 15px;
```

```
File Edit Selection View Go Run ... twisted_threads_inventory
assets > css > # style.css > .current-image p
471 .input-group textarea {
472   padding: 14px 15px;
473   border: 1px solid var(--border);
474   background-color: var(--white);
475   border-radius: 4px;
476   font-family: Arial, Helvetica, sans-serif;
477   font-size: 14px;
478   outline: none;
479 }
480
481 .input-group textarea {
482   resize: vertical;
483 }
484
485 .input-group small {
486   display: block;
487   margin-top: 7px;
488   color: var(--muted);
489   font-size: 12px;
490 }
491
492 .form-submit {
493   max-width: 220px;
494 }
495
496 .current-image {
497   margin-bottom: 25px;
498 }
499
500 .current-image p {
501   margin-bottom: 10px;
502   font-weight: bold;
503 }
504
505 .current-image img {
506   width: 140px;
507   height: 140px;
508   object-fit: cover;
509   border-radius: 5px;
```

File Edit Selection View Go Run ...

twisted_threads_inventory

Sign In

assets > css > # style.css > .filter-button

Explorer

twisted_threads_inventory

assets

css

style.css

images

logo.jpg

js

script.js

config

database.php

database

twisted_threads_inventory.sql

includes

auth_check.php

footer.php

header.php

uploads

activity.php

add_product.php

categories.php

dashboard.php

delete_product.php

edit_product.php

index.php

inventory.php

login.php

logout.php

Outline

Timeline

board.php

categories.php

add_product.php

activity.php

header.php

database.php

style.css

500

501

502

503

504

505

506

507

508

509

510

511

512

513

514

515

516

517

518

519

520

521

522

523

524

525

526

527

528

529

530

531

532

533

534

535

536

assets > css > # style.css > .filter-button

.current-image img {

}

/* =====

FILTERS

===== */

.filter-card {

background-color: var(--white);

border: 1px solid var(--border);

padding: 20px;

margin-bottom: 25px;

border-radius: 6px;

}

.filter-form {

display: flex;

gap: 12px;

}

.filter-form input,

.filter-form select {

padding: 12px;

border: 1px solid var(--border);

border-radius: 4px;

font-size: 14px;

}

.filter-form input {

flex: 1;

}

.filter-button,

.small-button {

background-color: var(--primary);

color: var(--white);

border: none;

padding: 12px 18px;

border-radius: 4px;

Ln 531, Col 16 Spaces: 4 UTF-8 CRLF CSS Go Live Prettier

File Edit Selection View Go Run ...

twisted_threads_inventory

Sign In

assets > css > # style.css > th

Explorer

twisted_threads_inventory

assets

css

style.css

images

logo.jpg

js

script.js

config

database.php

database

twisted_threads_inventory.sql

includes

auth_check.php

footer.php

header.php

uploads

activity.php

add_product.php

categories.php

dashboard.php

delete_product.php

edit_product.php

index.php

inventory.php

login.php

logout.php

Outline

Timeline

board.php

categories.php

add_product.php

activity.php

header.php

database.php

style.css

531

532

533

534

535

536

537

538

539

540

541

542

543

544

545

546

547

548

549

550

551

552

553

554

555

556

557

558

559

560

561

562

563

564

565

566

567

568

assets > css > # style.css > th

.small-button {

cursor: pointer;

}

.clear-button {

text-decoration: none;

color: var(--text);

padding: 12px 18px;

}

/* =====

TABLES

===== */

.table-card {

background-color: var(--white);

border: 1px solid var(--border);

border-radius: 6px;

overflow: hidden;

}

.table-responsive {

width: 100%;

overflow-x: auto;

}

table {

width: 100%;

border-collapse: collapse;

}

th {

background-color: #F1FEE8;

text-align: left;

padding: 15px;


font-size: 13px;

}

td {

padding: 15px;

Ln 563, Col 17 Spaces: 4 UTF-8 CRLF CSS Go Live Prettier



```
assets > css > # style.css > low-stock
597 .delete-button {
598   border-radius: 4px;
599   font-size: 12px;
600 }
601
602 .edit-button {
603   background-color: #EEE9DD;
604   color: var(--primary-dark);
605 }
606
607 .delete-button {
608   background-color: #FBEEA8;
609   color: var(--danger);
610 }
611
612 /* =====
613 | STOCK STATUS
614 | ===== */
615
616 .status-badge {
617   display: inline-block;
618   padding: 7px 10px;
619   border-radius: 20px;
620   font-size: 11px;
621   font-weight: bold;
622 }
623
624 .in-stock {
625   background-color: #E8F1E5;
626   color: #527047;
627 }
628
629 .low-stock {
630   background-color: #FFF3D8;
631   color: #9A6B16;
632 }
633
634 .out-stock {
635   background-color: #FBEEA8;
636   color: #A64848;
637 }
```

```
assets > css > # style.css > stock-form input
629 .out-stock {
630 }
631
632 /* =====
633 | CATEGORIES
634 | ===== */
635
636 .categories-layout {
637   display: grid;
638   grid-template-columns: 320px 1fr;
639   gap: 25px;
640 }
641
642 .category-form-card h2 {
643   font-family: Georgia, "Times New Roman", serif;
644   font-weight: normal;
645   margin-bottom: 25px;
646 }
647
648 /* =====
649 | INVENTORY
650 | ===== */
651
652 .stock-form {
653   display: flex;
654   gap: 8px;
655 }
656
657 .stock-form input {
658   width: 75px;
659   padding: 8px;
660   border: 1px solid var(--border);
661   border-radius: 4px;
662 }
663
664 .small-button {
665   padding: 8px 12px;
666 }
667
668 /* =====
669 | ACTIVITY
670 | ===== */
```

The screenshot shows the Visual Studio Code editor with the `style.css` file open. The Explorer sidebar on the left shows the project structure, including `assets`, `css`, `images`, `js`, `script.js`, `config`, `database.php`, `database`, `twisted_threads_inventory.sql`, `includes`, `auth_check.php`, `footer.php`, `header.php`, `uploads`, `activity.php`, `add_product.php`, `categories.php`, `dashboard.php`, `delete_product.php`, `edit_product.php`, `index.php`, `inventory.php`, `login.php`, `logout.php`, `logout.php`, `Outline`, and `Timeline`. The main editor area shows the following CSS code:

```
assets > css > # style.css > activity-details h3
662 /* =====
663 | ACTIVITY
664 | ===== */
665 .activity-list {
666     display: flex;
667     flex-direction: column;
668     gap: 15px;
669 }
670 .activity-item {
671     background-color: var(--white);
672     border: 1px solid var(--border);
673     border-radius: 6px;
674     padding: 20px;
675     display: flex;
676     gap: 18px;
677 }
678 .activity-icon {
679     width: 45px;
680     height: 45px;
681     min-width: 45px;
682     background-color: var(--cream);
683     color: var(--primary-dark);
684     border-radius: 50%;
685     display: flex;
686     justify-content: center;
687     align-items: center;
688 }
689 .activity-details h3 {
690     font-size: 16px;
691     margin-bottom: 7px;
692 }
693 .activity-details p {
694     color: var(--muted);
```

The status bar at the bottom indicates the cursor is at line 689, column 17, with 4 spaces, UTF-8 encoding, CRLF line endings, and CSS syntax highlighting.

The screenshot shows the Visual Studio Code editor with the `script.js` file open. The Explorer sidebar on the left shows the project structure, including `assets`, `css`, `images`, `js`, `script.js`, `config`, `database.php`, `database`, `twisted_threads_inventory.sql`, `includes`, `auth_check.php`, `footer.php`, `header.php`, `uploads`, `activity.php`, `add_product.php`, `categories.php`, `dashboard.php`, `delete_product.php`, `edit_product.php`, `index.php`, `inventory.php`, `login.php`, `logout.php`, `logout.php`, `Outline`, and `Timeline`. The main editor area shows the following JavaScript code:

```
assets > js > JS script.js
1 function confirmDelete(message) {
2     return confirm(message || "Are you sure you want to delete this item?");
3 }
```

The status bar at the bottom indicates the cursor is at line 3, column 2, with 4 spaces, UTF-8 encoding, CRLF line endings, and JavaScript syntax highlighting. A message at the bottom left says "Analyzing 'script.js' and its dependencies".

twisted_threads_inventory

File Edit Selection View Go Run ...

Sign In

Explorer

- twisted_threads_inventory
 - assets
 - css
 - style.css
 - images
 - js
 - config
 - database.php
 - database
 - twisted_threads_inventory.sql
 - includes
 - auth_check.php
 - footer.php
 - header.php
 - uploads
 - activity.php
 - add_product.php
 - categories.php
 - dashboard.php
 - delete_product.php
 - edit_product.php
 - index.php
 - inventory.php
 - login.php
 - logout.php
 - products.php
 - register.php
 - Outline
 - Timeline

config > database.php

```
1 <?php
2 $host = "localhost";
3 $dbname = "twisted_threads_inventory";
4 $username = "root";
5 $password = "abcd4321";
6 try {
7     $pdo = new PDO(
8         "mysql:host=$host;dbname=$dbname;charset=utf8mb4",
9         $username,
10        $password
11    );
12    $pdo->setAttribute(
13        PDO::ATTR_ERRMODE,
14        PDO::ERRMODE_EXCEPTION
15    );
16 } catch (PDOException $e) {
17     die("Database connection failed: " . $e->getMessage());
18 }
19 ?>
```

Ln 1, Col 6 Spaces: 4 UTF-8 CRLF {} PHP Go Live Prettier

twisted_threads_inventory

File Edit Selection View Go Run ...

Sign In

Explorer

- twisted_threads_inventory
 - assets
 - css
 - style.css
 - images
 - js
 - config
 - database
 - includes
 - auth_check.php
 - footer.php
 - header.php
 - uploads
 - activity.php
 - add_product.php
 - categories.php
 - dashboard.php
 - delete_product.php
 - edit_product.php
 - index.php
 - inventory.php
 - login.php
 - logout.php
 - products.php
 - register.php
 - Outline
 - Timeline

includes > header.php

```
42 <span></span>
43 Categories
44 </a>
45 <a href="inventory.php"
46     class="nav-link <?php echo $current_page == 'inventory.php' ? 'active' : '' ?>"
47     <span></span>
48     Inventory
49 </a>
50 <a href="activity.php"
51     class="nav-link <?php echo $current_page == 'activity.php' ? 'active' : '' ?>"
52     <span></span>
53     Activity
54 </a>
55 </nav>
56 <div class="sidebar-bottom">
57     <p>Logged in as</p>
58     <strong>
59         <?php echo htmlspecialchars(
60             $_SESSION["user_name"] ?? "Admin"
61         ); ?>
62     </strong>
63     <a href="logout.php"
64         class="logout-link">
65         Logout
66     </a>
67 </div>
68 </aside>
69 <main class="main-content">
```

Ln 69, Col 32 Spaces: 4 UTF-8 CRLF {} PHP Go Live Prettier

```
File Edit Selection View Go Run ... twisted_threads_inventory Sign In
Explorer
twisted_threads_inventory
  assets
  css
    style.css
  images
  js
  config
  database
  includes
    auth_check.php
    footer.php
    header.php
    uploads
    activity.php
    add_product.php
    categories.php
    dashboard.php
    delete_product.php
    edit_product.php
    index.php
    inventory.php
    login.php
    logout.php
    products.php
    register.php
  Outline
  Timeline

includes > header.php
33 Dashboard
34 </a>
35 <a href="products.php"
36   class="nav-link <?php echo in_array($current_page, ['products.php', 'add_product.php'
37   <span></span>
38   </a>
39 Products
40 </a>
41 <a href="categories.php"
42   class="nav-link <?php echo $current_page == 'categories.php' ? 'active' : ''; ?>"
43   <span></span>
44   Categories
45 </a>
46 <a href="inventory.php"
47   class="nav-link <?php echo $current_page == 'inventory.php' ? 'active' : ''; ?>"
48   <span></span>
49   Inventory
50 </a>
51 <a href="activity.php"
52   class="nav-link <?php echo $current_page == 'activity.php' ? 'active' : ''; ?>"
53   <span></span>
54   Activity
55 </a>
56 </nav>
57 <div class="sidebar-bottom">
58 <p>Logged in as</p>
59 <strong>
60   <?php echo htmlspecialchars(
61     $SESSION["user_name"] ?? "Admin"
62   ); ?>
63 </strong>
64 <a href="logout.php"
65   class="logout-link">
    Logout
```

```
File Edit Selection View Go Run ... twisted_threads_inventory Sign In
Explorer
twisted_threads_inventory
  assets
  css
    style.css
  images
  js
  config
  database
  includes
    auth_check.php
    footer.php
    header.php
    uploads
    activity.php
    add_product.php
    categories.php
    dashboard.php
    delete_product.php
    edit_product.php
    index.php
    inventory.php
    login.php
    logout.php
    products.php
    register.php
  Outline
  Timeline

includes > header.php
1 <?php
2 if (session_status() === PHP_SESSION_NONE) {
3   session_start();
4 }
5 $current_page = basename($_SERVER["PHP_SELF"]);
6 ?>
7 <!DOCTYPE html>
8 <html lang="en">
9 <head>
10   <meta charset="UTF-8">
11   <meta name="viewport"
12     content="width=device-width, initial-scale=1.0">
13   <title><?php echo $page_title ?? "Twisted Threads"; ?></title>
14   <link rel="stylesheet"
15     href="assets/css/style.css">
16 </head>
17 <body>
18   <div class="dashboard-layout">
19     <aside class="sidebar">
20       <div class="sidebar-brand">
21         
24       </div>
25       <h2>Twisted</h2>
26       <span>THREADS</span>
27     </div>
28   <nav class="sidebar-nav">
29     <a href="dashboard.php"
30       class="nav-link <?php echo $current_page == 'dashboard.php' ? 'active' : ''; ?>"
31       <span></span>
32       Dashboard
33
```

twisted_threads_inventory

delete_product.php X dashboard.php X categories.php X add_product.php X activity.php X footer.php X ...

includes > footer.php

```
1 </main>
2
3 </div>
4
5 <script src="assets/js/script.js"></script>
6
7 </body>
8 </html>
```

Ln 6, Col 1 Spaces: 4 UTF-8 CRLF {} PHP Go Live Prettier

twisted_threads_inventory

delete_product.php X dashboard.php X categories.php X add_product.php X activity.php X auth_check.php X ...

includes > auth_check.php

```
1 <?php
2
3 if (session_status() == PHP_SESSION_NONE) {
4     session_start();
5 }
6
7 if (!isset($_SESSION["user_id"])) {
8     header("Location: login.php");
9     exit();
10 }
11
12 ?>
```

Ln 12, Col 3 Spaces: 4 UTF-8 CRLF {} PHP Go Live Prettier

```
File Edit Selection View Go Run ... twisted_threads_inventory Sign In
Explorer
twisted_threads_inventory
  assets
  css
    style.css
  images
  js
  config
  database
  includes
    auth_check.php
    footer.php
    header.php
    uploads
    activity.php
    add_product.php
    categories.php
    dashboard.php
    delete_product.php
    edit_product.php
    index.php
    inventory.php
    login.php
    logout.php
    products.php
    register.php
  Outline
  Timeline

activity.php
27 <div class="activity-list">
28   <?php if (count($activities) > 0): ?>
29     <?php foreach ($activities as $activity): ?>
30       <div class="activity-item">
31         <div class="activity-details">
32           <small>
33             By
34             <?php echo htmlspecialchars(
35               $activity["full_name"] ?? "Unknown User"
36             ); ?>
37             .
38             <?php echo date(
39               "d M Y, h:i A",
40               strtotime($activity["created_at"])
41             ); ?>
42           </small>
43         </div>
44       </div>
45     <?php endforeach; ?>
46   <?php else: ?>
47     <div class="activity-box">
48       <p class="empty-activity">
49         No inventory activity yet.
50       </p>
51     </div>
52   <?php endif; ?>
53 </div>
54 <?php require_once "includes/footer.php"; ?>
```

```
File Edit Selection View Go Run ... twisted_threads_inventory Sign In
Explorer
twisted_threads_inventory
  assets
  css
    style.css
  images
  js
  config
  database
  includes
    auth_check.php
    footer.php
    header.php
    uploads
    activity.php
    add_product.php
    categories.php
    dashboard.php
    delete_product.php
    edit_product.php
    index.php
    inventory.php
    login.php
    logout.php
    products.php
    register.php
  Outline
  Timeline

activity.php
27 <div class="activity-list">
28   <?php if (count($activities) > 0): ?>
29     <?php foreach ($activities as $activity): ?>
30       <div class="activity-item">
31         <div class="activity-details">
32           <?php echo htmlspecialchars(
33             $activity["activity_type"]
34           ); ?>
35           </h3>
36           <p>
37             <?php echo htmlspecialchars(
38               $activity["description"]
39             ); ?>
40           </p>
41           <small>
42             By
43             <?php echo htmlspecialchars(
44               $activity["full_name"] ?? "Unknown User"
45             ); ?>
46             .
47             <?php echo date(
48               "d M Y, h:i A",
49               strtotime($activity["created_at"])
50             ); ?>
51           </small>
52         </div>
53       </div>
54     <?php endforeach; ?>
55   <?php else: ?>
56     <div class="activity-box">
57       <p class="empty-activity">
58         No inventory activity yet.
59       </p>
60     </div>
61   <?php endif; ?>
62 </div>
```



```
File Edit Selection View Go Run ... twisted_threads_inventory Sign In
Explorer
twisted_threads_inventory
  assets
  css
    style.css
  images
  js
  config
  database
  includes
    auth_check.php
    footer.php
    header.php
    uploads
  activity.php
  add_product.php
  categories.php
  dashboard.php
  delete_product.php
  edit_product.php
  index.php
  inventory.php
  login.php
  logout.php
  products.php
  register.php
  Outline
  Timeline

activity.php
1 <?php
2 require_once "includes/auth_check.php";
3 require_once "config/database.php";
4 $page_title = "Activity | Twisted Threads";
5 $activities = $pdo->query(
6     "SELECT
7         inventory_activity.*,
8         users.full_name
9     FROM inventory_activity
10    LEFT JOIN users
11        ON inventory_activity.user_id = users.id
12    ORDER BY inventory_activity.created_at DESC"
13 )->fetchAll(PDO::FETCH_ASSOC);
14 require_once "includes/header.php";
15 ?>
16 <div class="page-header">
17     <div>
18         <p class="page-label">
19             INVENTORY HISTORY
20         </p>
21         <h1>Recent Activity</h1>
22         <p class="page-description">
23             View all important changes made to your inventory.
24         </p>
25     </div>
26 </div>
27 <div class="activity-list">
28     <?php if (count($activities) > 0): ?>
29     <?php foreach ($activities as $activity): ?>
30         <div class="activity-item">
31             <div class="activity-icon">
32                 ⦿
33             </div>
```

```
File Edit Selection View Go Run ... twisted_threads_inventory Sign In
Explorer
twisted_threads_inventory
  assets
  css
    style.css
  images
  js
  config
  database
  includes
    auth_check.php
    footer.php
    header.php
    uploads
  activity.php
  add_product.php
  categories.php
  dashboard.php
  delete_product.php
  edit_product.php
  index.php
  inventory.php
  login.php
  logout.php
  products.php
  register.php
  Outline
  Timeline

add_product.php
162 <div class="form-card">
163     <form method="POST">
164         <div class="form-grid">
165             <div>
166                 <div class="input-group">
167                     <label>Product Description</label>
168                     <textarea
169                         name="description"
170                         placeholder="Write a short description about the product..."
171                         rows="5"
172                     ></textarea>
173                     <?php echo htmlspecialchars($_POST["description"] ?? ""); ?></div>
174                 <div class="input-group">
175                     <label>Product Image</label>
176                     <input
177                         type="file"
178                         name="image"
179                         accept=".jpg,.jpeg,.png,.webp,image/jpeg,image/png,image/webp"
180                     >
181                     <small>
182                         JPG, PNG or WEBP. Maximum size: 5MB.
183                     </small>
184                 </div>
185                 <button
186                     type="submit"
187                     class="main-button form-submit"
188                 >
189                     Add Product
190                 </button>
191             </div>
192         </form>
193     </div>
194 <?php require_once "includes/footer.php"; ?>
```

twisted_threads_inventory

products.php X edit_product.php X delete_product.php X dashboard.php X categories.php X add_product.php X

add_product.php

```
162 <div class="form-card">
163 <form method="POST"
171 <div class="form-grid">
182 <div class="input-group">
187 >
208 </option>
209 <?php endforeach; ?>
210 </select>
211 </div>
212 <div class="input-group">
213 <label>Quantity *</label>
214 <input
215 type="number"
216 name="quantity"
217 min="0"
218 placeholder="0"
219 value="<?php echo htmlspecialchars($_POST["quantity"] ?? ""); ?>"
220 required
221 >
222 </div>
223 <div class="input-group">
224 <label>Price (PKR) *</label>
225 <input
226 type="number"
227 name="price"
228 min="0"
229 step="0.01"
230 placeholder="0.00"
231 value="<?php echo htmlspecialchars($_POST["price"] ?? ""); ?>"
232 required
233 >
234 </div>
235 </div>
```

Ln 230, Col 28 Spaces: 4 UTF-8 CRLF {} PHP Go Live Prettier

twisted_threads_inventory

products.php X edit_product.php X delete_product.php X dashboard.php X categories.php X add_product.php X

add_product.php

```
162 <div class="form-card">
163 <form method="POST"
171 <div class="form-grid">
172 <div class="input-group">
174 <input
180 >
181 </div>
182 <div class="input-group">
183 <label>Category *</label>
184 <select
185 name="category_id"
186 required
187 >
188 <option value="">
189 Select Category
190 </option>
191 <?php foreach ($categories as $category): ?>
192 <option
193 value="<?php echo $category["id"]; ?>"
194 <?php
195 if (
196 isset($_POST["category_id"]) &&
197 $_POST["category_id"] == $category["id"]
198 ) {
199 echo "selected";
200 }
201 <?>
202 </option>
203 </div>
204 <?php
205 echo htmlspecialchars(
206 $category["category_name"]
207 );
208 <?>
```

Ln 202, Col 26 Spaces: 4 UTF-8 CRLF {} PHP Go Live Prettier

```
File Edit Selection View Go Run ... twisted_threads_inventory Sign In
products.php X edit_product.php X delete_product.php X dashboard.php X categories.php X add_product.php X ...

twisted_threads_inventory
  assets
  css
    style.css
  images
  js
  config
  database
  includes
    auth_check.php
    footer.php
    header.php
    uploads
  activity.php
  add_product.php
  categories.php
  dashboard.php
  delete_product.php
  edit_product.php
  index.php
  inventory.php
  login.php
  logout.php
  products.php
  register.php

Outline
Timeline


add_product.php
147 require_once "includes/header.php";
148 ?>
149 <div class="page-header">
150   <div>
151     <p class="page-label">PRODUCT MANAGEMENT</p>
152     <h1>Add New Product</h1>
153     <p class="page-description">
154       Add a handmade Twisted Threads product to your inventory.
155     </p>
156   </div>
157   <a href="products.php"
158     class="secondary-button">
159     ← Back to Products
160   </a>
161 </div>
162 <div class="form-card">
163   <?php if (!empty($error)): ?>
164     <div class="error-message">
165       <?php echo htmlspecialchars($error); ?>
166     </div>
167   <?php endif; ?>
168   <form method="POST"
169     enctype="multipart/form-data"
170     class="product-form">
171     <div class="form-grid">
172       <div class="input-group">
173         <label>Product Name *</label>
174         <input
175           type="text"
176           name="product_name"
177           placeholder="Example: Crochet Sunflower"
178           value="<?php echo htmlspecialchars($_POST["product_name"] ?? ""); ?>"
179           required
```

```
File Edit Selection View Go Run ... twisted_threads_inventory Sign In
products.php X edit_product.php X delete_product.php X dashboard.php X categories.php X add_product.php X ...


twisted_threads_inventory
  assets
  css
    style.css
  images
  js
  config
  database
  includes
    auth_check.php
    footer.php
    header.php
    uploads
  activity.php
  add_product.php
  categories.php
  dashboard.php
  delete_product.php
  edit_product.php
  index.php
  inventory.php
  login.php
  logout.php
  products.php
  register.php

Outline
Timeline


add_product.php
13 if ($_SERVER["REQUEST_METHOD"] === "POST") {
16   } else {
38   } else {
112   if (empty($error)) {
113     try {
119       $stmt->execute([
120         $product_name,
121         $category_id,
122         $description,
123         $quantity,
124         $price,
125         $image_name
126       ]);
127       /* Save activity */
128       $activity = $pdo->prepare(
129         "INSERT INTO inventory_activity
130         (user_id, activity_type, description)
131         VALUES (?, ?, ?)"
132       );
133       $activity->execute([
134         $_SESSION["user_id"],
135         "Product Added",
136         $product_name . " was added to inventory."
137       ]);
138       header("Location: products.php?success=added");
139       exit();
140     } catch (PDOException $e) {
141       $error = "Unable to add the product. Please check your database setup.";
142     }
143   }
144 }
145 }
146 }
```




```
13 if ($_SERVER["REQUEST_METHOD"] === "POST") {
14     } else {
38     } else {
43     } {
52     } else {
91         uniqid() . "." .
92         $extension;
93         $upload_path =
94         $upload_directory .
95         $image_name;
96         /* Upload image */
97         if (
98             move_uploaded_file(
99                 $_FILES["image"]["tmp_name"],
100                 $upload_path
101             )
102         ) {
103
104             $error = "Failed to upload the product image.";
105             $image_name = null;
106         }
107     }
108 }
109
110 }
111
112 /* Insert product into database */
113 if (empty($error)) {
114     try {
115         $stmt = $pdo->prepare(
116             "INSERT INTO products
117             (product_name, category_id, description, quantity, price, image)
118             VALUES (?, ?, ?, ?, ?, ?)"
119         );
120     } catch (PDOException $e) {
121         $error = "Error: " . $e->getMessage();
122     }
123 }
```



```
13 if ($_SERVER["REQUEST_METHOD"] === "POST") {
14     } else {
38     } else {
43     } {
52     } else {
64         finfo_close($finfo);
65         $allowed_types = [
66             "image/jpeg",
67             "image/png",
68             "image/webp"
69         ];
70         if (in_array($file_type, $allowed_types, true)) {
71             $error = "Only JPG, JPEG, PNG and WEBP images are allowed.";
72         } else {
73             /* Get correct extension */
74             $extension = pathinfo(
75                 $_FILES["image"]["name"],
76                 PATHINFO_EXTENSION
77             );
78             $extension = strtolower($extension);
79             /* Create uploads folder if it does not exist */
80             $upload_directory = __DIR__ . "/uploads/";
81             if (!is_dir($upload_directory)) {
82                 mkdir(
83                     $upload_directory,
84                     0777,
85                     true
86                 );
87             }
88             /* Create unique image name */
89             $image_name =
90                 time() . "_" .
91                 uniqid() . "." .
```



```
13 if ($_SERVER["REQUEST_METHOD"] === "POST") {
14     } else {
32     } elseif (!is_numeric($category_id) || $category_id <= 0) {
34     } elseif (!is_numeric($quantity) || $quantity < 0) {
35         $error = "Please enter a valid quantity.";
36     } elseif (!is_numeric($price) || $price < 0) {
37         $error = "Please enter a valid price.";
38     } else {
39         /* Process image upload */
40         if (
41             isset($_FILES["image"]) &&
42             $_FILES["image"]["error"] !== UPLOAD_ERR_NO_FILE
43         ) {
44             $upload_error = $_FILES["image"]["error"];
45             /* Handle PHP upload errors */
46             if ($upload_error === UPLOAD_ERR_INI_SIZE) {
47                 $error = "The selected image is too large for the server upload limit.";
48             } elseif ($upload_error === UPLOAD_ERR_FORM_SIZE) {
49                 $error = "The selected image is too large.";
50             } elseif ($upload_error !== UPLOAD_ERR_OK) {
51                 $error = "There was a problem uploading the image.";
52             } else {
53                 /* Maximum image size: 5MB */
54                 $max_file_size = 5 * 1024 * 1024;
55                 if ($_FILES["image"]["size"] > $max_file_size) {
56                     $error = "Image size must be less than 5MB.";
57                 } else {
58                     /* Check real file MIME type */
59                     $finfo = finfo_open(FILEINFO_MIME_TYPE);
60                     $file_type = finfo_file(
61                         $finfo,
62                         $_FILES["image"]["tmp_name"]
63                     );
64                 }
65             }
66         }
67     }
68 }
```



```
1 <?php
2 error_reporting(E_ALL);
3 ini_set("display_errors", 1);
4 require_once "includes/auth_check.php";
5 require_once "config/database.php";
6 $page_title = "Add Product | Twisted Threads";
7 $error = "";
8 $success = "";
9 /* Get all categories */
10 $categories = $pdo->query(
11     "SELECT * FROM categories ORDER BY category_name ASC"
12 )->fetchAll(PDO::FETCH_ASSOC);
13 if ($_SERVER["REQUEST_METHOD"] === "POST") {
14     if (empty($_POST) && empty($_FILES)) {
15         $error = "The uploaded file is too large for the server. Please choose a smaller image or try again.";
16     } else {
17         /* Safely get form values */
18         $product_name = trim($_POST["product_name"] ?? "");
19         $category_id = $_POST["category_id"] ?? "";
20         $description = trim($_POST["description"] ?? "");
21         $quantity = $_POST["quantity"] ?? "";
22         $price = $_POST["price"] ?? "";
23         $image_name = null;
24         /* Validate required fields */
25         if (
26             empty($product_name) ||
27             empty($category_id) ||
28             $quantity === "" ||
29             $price === ""
30         ) {
31             $error = "Please fill in all required fields.";
32         } elseif (!is_numeric($category_id) || $category_id <= 0) {
33             $error = "Please select a valid category.";
34         }
35     }
36 }
```

twisted_threads_inventory

login.php X products.php X edit_product.php X delete_product.php X dashboard.php X categories.php X

Explorer

- twisted_threads_inventory
 - assets
 - css
 - style.css
 - images
 - js
 - config
 - database
 - includes
 - auth_check.php
 - footer.php
 - header.php
 - uploads
 - activity.php
 - add_product.php
 - categories.php
 - dashboard.php
 - delete_product.php
 - edit_product.php
 - index.php
 - inventory.php
 - login.php
 - logout.php
 - products.php
 - register.php
- Outline
- Timeline

```
categories.php
84 <div class="categories-layout">
104 <div class="table-card">
105 <div class="table-responsive">
106 <table>
114 <tbody>
117 <tr>
118 <td>
119 <?php echo htmlspecialchars(
120 <div class="table-responsive">
121 <table>
122 <tbody>
123 <tr>
124 <td>
125 <td>
126 <a href="categories.php?delete=<?php echo $category["id"]; ?>"
127 class="delete-button"
128 onclick="return confirmDelete('Delete this category?')>
129 Delete
130 </a>
131 </td>
132 </tr>
133 </tbody>
134 </table>
135 </div>
136 </div>
137 </div>
138 </div>
139 <?php require_once "includes/footer.php"; ?>
```

Ln 139, Col 45 Spaces: 4 UTF-8 CRLF {} PHP Go Live Prettier

twisted_threads_inventory

login.php X products.php X edit_product.php X delete_product.php X dashboard.php X categories.php X

Explorer

- twisted_threads_inventory
 - assets
 - css
 - style.css
 - images
 - js
 - config
 - database
 - includes
 - auth_check.php
 - footer.php
 - header.php
 - uploads
 - activity.php
 - add_product.php
 - categories.php
 - dashboard.php
 - delete_product.php
 - edit_product.php
 - index.php
 - inventory.php
 - login.php
 - logout.php
 - products.php
 - register.php
- Outline
- Timeline

```
categories.php
84 <div class="categories-layout">
85 <div class="form-card category-form-card">
90 <form method="POST">
91 <div class="input-group">
93 <input type="text"
97 </div>
98 <button type="submit"
99 class="main-button">
100 Add Category
101 </button>
102 </form>
103 </div>
104 <div class="table-card">
105 <div class="table-responsive">
106 <table>
107 <thead>
108 <tr>
109 <th>Category</th>
110 <th>Total Products</th>
111 <th>Action</th>
112 </tr>
113 </thead>
114 <tbody>
115 <?php foreach ($categories as $category): ?>
116 <tr>
117 <td>
118 <?php echo htmlspecialchars(
119 <div class="table-responsive">
120 <table>
121 <tbody>
122 <tr>
123 <td>
124 <td>
125 <a href="categories.php?delete=<?php echo $category["id"]; ?>"
126 class="delete-button"
127 onclick="return confirmDelete('Delete this category?')>
128 Delete
129 </a>
130 </td>
131 </tr>
132 </tbody>
133 </table>
134 </div>
135 </td>
136 <td>
137 <?php echo $category["product_count"]; ?>
138 </td>
139 <td>
```

Ln 119, Col 6 Spaces: 4 UTF-8 CRLF {} PHP Go Live Prettier


```
File Edit Selection View Go Run ... twisted_threads_inventory Sign in
login.php X products.php X edit_product.php X delete_product.php X dashboard.php X categories.php X

twisted_threads_inventory
  assets
  css
    style.css
  images
  js
  config
  database
  includes
    auth_check.php
    footer.php
    header.php
    uploads
    activity.php
    add_product.php
    categories.php
    dashboard.php
    delete_product.php
    edit_product.php
    index.php
    inventory.php
    login.php
    logout.php
    products.php
    register.php
  Outline
  Timeline

categories.php
59 <div class="page-header">
60 <div>
65 <p class="page-description">
67 </p>
68 </div>
69 </div>
70 <?php if (empty($error)): ?>
71 <div class="error-message">
72 <?php echo htmlspecialchars($error); ?>
73 </div>
74 <?php endif; ?>
75 <?php if (isset($_GET["success"])): ?>
76 <div class="success-message">
77 <?php
78 echo $_GET["success"] === "added"
79 ? "Category added successfully!"
80 : "Category deleted successfully!";
81 <?php
82 </div>
83 <?php endif; ?>
84 <div class="categories-layout">
85 <div class="form-card category-form-card">
86 <p class="page-label">
87 NEW CATEGORY
88 </p>
89 <h2>Add Category</h2>
90 <form method="POST">
91 <div class="input-group">
92 <label>Category Name</label>
93 <input type="text"
94 name="category_name"
95 placeholder="Example: Crochet Bags"
96 required>
```

```
File Edit Selection View Go Run ... twisted_threads_inventory Sign in
login.php X products.php X edit_product.php X delete_product.php X dashboard.php X categories.php X

twisted_threads_inventory
  assets
  css
    style.css
  images
  js
  config
  database
  includes
    auth_check.php
    footer.php
    header.php
    uploads
    activity.php
    add_product.php
    categories.php
    dashboard.php
    delete_product.php
    edit_product.php
    index.php
    inventory.php
    login.php
    logout.php
    products.php
    register.php
  Outline
  Timeline

categories.php
31 ) {
32 try {
33 $delete = $pdo->prepare(
34 );
35 $delete->execute([$id]);
36 header(
37 "Location: categories.php?success=deleted"
38 );
39 exit();
40 } catch (PDOException $e) {
41 $error =
42 "This category cannot be deleted because products may be using it.";
43 }
44 }
45 }
46 $categories = $pdo->query(
47 "SELECT
48 categories.*,
49 COUNT(products.id) AS product_count
50 FROM categories
51 LEFT JOIN products
52 ON categories.id = products.category_id
53 GROUP BY categories.id
54 ORDER BY categories.category_name ASC"
55 )->fetchAll(PDO::FETCH_ASSOC);
56 require_once "includes/header.php";
57 ?>
58 <div class="page-header">
59 <div>
60 <p class="page-label">
61 ORGANIZATION
62 </p>
63 <h1>Categories</h1>
64 <p class="page-description">
```


The screenshot shows the VS Code editor with the `categories.php` file open. The Explorer sidebar on the left shows the project structure, including `assets`, `css`, `images`, `js`, `config`, `database`, `includes`, and various PHP files. The main editor displays the following PHP code:

```
1 <?php
2 require_once "includes/auth_check.php";
3 require_once "config/database.php";
4 $page_title = "Categories | Twisted Threads";
5 $error = "";
6 if ($_SERVER["REQUEST_METHOD"] === "POST") {
7     $category_name = trim(
8         $_POST["category_name"]
9     );
10    if (empty($category_name)) {
11        $error = "Please enter a category name.";
12    } else {
13        try {
14            $stmt = $pdo->prepare(
15                "INSERT INTO categories (category_name)
16                 VALUES (?)"
17            );
18            $stmt->execute([$category_name]);
19            header(
20                "Location: categories.php?success=added"
21            );
22            exit();
23        } catch (PDOException $e) {
24            $error =
25                "This category already exists.";
26        }
27    }
28 }
29 if (
30     isset($_GET["delete"])
31 ) {
32     $id = (int) $_GET["delete"];
33     try {
```

The status bar at the bottom indicates the cursor is at line 1, column 6, with 4 spaces, UTF-8 encoding, CRLF line endings, and the PHP language mode.

The screenshot shows the VS Code editor with the `dashboard.php` file open. The Explorer sidebar on the left shows the project structure, including `assets`, `css`, `images`, `js`, `config`, `database`, `includes`, and various PHP files. The main editor displays the following PHP code:

```
61 <div class="dashboard-layout">
122 <main class="main-content">
266 <section class="dashboard-section">
277 <div class="activity-box">
278 <?php if (empty($activities)): ?>
333 <div class="empty-activity">
334 <p>
335     Your recent inventory activity
336     will appear here.
337 </p>
338 <?php endif; ?>
339 </div>
340 </section>
341 </main>
342 </div>
343 </body>
344 </html>
355
```

The status bar at the bottom indicates the cursor is at line 355, column 1, with 4 spaces, UTF-8 encoding, CRLF line endings, and the PHP language mode.

```
login.php X products.php X edit_product.php X delete_product.php X dashboard.php X
dashboard.php
61 <div class="dashboard-layout">
122 <main class="main-content">
266 <section class="dashboard-section">
277 <div class="activity-box">
278 <?php if (empty($activities)): ?>
323 <p>
324 <?php
325 echo htmlspecialchars(
326 $activity["description"]
327 );
328 ?>
329 </p>
330 <small>
331 <?php
332 echo date(
333 "M d, Y * h:i A",
334 strtotime(
335 $activity["created_at"]
336 );
337 );
338 ?>
339 </small>
340 </div>
341 </div>
342 <?php endforeach; ?>
343 <?php else: ?>
344 <p class="empty-activity">
345 Your recent inventory activity
346 will appear here.
347 </p>
348 <?php endif; ?>
349 </div>
350 </section>
```

```
login.php X products.php X edit_product.php X delete_product.php X dashboard.php X
dashboard.php
61 <div class="dashboard-layout">
122 <main class="main-content">
266 <section class="dashboard-section">
277 <div class="activity-box">
278 <?php if (empty($activities)): ?>
296 echo "<";
297 } elseif (
298 strpos(
299 $activity["activity_type"],
300 "update"
301 ) !== false ||
302 strpos(
303 $activity["activity_type"],
304 "edit"
305 ) !== false
306 ) {
307 echo "<";
308 } else {
309 echo "<";
310 }
311 ?>
312 </div>
313 <div class="activity-content">
314 <strong>
315 <?php
316 echo htmlspecialchars(
317 $activity["activity_type"]
318 );
319 ?>
320 </strong>
321 <p>
```

```
File Edit Selection View Go ... twisted_threads_inventory Sign In

login.php X products.php X edit_product.php X delete_product.php X dashboard.php X

twisted_threads_inventory
├── assets
├── css
│   └── style.css
├── images
├── js
├── config
├── database
├── includes
│   ├── auth_check.php
│   ├── footer.php
│   ├── header.php
│   ├── uploads
│   ├── activity.php
│   ├── add_product.php
│   ├── categories.php
│   └── dashboard.php
│       ├── delete_product.php
│       ├── edit_product.php
│       ├── index.php
│       ├── inventory.php
│       ├── login.php
│       ├── logout.php
│       ├── products.php
│       └── register.php
├── Outline
└── Timeline

61 <div class="dashboard-layout">
122 <main class="main-content">
266 <section class="dashboard-section">
267 <div class="section-heading">
268 <div>
269 <p class="page-label">
270 RECENT UPDATES
271 </p>
272 <h2>
273 Inventory activity
274 </h2>
275 </div>
276 </div>
277 <div class="activity-box">
278 <?php if (empty($activities)): ?>
279 <?php foreach ($activities as $activity): ?>
280 <div class="activity-item">
281 <div class="activity-icon">
282 <?php
283 if (
284     strpos(
285         $activity["activity_type"],
286         "add"
287     ) != false
288 ) {
289     echo "+";
290 } elseif (
291     strpos(
292         $activity["activity_type"],
293         "delete"
294     ) != false
295 ) {
296     echo "-";
```

```
File Edit Selection View Go Run ... twisted_threads_inventory Sign In

login.php X products.php X edit_product.php X delete_product.php X dashboard.php X

twisted_threads_inventory
├── assets
├── css
│   └── style.css
├── images
├── js
├── config
├── database
├── includes
│   ├── auth_check.php
│   ├── footer.php
│   ├── header.php
│   ├── uploads
│   ├── activity.php
│   ├── add_product.php
│   ├── categories.php
│   └── dashboard.php
│       ├── delete_product.php
│       ├── edit_product.php
│       ├── index.php
│       ├── inventory.php
│       ├── login.php
│       ├── logout.php
│       ├── products.php
│       └── register.php
├── Outline
└── Timeline

61 <div class="dashboard-layout">
122 <main class="main-content">
210 <section class="dashboard-section">
221 <div class="quick-actions">
235 <a href="products.php">
240 <h3>
241 View Products
242 </h3>
243 <p>
244 View, edit and manage
245 all your crochet products.
246 </p>
247 </a>
248 <a href="categories.php">
249 <div class="action-box">
250 <div class="action-symbol">
251 <div>
252 </div>
253 <h3>
254 Categories
255 </h3>
256 <p>
257 Organize your products
258 into different categories.
259 </p>
260 </a>
261 </div>
262 </section>
263 <!-- =====
264 RECENT ACTIVITY
265 ===== -->
266 <section class="dashboard-section">
267 <div class="section-heading">
```

twisted_threads_inventory

login.php X products.php X edit_product.php X delete_product.php X dashboard.php X

twisted_threads_inventory

- assets
- css
 - style.css
- images
- js
- config
- database
- includes
 - auth_check.php
 - footer.php
 - header.php
 - uploads
- activity.php
- add_product.php
- categories.php
- dashboard.php
- delete_product.php
- edit_product.php
- index.php
- inventory.php
- login.php
- logout.php
- products.php
- register.php

Outline

Timeline

```
61 <div class="dashboard-layout">
122 <main class="main-content">
210 <section class="dashboard-section">
211 <div class="section-heading">
212 <div>
213 <p class="page-label">
214 QUICK ACTIONS
215 </p>
216 <h2>
217 Manage your inventory
218 </h2>
219 </div>
220 </div>
221 <div class="quick-actions">
222 <a href="add_product.php"
223 class="action-box">
224 <div class="action-symbol">
225 +
226 </div>
227 <h3>
228 Add Product
229 </h3>
230 <p>
231 Add a new handmade item
232 to your inventory.
233 </p>
234 </a>
235 <a href="products.php"
236 class="action-box">
237 <div class="action-symbol">
238
239 </div>
240 <h3>
```

Ln 235, Col 19 Spaces: 4 UTF-8 CRLF {} PHP Go Live Prettier

twisted_threads_inventory

login.php X products.php X edit_product.php X delete_product.php X dashboard.php X

twisted_threads_inventory

- assets
- css
 - style.css
- images
- js
- config
- database
- includes
 - auth_check.php
 - footer.php
 - header.php
 - uploads
- activity.php
- add_product.php
- categories.php
- dashboard.php
- delete_product.php
- edit_product.php
- index.php
- inventory.php
- login.php
- logout.php
- products.php
- register.php

Outline

Timeline

```
61 <div class="dashboard-layout">
122 <main class="main-content">
145 <section class="stats-grid">
176 <div class="stat-card warning-card">
180 <div>
183 </p>
184 <h2>
185 <?php
186 echo $low_stock;
187 <?>
188 </h2>
189 </div>
190 </div>
191 <div class="stat-card danger-card">
192 <div class="stat-icon">
193
194 </div>
195 <div>
196 <p>
197 Out of Stock
198 </p>
199 <h2>
200 <?php
201 echo $out_of_stock;
202 <?>
203 </h2>
204 </div>
205 </div>
206 </section>
207 <!-- =====
208 QUICK ACTIONS
209 ===== -->
210 <section class="dashboard-section">
```

Ln 183, Col 25 Spaces: 4 UTF-8 CRLF {} PHP Go Live Prettier

```
File Edit Selection View Go Run ... twisted_threads_inventory Sign In
login.php X products.php X edit_product.php X delete_product.php X dashboard.php X
twisted_threads_inventory
  assets
  css
    style.css
  images
  js
  config
  database
  includes
    auth_check.php
    footer.php
    header.php
    uploads
    activity.php
    add_product.php
    categories.php
    dashboard.php
    delete_product.php
    edit_product.php
    index.php
    inventory.php
    login.php
    logout.php
    products.php
    register.php
  Outline
  Timeline
dashboard.php
61 <div class="dashboard-layout">
122 <main class="main-content">
145 <section class="stats-grid">
146 <div class="stat-card">
150 <div>
155 <?php
156 echo $total_products;
157 ?>
158 </h2>
159 </div>
160 </div>
161 <div class="stat-card">
162 <div class="stat-icon">
163 <div>
164 </div>
165 <div>
166 <p>
167 Categories
168 </p>
169 <h2>
170 <?php
171 echo $total_categories;
172 ?>
173 </h2>
174 </div>
175 </div>
176 <div class="stat-card warning-card">
177 <div class="stat-icon">
178 <div>
179 </div>
180 <div>
181 <p>
182 Low Stock
```

```
File Edit Selection View Go Run ... twisted_threads_inventory Sign In
login.php X products.php X edit_product.php X delete_product.php X dashboard.php X
twisted_threads_inventory
  assets
  css
    style.css
  images
  js
  config
  database
  includes
    auth_check.php
    footer.php
    header.php
    uploads
    activity.php
    add_product.php
    categories.php
    dashboard.php
    delete_product.php
    edit_product.php
    index.php
    inventory.php
    login.php
    logout.php
    products.php
    register.php
  Outline
  Timeline
dashboard.php
61 <div class="dashboard-layout">
122 <main class="main-content">
124 <div class="top-section">
125 <div>
126 <p class="page-label">
128 </p>
129 <h1>
130 Inventory Dashboard
131 </h1>
132 <p class="page-description">
133 Keep track of your handmade creations
134 and manage your stock in one place.
135 </p>
136 </div>
137 <a href="add_product.php"
138 class="add-product-btn">
139 + Add New Product
140 </a>
141 </div>
142 <!-- =====
143 STATISTICS
144 ===== -->
145 <section class="stats-grid">
146 <div class="stat-card">
147 <div class="stat-icon">
148 <div>
149 </div>
150 <div>
151 <p>
152 Total Products
153 </p>
154 <h2>
155 <?php
```

twisted_threads_inventory

login.php X products.php X edit_product.php X delete_product.php X dashboard.php X

twisted_threads_inventory

- assets
 - css
 - style.css
 - images
 - js
 - config
 - database
 - includes
 - auth_check.php
 - footer.php
 - header.php
 - uploads
 - activity.php
 - add_product.php
 - categories.php
 - dashboard.php
 - delete_product.php
 - edit_product.php
 - index.php
 - inventory.php
 - login.php
 - logout.php
 - products.php
 - register.php
- Outline
- Timeline

```
61 <div class="dashboard-layout">
62 <div class="sidebar">
63 <div class="sidebar-nav">
64 <a href="#">
65 </a>
66 <a href="activity.php"
67 class="nav-link">
68 <span>Activity</span>
69 </a>
70 </div>
71 <div class="sidebar-bottom">
72 <p>
73 Logged in as
74 </p>
75 <strong>
76 <?php
77 echo htmlspecialchars(
78 $_SESSION["user_name"]
79 );
80 </strong>
81 <a href="logout.php"
82 class="logout-link">
83 Logout
84 </a>
85 </div>
86 </div>
87 </div>
88 <!-- =====
89 MAIN CONTENT
90 ===== -->
91 <main class="main-content">
92 <!-- TOP SECTION -->
93 <div class="top-section">
```

Ln 119, Col 7 Spaces: 4 UTF-8 CRLF {} PHP Go Live Prettier

twisted_threads_inventory

login.php X products.php X edit_product.php X delete_product.php X dashboard.php X

twisted_threads_inventory

- assets
 - css
 - style.css
 - images
 - js
 - config
 - database
 - includes
 - auth_check.php
 - footer.php
 - header.php
 - uploads
 - activity.php
 - add_product.php
 - categories.php
 - dashboard.php
 - delete_product.php
 - edit_product.php
 - index.php
 - inventory.php
 - login.php
 - logout.php
 - products.php
 - register.php
- Outline
- Timeline

```
61 <div class="dashboard-layout">
62 <div class="sidebar">
63 <div class="sidebar-brand">
64 
67 <div>
68 <h2>Twisted</h2>
69 <span>THREADS</span>
70 </div>
71 </div>
72 <div class="sidebar-nav">
73 <a href="dashboard.php"
74 class="nav-link active">
75 <span>Dashboard</span>
76 </a>
77 <a href="products.php"
78 class="nav-link">
79 <span>Products</span>
80 </a>
81 <a href="categories.php"
82 class="nav-link">
83 <span>Categories</span>
84 </a>
85 <a href="inventory.php"
86 class="nav-link">
87 <span>Inventory</span>
88 </a>
89 </div>
90 </div>
91 </div>
```

Ln 90, Col 7 Spaces: 4 UTF-8 CRLF {} PHP Go Live Prettier

```
File Edit Selection View Go Run ... twisted_threads_inventory Sign In

login.php X products.php X edit_product.php X delete_product.php X dashboard.php X

twisted_threads_inventory
├── assets
│   ├── css
│   │   └── style.css
│   ├── images
│   ├── js
│   ├── config
│   ├── database
│   └── includes
│       ├── auth_check.php
│       ├── footer.php
│       ├── header.php
│       └── uploads
│           ├── activity.php
│           ├── add_product.php
│           ├── categories.php
│           ├── dashboard.php
│           ├── delete_product.php
│           ├── edit_product.php
│           ├── index.php
│           ├── inventory.php
│           ├── login.php
│           ├── logout.php
│           ├── products.php
│           └── register.php
├── Outline
└── Timeline

dashboard.php
12 try {
13     if (isset($_SESSION["user_id"])) {
14         $activityStmt = $pdo->prepare(
15             "SELECT activity_type, description, created_at
16             FROM inventory_activity
17             WHERE user_id = ?
18             ORDER BY created_at DESC
19             LIMIT 5"
20         );
21         $activityStmt->execute([
22             $_SESSION["user_id"]
23         ]);
24         $activities = $activityStmt->fetchAll(PDO::FETCH_ASSOC);
25     }
26 } catch (PDOException $e) {
27     $database_error = $e->getMessage();
28 }
29 }
30 <!DOCTYPE html>
31 <html lang="en">
32 <head>
33     <meta charset="UTF-8">
34     <meta name="viewport"
35         content="width=device-width, initial-scale=1.0">
36     <title>Dashboard | Twisted Threads</title>
37     <link rel="stylesheet"
38         href="assets/css/style.css">
39 </head>
40 <body>
41 <div class="dashboard-layout">
42     <!-- =====
43     SIDEBAR
```

```
File Edit Selection View Go Run ... twisted_threads_inventory Sign In

login.php X products.php X edit_product.php X delete_product.php X dashboard.php X

twisted_threads_inventory
├── assets
│   ├── css
│   │   └── style.css
│   ├── images
│   ├── js
│   ├── config
│   ├── database
│   └── includes
│       ├── auth_check.php
│       ├── footer.php
│       ├── header.php
│       └── uploads
│           ├── activity.php
│           ├── add_product.php
│           ├── categories.php
│           ├── dashboard.php
│           ├── delete_product.php
│           ├── edit_product.php
│           ├── index.php
│           ├── inventory.php
│           ├── login.php
│           ├── logout.php
│           ├── products.php
│           └── register.php
├── Outline
└── Timeline

dashboard.php
1 <?php
2 error_reporting(E_ALL);
3 ini_set('display_errors', 1);
4 session_start();
5 require_once "includes/auth_check.php";
6 require_once "config/database.php";
7 $total_products = 0;
8 $total_categories = 0;
9 $low_stock = 0;
10 $out_of_stock = 0;
11 $activities = [];
12 try {
13     /* =====
14     DASHBOARD STATISTICS
15     ===== */
16     $stmt = $pdo->query("SELECT COUNT(*) FROM products");
17     $total_products = $stmt->fetchColumn();
18     $stmt = $pdo->query("SELECT COUNT(*) FROM categories");
19     $total_categories = $stmt->fetchColumn();
20     $stmt = $pdo->query(
21         "SELECT COUNT(*)
22         FROM products
23         WHERE quantity > 0 AND quantity <= 5"
24     );
25     $low_stock = $stmt->fetchColumn();
26     $stmt = $pdo->query(
27         "SELECT COUNT(*)
28         FROM products
29         WHERE quantity = 0"
30     );
31     $out_of_stock = $stmt->fetchColumn();
32
33     if (isset($_SESSION["user_id"])) {
```



```
login.php X products.php X edit_product.php X delete_product.php X
delete_product.php
16 $product = $stmt->fetch(PDO::FETCH_ASSOC);
17 if ($product) {
18     $delete = $pdo->prepare(
19         "DELETE FROM products WHERE id = ?"
20     );
21     $delete->execute([$id]);
22     if (
23         !empty($product["image"]) &&
24         file_exists("uploads/" . $product["image"])
25     ) {
26         unlink("uploads/" . $product["image"]);
27     }
28     $activity = $pdo->prepare(
29         "INSERT INTO inventory_activity
30         (user_id, activity_type, description)
31         VALUES (?, ?, ?)"
32     );
33     $activity->execute([
34         $_SESSION["user_id"],
35         "Product Deleted",
36         $product["product_name"] .
37         " was deleted from inventory."
38     ]);
39 }
40 header("Location: products.php?success=deleted");
41 exit();
42 }
43 }
```


```
login.php X products.php X edit_product.php X delete_product.php X
products.php
1 <?php
2 require_once "includes/auth_check.php";
3 require_once "config/database.php";
4 if (!isset($_GET["id"])) {
5     header("Location: products.php");
6     exit();
7 }
8 $id = (int) $_GET["id"];
9 $stmt = $pdo->prepare(
10     "SELECT product_name, image
11     FROM products
12     WHERE id = ?"
13 );
14 $stmt->execute([$id]);
15 $product = $stmt->fetch(PDO::FETCH_ASSOC);
16 if ($product) {
17     $delete = $pdo->prepare(
18         "DELETE FROM products WHERE id = ?"
19     );
20     $delete->execute([$id]);
21     if (
22         !empty($product["image"]) &&
23         file_exists("uploads/" . $product["image"])
24     ) {
25         unlink("uploads/" . $product["image"]);
26     }
27     $activity = $pdo->prepare(
28         "INSERT INTO inventory_activity
29         (user_id, activity_type, description)
30         VALUES (?, ?, ?)"
31     );
32     $activity->execute([
33         $_SESSION["user_id"],
34         "Product Deleted",
35         $product["product_name"] .
36         " was deleted from inventory."
37     ]);
38 }
39 header("Location: products.php?success=deleted");
40 exit();
41 }
```

```
File Edit Selection View Go Run ... twisted_threads_inventory Sign In
edit_product.php X
edit_product.php
135 <div class="form-card">
141 <form method="POST">
144 <div class="form-grid">
174 <div class="input-group">
182 </div>
183 </div>
184 <div class="input-group">
185 <label>Description</label>
186 <textarea name="description"
187 rows="5"><?php echo htmlspecialchars($product["description"]) ?? "></text
188 </div>
189 <?php if (!empty($product["image"])): ?>
190 <div class="current-image">
191 <p>Current Image</p>
192 "
193 alt="Current Product Image">
194 </div>
195 <?php endif; ?>
196 <div class="input-group">
197 <label>Change Product Image</label>
198 <input type="file"
199 name="image"
200 accept=".jpg,.jpeg,.png,.webp">
201 </div>
202 <button type="submit"
203 class="main-button form-submit">
204 Update Product
205 </button>
206 </form>
207 </div>
208 <?php require_once "includes/footer.php"; ?>
```


```
File Edit Selection View Go Run ... twisted_threads_inventory Sign In
edit_product.php X
edit_product.php
135 <div class="form-card">
141 <form method="POST">
144 <div class="form-grid">
152 <div class="input-group">
154 <select name="category_id"
155 required>
156 <?php foreach ($categories as $category): ?>
157 <option value="<?php echo $category["id"]; ?>"
158 <?php echo $product["category_id"] == $category["id"] ? "selected" : ">
159 <?php echo htmlspecialchars(
160 $category["category_name"]
161 ); ?>
162 </option>
163 <?php endforeach; ?>
164 </select>
165 </div>
166 <div class="input-group">
167 <label>Quantity *</label>
168 <input type="number"
169 name="quantity"
170 min="0"
171 value="<?php echo $product["quantity"]; ?>"
172 required>
173 </div>
174 <div class="input-group">
175 <label>Price (PKR) *</label>
176 <input type="number"
177 name="price"
178 min="0"
179 step="0.01"
180 value="<?php echo $product["price"]; ?>"
181 required>
182 </div>
```

```
edit_product.php
120 <div class="page-header">
121 <div>
122 <p class="page-label">
123 </p>
124 <h1>Edit Product</h1>
125 <p class="page-description">
126 Update your crochet product details.
127 </p>
128 </div>
129 </div>
130 <a href="products.php"
131 class="secondary-button">
132 + Back to Products
133 </a>
134 </div>
135 <div class="form-card">
136 <?php if (!empty($error)): ?>
137 <div class="error-message">
138 <?php echo htmlspecialchars($error); ?>
139 </div>
140 <?php endif; ?>
141 <form method="POST"
142 enctype="multipart/form-data"
143 class="product-form">
144 <div class="form-grid">
145 <div class="input-group">
146 <label>Product Name *</label>
147 <input type="text"
148 name="product_name"
149 value="<?php echo htmlspecialchars($product["product_name"]); ?>"
150 required>
151 </div>
152 <div class="input-group">
153 <label>Category *</label>
```

```
edit_product.php
23 if ($_SERVER["REQUEST_METHOD"] === "POST") {
39 } else {
84 $update = $pdo->prepare(
85     SET
86     WHERE id = ?"
87 );
88 $update->execute([
89     $product_name,
90     $category_id,
91     $description,
92     $quantity,
93     $price,
94     $image_name,
95     $id
96 ]);
97 $activity = $pdo->prepare(
98     "INSERT INTO inventory_activity
99     (user_id, activity_type, description)
100     VALUES (?, ?, ?)"
101 );
102 $activity->execute([
103     $_SESSION["user_id"],
104     "Product Updated",
105     $product_name . " was updated."
106 ]);
107 header("Location: products.php?success=updated");
108 exit();
109 }
110 require_once "includes/header.php";
111 ?>
112 <div class="page-header">
113 <div>
```



```
edit_product.php
23 if ($_SERVER["REQUEST_METHOD"] === "POST") {
39 } else {
43 }
55 } {
64 if (
65     move_uploaded_file(
66         $_FILES["image"]["tmp_name"],
67         "uploads/" . $new_image
68     )
69 ) {
70     if (
71         !empty($product["image"]) &&
72         file_exists(
73             "uploads/" . $product["image"]
74         )
75     ) {
76         unlink(
77             "uploads/" . $product["image"]
78         );
79     }
80     $image_name = $new_image;
81 }
82 }
83 }
84 $update = $pdo->prepare(
85     "UPDATE products
86     SET
87     product_name = ?,
88     category_id = ?,
89     description = ?,
90     quantity = ?,
91     price = ?,
92     image = ?
```



```
edit_product.php
23 if ($_SERVER["REQUEST_METHOD"] === "POST") {
30 if (
34     $price === ""
35 ) {
36 }
37 $error = "Please fill in all required fields.";
38 } else {
39 }
40 if (
41     isset($_FILES["image"]) &&
42     $_FILES["image"]["error"] === 0
43 ) {
44     $allowed_types = [
45         "image/jpeg",
46         "image/png",
47         "image/jpg",
48         "image/webp"
49     ];
50     if (
51         in_array(
52             $_FILES["image"]["type"],
53             $allowed_types
54         )
55     ) {
56         $extension = pathinfo(
57             $_FILES["image"]["name"],
58             PATHINFO_EXTENSION
59         );
60         $new_image =
61             time() . "_" .
62             uniqid() . "." .
63             $extension;
64         if (
```

The screenshot shows the VS Code editor with the file explorer on the left displaying the project structure of 'twisted_threads_inventory'. The file 'edit_product.php' is selected. The main editor area shows the PHP code for this file, which includes database connection, session management, and logic for editing a product. The status bar at the bottom indicates 'Ln 1, Col 6', 'Spaces: 4', 'UTF-8', 'CRLF', and 'PHP'.

```
1 <?php
2 require_once "includes/auth_check.php";
3 require_once "config/database.php";
4 $page_title = "Edit Product | Twisted Threads";
5 if (!isset($_GET["id"])) {
6     header("Location: products.php");
7     exit();
8 }
9 $id = (int) $_GET["id"];
10 $stmt = $pdo->prepare(
11     "SELECT * FROM products WHERE id = ?"
12 );
13 $stmt->execute([$id]);
14 $product = $stmt->fetch(PDO::FETCH_ASSOC);
15 if (!$product) {
16     header("Location: products.php");
17     exit();
18 }
19 $categories = $pdo->query(
20     "SELECT * FROM categories ORDER BY category_name ASC"
21 )->fetchAll(PDO::FETCH_ASSOC);
22 $error = "";
23 if ($_SERVER["REQUEST_METHOD"] === "POST") {
24     $product_name = trim($_POST["product_name"]);
25     $category_id = $_POST["category_id"];
26     $description = trim($_POST["description"]);
27     $quantity = $_POST["quantity"];
28     $price = $_POST["price"];
29     $image_name = $product["image"];
30     if (
31         empty($product_name) ||
32         empty($category_id) ||
33         $quantity === "" ||
```

The screenshot shows the VS Code editor with the file explorer on the left displaying the project structure of 'twisted_threads_inventory'. The file 'register.php' is selected. The main editor area shows the HTML code for this file, which includes a registration form and links to login and sign in. The status bar at the bottom indicates 'Ln 187, Col 8', 'Spaces: 4', 'UTF-8', 'CRLF', and 'PHP'.


```
88 <body class="auth-body">
89 <div class="auth-page">
107 <div class="form-side">
109 <div class="form-box">
123 <form method="POST">
165
166
167 <button type="submit"
168     class="main-button">
169     Create Account
170 </button>
171 </form>
172
173 <p class="switch-text">
174     Already have an account?
175     <a href="login.php">
176     Sign in
177     </a>
178 </p>
179 </div>
180 </div>
181 </div>
182 </div>
183 </div>
184 </div>
185 </div>
186 </body>
187 </html>
```

```
register.php
88 <body class="auth-body">
89 <div class="auth-page">
107 <div class="form-side">
109 <div class="form-box">
123 <form method="POST"
153 >
154 </div>
155
156 <div class="input-group">
157 <label>Confirm Password</label>
158
159 <input
160 <type="password"
161 <name="confirm_password"
162 <required
163 >
164 </div>
165
166 <button type="submit"
167 <class="main-button">
168 <Create Account
169 </button>
170
171 </form>
172
173 <p class="switch-text">
174 <Already have an account?
175 <a href="login.php">
176 <Sign in
177 </a>
178 </p>
179
180 </div>
```


```
register.php
88 <body class="auth-body">
89 <div class="auth-page">
107 <div class="form-side">
109 <div class="form-box">
123 <form method="POST"
125 >
126 <div class="input-group">
127 <label>Full Name</label>
128
129 <input
130 <type="text"
131 <name="full_name"
132 <required
133 >
134 </div>
135
136 <div class="input-group">
137 <label>Email Address</label>
138
139 <input
140 <type="email"
141 <name="email"
142 <required
143 >
144 </div>
145
146 <div class="input-group">
147 <label>Password</label>
148
149 <input
150 <type="password"
151 <name="password"
152 <required
```

```
register.php
<body class="auth-body">
  <div class="auth-page">
    <div class="brand-side">
      
      <h1>Twisted Threads</h1>
    <p>
      Your handmade creations deserve
      an organized workspace.
    </p>
    <div class="form-side">
      <div class="form-box">
        <p class="small-heading">
          CREATE ACCOUNT
        <h2>Join your workspace</h2>
        <?php if (!empty($error)): ?>
          <div class="error-message">
            <?php echo htmlspecialchars($error); ?>
          </div>
        <?php endif; ?>
        <form method="POST"
          action="register.php">
```

```
register.php
7  if ($_SERVER["REQUEST_METHOD"] === "POST") {
35  } else {
47  } else {
64  ];
65  ];
66  header("Location: login.php");
67  exit();
68  }
69  }
70  }
71  ?>
72
73  <!DOCTYPE html>
74  <html lang="en">
75
76  <head>
77    <meta charset="UTF-8">
78
79    <meta name="viewport"
80      content="width=device-width, initial-scale=1.0">
81
82    <title>Register | Twisted Threads</title>
83
84    <link rel="stylesheet"
85      href="assets/css/style.css">
86  </head>
87
88  <body class="auth-body">
89
90  <div class="auth-page">
91
92  <div class="brand-side">
```

```
register.php
7  if ($_SERVER["REQUEST_METHOD"] === "POST") {
31  } elseif ($password !== $confirm_password) {
33      $error = "Passwords do not match.";
34  } else {
36
37      $check = $pdo->prepare(
38          "SELECT id FROM users WHERE email = ?"
39      );
40
41      $check->execute([$email]);
42
43      if ($check->fetch()) {
44
45          $error = "An account with this email already exists.";
46
47      } else {
48
49          $hashed_password = password_hash(
50              $password,
51              PASSWORD_DEFAULT
52          );
53
54          $stmt = $pdo->prepare(
55              "INSERT INTO users
56              (full_name, email, password)
57              VALUES (?, ?, ?)"
58          );
59
60          $stmt->execute([
61              $full_name,
62              $email,
63              $hashed_password
```



```
register.php
1  <?php
2  session_start();
3  require_once "config/database.php";
4
5  $error = "";
6
7  if ($_SERVER["REQUEST_METHOD"] === "POST") {
8
9      $full_name = trim($_POST["full_name"]);
10     $email = trim($_POST["email"]);
11     $password = $_POST["password"];
12     $confirm_password = $_POST["confirm_password"];
13
14     if (
15         empty($full_name) ||
16         empty($email) ||
17         empty($password) ||
18         empty($confirm_password)
19     ) {
20
21         $error = "Please fill in all fields.";
22
23     } elseif (!filter_var($email, FILTER_VALIDATE_EMAIL)) {
24
25         $error = "Please enter a valid email address.";
26
27     } elseif (strlen($password) < 8) {
28
29         $error = "Password must be at least 8 characters long.";
30
31     } elseif ($password !== $confirm_password) {
32
33         $error = "Passwords do not match.";
```


twisted_threads_inventory

login.php X products.php X

products.php

```
104 <div class="table-card">
105 <div class="table-responsive">
106 <table>
107 <tbody>
108 <?php if (count($products) > 0): ?>
109
110 </div>
111 </td>
112 <td>
113 <strong>
114 <?php echo htmlspecialchars(
115     $product["product_name"]
116 ); ?>
117 </strong>
118 </td>
119 <td>
120 <?php echo htmlspecialchars(
121     $product["category_name"]
122 ); ?>
123 </td>
124 <td>
125 Rs. <?php echo number_format(
126     $product["price"],
127     2
128 ); ?>
129 </td>
130 <td>
131 <?php echo $product["quantity"]; ?>
132 </td>
133 <td>
134 <?php if ($product["quantity"] == 0): ?>
```

Ln 129, Col 6 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier

twisted_threads_inventory

login.php X products.php X

products.php

```
74 <div class="filter-card">
75 <form method="GET">
76 <a href="products.php"
77     class="clear-button">
78     Clear
79 </a>
80 </form>
81 </div>
82 <div class="table-card">
83 <div class="table-responsive">
84 <table>
85 <thead>
86 <tr>
87 <th>Image</th>
88 <th>Product</th>
89 <th>Category</th>
90 <th>Price</th>
91 <th>Quantity</th>
92 <th>Stock Status</th>
93 <th>Actions</th>
94 </tr>
95 </thead>
96 <tbody>
97 <?php if (count($products) > 0): ?>
98 <?php foreach ($products as $product): ?>
99 <tr>
100 <td>
101 <?php if (!empty($product["image"]): ?>
102 
106 <td>
107 <?php else: ?>
108 <div class="no-image">
```


Ln 123, Col 6 Spaces: 4 UTF-8 CRLF PHP Go Live Prettier

```
File Edit Selection View Go Run ... twisted_threads_inventory
login.php X products.php X

products.php
64 <?php if (isset($_GET["success"]) && $_GET["success"] === "updated"): ?>
65 </div>
66 <?php endif; ?>
67 <?php if (isset($_GET["success"]) && $_GET["success"] === "deleted"): ?>
68 <div class="success-message">
69     Product deleted successfully!
70 </div>
71 <?php endif; ?>
72 <div class="filter-card">
73     <form method="GET"
74         class="filter-form">
75         <input type="text"
76             name="search"
77             placeholder="Search products..."
78             value="<?php echo htmlspecialchars($search); ?>"
79         >
80         <select name="category">
81             <option value="">
82                 All Categories
83             </option>
84             <?php foreach ($categories as $category): ?>
85                 <option value="<?php echo $category["id"]; ?>"
86                     <?php echo $category_filter == $category["id"] ? "selected" : ""; ?>
87                     <?php echo htmlspecialchars(
88                         $category["category_name"]
89                     ); ?>
90                 </option>
91             </?php endforeach; ?>
92         </select>
93         <button type="submit"
94             class="filter-button">
95             Search
96         </button>
97         <a href="products.php"
98
```


```
File Edit Selection View Go Run ... twisted_threads_inventory
login.php X products.php X

products.php
30 if (!empty($category_filter)) {
31     $params[] = $category_filter;
32 }
33 $sql .= "
34     ORDER BY products.created_at DESC
35 ";
36 $stmt = $pdo->prepare($sql);
37 $stmt->execute($params);
38 $products = $stmt->fetchAll(PDO::FETCH_ASSOC);
39 require_once "includes/header.php";
40 ?>
41 <div class="page-header">
42     <div>
43         <p class="page-label">
44             PRODUCT MANAGEMENT
45         </p>
46         <h1>Products</h1>
47         <p class="page-description">
48             View and manage all your crochet products.
49         </p>
50         <a href="add_product.php"
51             class="add-product-btn">
52             + Add New Product
53         </a>
54     </div>
55 <?php if (isset($_GET["success"]) && $_GET["success"] === "added"): ?>
56     <div class="success-message">
57         Product added successfully!
58     </div>
59 <?php endif; ?>
60 <?php if (isset($_GET["success"]) && $_GET["success"] === "updated"): ?>
61     <div class="success-message">
62
```




The screenshot shows the Visual Studio Code editor with a project named "twisted_threads_inventory". The Explorer sidebar on the left lists the project structure, including folders like "assets", "css", "images", "js", "config", "database", and "includes", and various PHP files. The "products.php" file is selected and open in the main editor. The code in "products.php" is as follows:

```
1 <?php
2 require_once "includes/auth_check.php";
3 require_once "config/database.php";
4 $page_title = "Products | Twisted Threads";
5 $search = trim($_GET["search"] ?? "");
6 $category_filter = $_GET["category"] ?? "";
7 $categories = $pdo->query(
8     "SELECT * FROM categories ORDER BY category_name ASC"
9 )->fetchAll(PDO::FETCH_ASSOC);
10 $sql = "
11     SELECT
12         products.*,
13         categories.category_name
14     FROM products
15     JOIN categories
16         ON products.category_id = categories.id
17     WHERE 1=1
18 ";
19 $params = [];
20 if (!empty($search)) {
21     $sql .= "
22         AND (
23             products.product_name LIKE ?
24             OR products.description LIKE ?
25         )
26 ";
27     $params[] = "%$search%";
28     $params[] = "%$search%";
29 }
30 if (!empty($category_filter)) {
31     $sql .= "
32         AND products.category_id = ?
33     ";
34     $params[] = $category_filter;
35 }
```




The screenshot shows the Visual Studio Code editor with the same project "twisted_threads_inventory". The "logout.php" file is now selected and open in the main editor. The code in "logout.php" is as follows:

```
1 <?php
2 session_start();
3
4 $_SESSION = [];
5
6 session_unset();
7 session_destroy();
8
9 header("Location: login.php");
10 exit();
11 <?>
```



```
login.php X
login.php
53 <body class="auth-body">
55 <div class="auth-page">
73 <div class="form-side">
75 <div class="form-box">
89 <form method="POST"
113
114 <button type="submit"
115 class="main-button">
116 Sign In
117 </button>
118
119 </form>
120
121 <p class="switch-text">
122 New to Twisted Threads?
123 <a href="register.php">
124 Create an account
125 </a>
126 </p>
127
128 </div>
129
130 </div>
131
132 </div>
133
134 </body>
135 </html>
```



```
login.php X
login.php
53 <body class="auth-body">
55 <div class="auth-page">
73 <div class="form-side">
75 <div class="form-box">
89 <form method="POST"
95 <input
96 type="email"
97 name="email"
98 placeholder="Enter your email"
99 required
100 >
101 </div>
102
103 <div class="input-group">
104 <label>Password</label>
105
106 <input
107 type="password"
108 name="password"
109 placeholder="Enter your password"
110 required
111 >
112 </div>
113
114 <button type="submit"
115 class="main-button">
116 Sign In
117 </button>
118
119 </form>
120
121 <p class="switch-text">
122 New to Twisted Threads?
```

```
login.php X
login.php
53 <body class="auth-body">
55 <div class="auth-page">
57 <div class="brand-side">
65 <p>
66 Manage your handmade creations,
67 track your inventory, and keep every
68 thread organized.
69 </p>
70 </div>
71 <div class="form-side">
72 <div class="form-box">
73 <p class="small-heading">
74 WELCOME BACK
75 </p>
76 <h2>Sign in to your workspace</h2>
77 <?php if (empty($error)): ?>
78 <div class="error-message">
79 <?php echo htmlspecialchars($error); ?>
80 </div>
81 <?php endif; ?>
82 <form method="POST"
83 action="login.php">
84 <div class="input-group">
85 <label>Email Address</label>
```

```
login.php X
login.php
32 }else {
34 }
35 }
36 }
37 ?>
38 <!DOCTYPE html>
39 <html lang="en">
40 <head>
41 <meta charset="UTF-8">
42 <meta name="viewport"
43 content="width=device-width, initial-scale=1.0">
44 <title>Login | Twisted Threads</title>
45 <link rel="stylesheet"
46 href="assets/css/style.css">
47 </head>
48 <body class="auth-body">
49 <div class="auth-page">
50 <div class="brand-side">
51 
54 <h1>Twisted Threads</h1>
55 <p>
```


The screenshot shows the VS Code editor with the file explorer on the left displaying the project structure. The main editor area shows the `login.php` file. The code is as follows:


```
1 <?php
2 session_start();
3 require_once "config/database.php";
4
5 $error = "";
6
7 if ($_SERVER["REQUEST_METHOD"] == "POST") {
8
9     $email = trim($_POST["email"]);
10    $password = $_POST["password"];
11
12    if (empty($email) || empty($password)) {
13        $error = "Please fill in all fields.";
14    } else {
15
16        $stmt = $pdo->prepare(
17            "SELECT * FROM users WHERE email = ?"
18        );
19
20        $stmt->execute([$email]);
21
22        $user = $stmt->fetch(PDO::FETCH_ASSOC);
23
24        if ($user && password_verify($password, $user["password"])) {
25
26            $_SESSION["user_id"] = $user["id"];
27            $_SESSION["user_name"] = $user["full_name"];
28
29            header("Location: dashboard.php");
30            exit();
31        } else {
32
33            $error = "Invalid email or password.";
```

The status bar at the bottom indicates the cursor is at line 1, column 1, with 4 spaces, UTF-8 encoding, CRLF line endings, and the file is a PHP script.

The screenshot shows the VS Code editor with the file explorer on the left displaying the project structure. The main editor area shows the `inventory.php` file. The code is as follows:

```
11 } {
12
13     if ($quantity >= 0) {
14         $activity = $pdo->prepare(
15             "VALUES (?, ?, ?)"
16         );
17
18         $activity->execute([
19             $_SESSION["user_id"],
20             "Stock Updated",
21             "Product stock quantity was updated."
22         ]);
23     }
24
25     header("Location: inventory.php?success=updated");
26     exit();
27 }
28
29 $products = $pdo->query(
30     "SELECT
31         products.*,
32         categories.category_name
33     FROM products
34     JOIN categories
35         ON products.category_id = categories.id
36     ORDER BY products.quantity ASC"
37 )->fetchAll(PDO::FETCH_ASSOC);
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61 require_once "includes/header.php";
62
63
```


The status bar at the bottom indicates the cursor is at line 36, column 1, with 4 spaces, UTF-8 encoding, CRLF line endings, and the file is a PHP script.



This screenshot shows the Visual Studio Code editor with the file `inventory.php` open. The Explorer sidebar on the left displays the project structure for `twisted_threads_inventory`, including folders like `assets`, `css`, `images`, `js`, `config`, `database`, `includes`, and `uploads`, as well as various PHP files. The `inventory.php` file is selected in the Explorer. The main editor area shows the following PHP code:

```
1 <?php
2
3 require_once "includes/auth_check.php";
4 require_once "config/database.php";
5
6 $page_title = "Inventory | Twisted Threads";
7
8
9 if (
10     $_SERVER["REQUEST_METHOD"] === "POST"
11 ) {
12
13     $product_id = (int) $_POST["product_id"];
14     $quantity = (int) $_POST["quantity"];
15
16
17     if ($quantity >= 0) {
18
19         $stmt = $pdo->prepare(
20             "UPDATE products
21              SET quantity = ?
22              WHERE id = ?"
23         );
24
25         $stmt->execute([
26             $quantity,
27             $product_id
28         ]);
29
30
31         $activity = $pdo->prepare(
32             "INSERT INTO inventory_activity
33              (user_id, activity_type, description)"
```


The status bar at the bottom indicates the cursor is at Line 1, Column 1, with 4 spaces, UTF-8 encoding, CRLF line endings, and the file is a PHP document.



This screenshot shows the Visual Studio Code editor with the file `index.php` open. The Explorer sidebar on the left displays the project structure for `twisted_threads_inventory`, including folders like `assets`, `css`, `images`, `js`, `config`, `database`, `includes`, and `uploads`, as well as various PHP files. The `index.php` file is selected in the Explorer. The main editor area shows the following PHP code:

```
1 <?php
2 session_start();
3
4 if (isset($_SESSION["user_id"])) {
5     header("Location: dashboard.php");
6     exit();
7 } else {
8     header("Location: login.php");
9     exit();
10 }
11 ?>
```

The status bar at the bottom indicates the cursor is at Line 11, Column 3, with 4 spaces, UTF-8 encoding, CRLF line endings, and the file is a PHP document.



DESKTOP SCREENSHOTS

Register | Twisted Threads

Ask Gemini

localhost:8000/register.php



Twisted Threads

Twisted Threads

Your handmade creations deserve an organized workspace.

CREATE ACCOUNT

Join your workspace

Full Name

Email Address

Password

Confirm Password

Create Account

Already have an account? [Sign in](#)



Login | Twisted Threads

Ask Gemini

localhost:8000/login.php



Twisted Threads

Twisted Threads

Manage your handmade creations, track your inventory, and keep every thread organized.

WELCOME BACK

Sign in to your workspace

Email Address


Enter your email

Password

Enter your password

Sign In

New to Twisted Threads? [Create an account](#)



Dashboard | Twisted Threads

Ask Gemini

localhost:8000/dashboard.php

Finish update

RECENT UPDATES

Inventory activity

**Stock Updated**
Product stock quantity was updated.
Aug 30, 2026 • 04:35 PM

**Stock Updated**
Product stock quantity was updated.
Aug 30, 2026 • 04:35 PM

**Stock Updated**
Product stock quantity was updated.
Aug 30, 2026 • 04:35 PM

**Product Updated**
Pumpkin Keychain was updated.
Aug 28, 2026 • 07:49 PM

**Stock Updated**
Product stock quantity was updated.
Aug 28, 2026 • 07:26 PM

Logged in as
Namra Nabeel

Logout

Products | Twisted Threads

Ask Gemini

localhost:8000/products.php

Finish update

Twisted
THREADS

Dashboard

Products

Categories

Inventory

Activity

PRODUCT MANAGEMENT

Products

View and manage all your crochet products.

+ Add New Product

All Categories

Search

Clear

Image	Product	Category	Price	Quantity	Stock Status	Actions
	Butterfly Keychain	Keychains	Rs. 350.00	0	Out of Stock	EditDelete
	Bell Flower Keychain	Keychains	Rs. 350.00	200	In Stock	EditDelete
	Rose Bag	Crochet Bags	Rs. 3,500.00	150	In Stock	EditDelete
	Tulip	Flowers	Rs. 450.00	2000	In Stock	EditDelete

Categories | Twisted Threads

Ask Gemini

localhost:8000/categories.php

Twisted
THREADS

Dashboard

Products

Categories

Inventory

Activity

Logged in as
Namra Nabeel

Logout

ORGANIZATION

Categories

Organize your Twisted Threads products into categories.

NEW CATEGORY

Add Category

Category Name

Example: Crochet Bags

Add Category

Category	Total Products	Action
Crochet Bags	1	Delete
Flowers	1	Delete
Gloves	0	Delete
Home Decor	0	Delete
Keychains	3	Delete
Other	0	Delete
Phone Covers	0	Delete
Plushies	0	Delete
Wallets	0	Delete

Inventory | Twisted Threads

Ask Gemini

localhost:8000/inventory.php

Finish update

Twisted
THREADS

Dashboard

Products

Categories

Inventory

Activity

Logged in as
Namra Nabeel
Logout

STOCK MANAGEMENT

Inventory

Monitor and update your available crochet product stock.

Product	Category	Current Stock	Status	Update Quantity	
Butterfly Keychain	Keychains	0	Out of Stock	0	Update
Pumpkin Keychain	Keychains	5	Low Stock	5	Update
Rose Bag	Crochet Bags	150	In Stock	150	Update
Bell Flower Keychain	Keychains	200	In Stock	200	Update
Tulip	Flowers	2000	In Stock	2000	Update

Activity | Twisted Threads

Ask Gemini

localhost:8000/activity.php

Finish update

Twisted
THREADS

Dashboard

Products

Categories

Inventory

Activity

INVENTORY HISTORY

Recent Activity

View all important changes made to your inventory.

Stock Updated

Product stock quantity was updated.
By Namra Nabeel • 30 Aug 2026, 04:35 PM

Stock Updated

Product stock quantity was updated.
By Namra Nabeel • 30 Aug 2026, 04:35 PM

Stock Updated

Product stock quantity was updated.
By Namra Nabeel • 30 Aug 2026, 04:35 PM

Product Updated

Butterfly Keychain was updated.
By Tayyaba Nabeel • 28 Aug 2026, 10:50 PM

CONCLUSION

In conclusion, the Inventory Management System was built to provide a simple and efficient way to manage the inventory of a crochet business. Overall, this project demonstrates the practical use of web development and database technologies to create a functional and professional solution for managing a small handmade business.