

Pset 4:

```
oslab1@Ares: ~/xv6-labs-202! × + ▾
r/_dorphan user/_call user/_bttest
nmeta 47 (boot, super, log blocks 31, inode blocks 13, bitmap blocks 1) blocks 1
953 total 2000
balloc: first 984 blocks have been allocated
balloc: write bitmap block at sector 46
qemu-system-riscv64 -machine virt -bios none -kernel kernel/kernel -m 128M -smp
3 -nographic -global virtio-mmio.force-legacy=false -drive file=fs.img,if=none,f
ormat=raw,id=x0 -device virtio-blk-device,drive=x0,bus=virtio-mmio-bus.0

xv6 kernel is booting

hart 2 starting
hart 1 starting
init: starting sh
$ bttest
backtrace:
0x0000000080001dc2
0x0000000080001caa
0x0000000080001a2e
$ |
```

```
to disk device, drive=x0, bios=virtio-mmio-bios.0
```

```
xv6 kernel is booting
```

```
hart 1 starting
```

```
hart 2 starting
```

```
init: starting sh
```

```
$ alarmtest
```

```
test0 start
```

```
.....alarm!
```

```
test0 passed
```

```
test1 start
```

```
...alarm!
```

```
...alarm!
```

```
..alarm!
```

```
..alarm!
```

```
...alarm!
```

```
..alarm!
```

```
..alarm!
```

```
..alarm!
```

```
..alarm!
```

```
..alarm!
```

```
test1 passed
```

```
test2 start
```

```
.....alarm!
```

```
test2 passed
```

```
test3 start
```

```
test3 passed
```

```
$ QEMU: Terminated
```

```
oslab1@Ares:~/xv6-labs-2025$ make grade
```

```
make clean
```

```
make[1]: Entering directory '/home/oslab1/xv6-labs-2025'
```

```
rm -rf *.tex *.dvi *.idx *.aux *.log *.ind *.ilg *.dSYM *.zip *.pcap \
```

Make grade:

```
make[1]: Leaving directory '/home/oslab1/xv6-labs-2025'
= Test answers-traps.txt =
answers-traps.txt: OK
= Test backtrace test =
$ make qemu-gdb
backtrace test: OK (4.3s)
= Test running alarmtest =
$ make qemu-gdb
(4.6s)
= Test  alarmtest: test0 =
alarmtest: test0: OK
= Test  alarmtest: test1 =
alarmtest: test1: OK
= Test  alarmtest: test2 =
alarmtest: test2: OK
= Test  alarmtest: test3 =
alarmtest: test3: OK
= Test usertests =
$ make qemu-gdb
usertests: OK (91.6s)
= Test time =
time: OK
Score: 95/95
```