

CLAUDE BEYOND PROMPTING

Today we will learn how go beyond
prompting with Claude code

-

Namrata Shivagunde

I am stuck at this error
[ERROR DESCRIPTION], how
do we fix this




Claude chatbox



Fix this by running


Keep
asking
more
question



A Claude session

What Claude actually “sees”

When you open Claude Code in a project directory, it builds its context from four sources — in this order. Everything it does in a session is shaped by this stack.



No magic — just text it can see.

1

System prompt

Built into Claude Code — you don't control this

2

CLAUDE.md

Your project-level instructions — read first, every session

3

Conversation history

Everything you've said and Claude has replied

4

Tool results

File contents, command output, search results

Two files, two jobs



CLAUDE.md

- Project-level rules
- Applies to every session
- The broader understanding of the project



task.md

- One specific piece of work
- Scoped to the session at hand
- What to do right now

you > Read task.md and do what it says

How you hand the task over

Why this matters

Without context files



You repeat yourself every single session



Claude makes assumptions you didn't want



More time correcting than building

With context files



Claude starts already knowing the rules



You hand it a task and let it work



Instructions are version-controlled with your code

Demo

- We pick a goal – build personal trackers – expense, time, exercise trackers
- Write Claude.md and task.md files for the goal
- Understand context managed within Claude sessions
- Check deliverables