











Steps










Layout Wizard

Enter a prompt, width, and height for each item. The units for item width and height are Points.

Name	Prompt	Width	Height
SSN	Ssn	99	16
FULL_NAME	Full Name	549	16
YEAR	Year	99	16
MONTH	Month	99	16
DAY	Day	99	16
GENDER	Gender	27	16

Cancel Help < Back Next > Finish




Layout Wizard

Select a layout style for your frame by clicking a radio button below.

☒ Form

☐ Tabular

Cancel Help < Back Next > Finish



Layout Wizard

Enter a title for the frame. Also be sure to specify the number of database records to be displayed in the frame, as well as the distance between each record.

To display a scrollbar in the frame that can be used to scroll through database records, check the 'Display Scrollbar' check box.

Frame Title:

Records Displayed:

Distance Between Records:

☐ Display Scrollbar

Cancel Help < Back Next > Finish

Find:

Radio Button: RADIO_BUTTON6

General	
Name	RADIO_BUTTON6
Subclass Information	
Comments	
Functional	
Enabled	Yes
Label	Male
Access Key	
Radio Button Value	M
Records	
Distance Between Records	0
Physical	
Visible	Yes
X Position	0
Y Position	0
Width	90
Height	16
Visual Attributes	
Visual Attribute Group	DEFAULT
Prompt Visual Attribute Group	DEFAULT
Color	
Foreground Color	<Unspecified>
Background Color	<Unspecified>

Value associated with radio button in radio group.

Radio Button: RADIO_BUTTON7

General	
Name	RADIO_BUTTON7
Subclass Information	
Comments	
Functional	
Enabled	Yes
Label	Female
Access Key	
Radio Button Value	F
Records	
Distance Between Records	0
Physical	
Visible	Yes
X Position	0
Y Position	0
Width	90
Height	16
Visual Attributes	
Visual Attribute Group	DEFAULT
Prompt Visual Attribute Group	DEFAULT
Color	
Foreground Color	<Unspecified>
Background Color	<Unspecified>

Value associated with radio button in radio group.

Segoe UI

9

B I U

Image icons

0 16 32 48 64 80 96 112 128 144 160 176 192 208 224 240 256 272 288 304 320 336 352 368 384 400 416 432 448 464 480 496 512 528 544 560 576 592 608 624 640 656 672 688 704 720 736 752 768 784 800 816 832 848 864 880 896 912 928 944

Person Data

Ssn

SSN

Full Name

FULL_NAME

Year

YEAR

Month

MONTH

Day

DAY

Female

Male

1x

87.75

219.00

You're in Internet Explorer mode. Most pages work better in Microsoft Edge. [Open in Microsoft Edge](#) [Show in toolbar](#) [Learn more](#)

ORACLE

WINDOW1

Person Data

Ssn2003

Full NameOmar Hassan

Year1998

Month11

Day3

☐ Female

☒ Male


Alert: ALERT8

General	
Name	ALERT8
Subclass Information	
Comments	
Functional	
Title	my alert
Message	invalid data
Alert Style	Stop
Button 1 Label	OK
Button 2 Label	Cancel
Button 3 Label	
Default Alert Button	Button 1
Visual Attributes	
Visual Attribute Group	DEFAULT
Color	
Foreground Color	<Unspecified>
Background Color	<Unspecified>
Fill Pattern	<Unspecified>
Font	
Font Name	<Unspecified>
Font Size	<Unspecified>
Font Weight	<Unspecified>
Font Style	<Unspecified>

Message to be displayed in the alert.

Mod: MODULE1 File: MODULE1

```
1 DECLARE
2   b NUMBER;
3 BEGIN
4   IF :Person.year < 1925 THEN
5     b := SHOW_ALERT('Alert8');
6
7     IF b = 88 THEN
8       MESSAGE('you pressed the first button');
9     ELSIF b = 89 THEN
10      MESSAGE('you pressed the second button');
11    END IF;
12
13    |
14    MESSAGE(' ');
15  END IF;
16 END;
17
```



Item: PUSH_BUTTON9	
Font Style	Plain
Font Spacing	Normal
Prompt	
Prompt	
Prompt Display Style	First Record
Prompt Justification	Start
Prompt Attachment Edge	Start
Prompt Alignment	Start
Prompt Attachment Offset	0
Prompt Alignment Offset	0
Prompt Reading Order	Default
Prompt Color	
Prompt Foreground Color	<Unspecified>
Prompt Font	
Prompt Font Name	<Unspecified>
Prompt Font Size	<Unspecified>
Prompt Font Weight	<Unspecified>
Prompt Font Style	<Unspecified>
Prompt Font Spacing	<Unspecified>
Help	
Hint	
Display Hint Automatically	No
Tooltip	

Help text to appear in small box beneath item when mouse enters item.

```
1 Next_record;
```

ORACLE

Item: DISPLAY_ITEM10

Previous Navigation Item

Next Navigation Item

Data

Data Type

Data Length Semantics

Maximum Length

Initial Value

Format Mask

Copy Value from Item

Synchronize with Item

Calculation

Calculation Mode

Formula

Summary Function

Summarized Block

Summarized Item

Records

Current Record Visual Attribute Group

Distance Between Records

Number of Items Displayed

Database

Database Item

Column Name

Primary Key

Person Data

San

2001

Full Name

Ahmed Mohamed

Year

1999

Month

5

Day

12

Female

Male

show next

Formula

TO_CHAR(SYSDATE, 'YYYY') - :YEAR

OK Cancel

Item: DISPLAY_ITEM10

Previous Navigation Item	<Null>
Next Navigation Item	<Null>
Data	
Data Type	Char
Data Length Semantics	Null
Maximum Length	30
Initial Value	
Format Mask	
Copy Value from Item	
Synchronize with Item	<Null>
Calculation	
Calculation Mode	Formula
Formula	TO_CHAR(SYSDATE, 'YYYY') - :YEAR
Summary Function	None
Summarized Block	<Null>
Summarized Item	<Null>
Records	
Current Record Visual Attribute Group	<Null>
Distance Between Records	0
Number of Items Displayed	0
Database	
Database Item	No
Column Name	
Primary Key	No

Values allowed as input and how they are displayed.

ORACLE

WINDOW1

Person Data

Ssn 2003

Full Name Omar Hassan

Year 1998

Month 11

Day 3

Female

Male

show_next 27

Object Navigator

Find:

- Forms
 - MODULE1
 - Triggers
 - Alerts
 - ALERT8
 - Attached Libraries
 - Data Blocks
 - Canvases
 - CANVAS4
 - Graphics
 - FRAMES
 - Editors
 - Events
 - LOVs
 - Object Groups
 - Parameters
 - Popup Menus
 - Program Units
 - Property Classes
 - Record Groups
 - Reports

Data Block Wizard

Enter a table or view on which to base your data block. Then select the columns that should appear as items.

Table or view: TRIP

Refresh






Enforce data integrity




Available Columns

Database Items





TRIP_ID
STARTING_LOC
END_LOC
PASSENGERS_NO
TRIP_YEAR
TRIP_MONTH
TRIP_DAY
ISPAID

Cancel Help < Back Next > Finish





Mod: MODIII F1 File: MODIII F1



Object Navigator

TRIP

Find:

Forms

MODULE1

Triggers

Alerts

ALERT8

Attached Libraries

Data Blocks

Canvases

CANVAS4

Graphics

FRAMES

Editors

Events

LOVs

Object Groups

Parameters

Popup Menus

Program Units

Property Classes

Record Groups

Runtime

Layout Wizard

Enter a title for the frame. Also be sure to specify the number of database records to be displayed in the frame, as well as the distance between each record.

To display a scrollbar in the frame that can be used to scroll through database records, check the 'Display Scrollbar' check box.

Frame Title: trip data

Records Displayed: 1

Distance Between Records: 0

☐ Display Scrollbar

Cancel Help < Back Next > Finish

Item: ISPAYED

Functional	
Enabled	Yes
Label	
Access Key	
Implementation Class	
Value when Checked	1
Value when Unchecked	0
Check Box Mapping of Other Values	Unchecked
Popup Menu	<Null>
Navigation	
Keyboard Navigable	Yes
Mouse Navigate	Yes
Previous Navigation Item	<Null>
Next Navigation Item	<Null>
Data	
Data Type	Number
Data Length Semantics	Null
Maximum Length	2
Initial Value	1
Copy Value from Item	
Synchronize with Item	<Null>
Calculation	
Calculation Mode	None
Formula	

Default value assigned to item whenever a record is created.

ORACLE

WINDOW1

trip data

Trip Id

3003

Starting Loc

Cairo

End Loc

Luxor

Passengers No

60

Trip Year

2024

Trip Month




5

Trip Day

20

Is payed

☒



Object Navigator

Find:

Attached Libraries

Data Blocks

TRIP

Triggers

Items

TRIP_ID

STARTING_LOC

END_LOC

PASSENGERS_NO

TRIP_YEAR

TRIP_MONTH

TRIP_DAY

ISPAYED

Relations

PERSON

Triggers

Items

SSN

FULL_NAME

YEAR

Data Block Wizard

Congratulations!

You have finished describing your data block.

Before you click Finish to create your new data block, click a radio button to tell the Data Block Wizard what you want to do next.

☒ Create the data block, then call the Layout Wizard

☐ Just create the data block

You can also use the Data Block Wizard to modify your existing data blocks.

Simply select the data block in the Object Navigator and click the Data Block Wizard toolbar button, or choose 'Data Block Wizard' from the 'Tools' menu.

Cancel

Help

< Back

Next >

Finish

Object Navigator

Find:

Attached Libraries

Data Blocks

TRIP

Triggers

Items

TRIP_ID

STARTING_LOC

END_LOC

PASSENGERS_NO

TRIP_YEAR

TRIP_MONTH

TRIP_DAY

ISPAYED

Relations

PERSON

Triggers

Items

SSN

FULL_NAME

YEAR

Layout Wizard

Select the canvas on which you wish to lay out the data block's items. If you are creating a new canvas, also be sure to select the appropriate canvas type.

Canvas: CANVAS13

Type: Content

If you select a tab canvas, then you also must select a tab page on which to lay out the data block's items.

Tab Page: [New Tab Page]

Cancel

Help

< Back

Next >

Finish

Object Navigator

Find:

Attached Libraries

Data Blocks

TRIP

Triggers

Items

TRIP_ID

STARTING_LOC

END_LOC

PASSENGERS_NO

TRIP_YEAR

TRIP_MONTH

TRIP_DAY

ISPAYED

Relations

PERSON

Triggers

Items

SSN

FULL_NAME

YEAR

Layout Wizard

Select the data block you wish to lay out. Then select the items that should be displayed in the frame, and select an item type for each.

Data Block: TICKET

Available Items

Displayed Items

TRIP_ID

TICKET_ID

PRICE

TRIP_YEAR

TICKET_YEAR

TICKET_MONTH

TICKET_DAY

SEAT_NUMBER

Item Type: Bean Area

View: Group


Cancel

Help

< Back

Next >

Finish




Layout Wizard

Enter a prompt, width, and height for each item. The units for item width and height are Points.

Name	Prompt	Width	Height
TRIP_ID	Trip Id	99	16
TICKET_ID	Ticket Id	99	16
PRICE	Price	99	16
TICKET_YEAR	Ticket Year	99	16
TICKET_MONTH	Ticket Month	99	16
TICKET_DAY	Ticket Day	99	16
SEAT_NUMBER	Seat Number	99	16

Cancel Help < Back Next > Finish




Layout Wizard

Select a layout style for your frame by clicking a radio button below.

☐ Form

☒ Tabular

Cancel Help < Back Next > Finish



Layout Wizard

Enter a title for the frame. Also be sure to specify the number of database records to be displayed in the frame, as well as the distance between each record.

To display a scrollbar in the frame that can be used to scroll through database records, check the 'Display Scrollbar' check box.

Frame Title:

Records Displayed:

Distance Between Records:

☒ Display Scrollbar

Cancel Help < Back Next > Finish

Segoe UI

trip data

Trip Id: TRIP_ID

Starting Loc: STARTING_LOC

End Loc: END_LOC

Passengers No: PASSENGERS_NO

Trip Year: TRIP_YEAR

Trip Month: TRIP_MONTH

Trip Day: TRIP_DAY

Ispayed: ☒

Trip Id	Ticket Id	Price	Ticket Year	Ticket Month	Ticket Day	Seat Number
TRIP_ID	TICKET_ID	PRICE	TICKET_YEAR	TICKET_MONTH	TICKET_DAY	SEAT_NUMBER
TRIP_ID	TICKET_ID	PRICE	TICKET_YEAR	TICKET_MONTH	TICKET_DAY	SEAT_NUMBER

ORACLE

WINDOW1

trip data

Trip Id: 3003

Starting Loc: Cairo

End Loc: Luxor

Passengers No: 60

Trip Year: 2024

Trip Month: 5

Trip Day: 20

Ispayed: ☒

Trip Id	Ticket Id	Price	Ticket Year	Ticket Month	Ticket Day
3003	5003	300	2024	5	20

Forms

MODULE1

Triggers

ON-CLEAR-DETAILS

Alerts

ALERT8

Attached Libraries

Data Blocks

TICKET

Triggers

Items

TRIP_ID

TICKET_ID

PRICE

TICKET_YEAR

TICKET_MONTH

TICKET_DAY

SEAT_NUMBER

Relations

TRIP

Triggers

ON-POPULATE-DETAILS

ON-CHECK-DELETE-MASTER

Items

TRIP_ID

STARTING_LOC

END_LOC

PASSENGERS_NO

TRIP_YEAR

TRIP_MONTH

TRIP_DAY

ISPAYED

Relations

TRIP_TICKET

PERSON

Data Block Wizard

Enter a table or view on which to base your data block. Then select the columns that should appear as items.

Table or view: PASSENGER

Refresh

Enforce data integrity

Available Columns:

Database Items:




SSN

PAYMENT_METHOD

BUS_ID

TICKET_ID

Cancel Help < Back Next > Finish



Properties window that includes List Item and List Item Value properties

Item: PAYMENT_METHOD

General	
Name	PAYMENT_METHOD
Item Type	List Item
Subclass Information	
Comments	
Help Book Topic	
Functional	
Enabled	Yes
Elements in List	
List Style	Combo Box
Mapping of Other Values	
Implementation Class	
Case Restriction	Mixed
Popup Menu	<Null>
Navigation	
Keyboard Navigable	Yes
Mouse Navigate	Yes
Previous Navigation Item	<Null>
Next Navigation Item	<Null>
Data	
Data Type	Char
Data Length Semantics	BYTE
Maximum Length	50

Property group that includes List Item and List Item Value properties.

List Elements

List Elements
Cash
Credit Card
Mobile Wallet

List Item Value

mobile wallet

OK Cancel Help

Item: PAYMENT_METHOD

Enabled	Yes
Elements in List	
List Style	Combo Box
Mapping of Other Values	
Implementation Class	
Case Restriction	Mixed
Popup Menu	<Null>
Navigation	
Keyboard Navigable	Yes
Mouse Navigate	Yes
Previous Navigation Item	<Null>
Next Navigation Item	<Null>
Data	
Data Type	Char
Data Length Semantics	BYTE
Maximum Length	50
Initial Value	Cash
Required	No
Copy Value from Item	
Synchronize with Item	<Null>
Calculation	
Calculation Mode	None
Formula	




Default value assigned to item whenever a record is created.




ORACLE

WINDOW1




passanger

Ssn	2001
Payment Method	Cash
Bus Id	101
Ticket Id	5001










Close the window (saving any changes that may have been made).



Close the window (saving any changes that may have been made).





ORACLE

Action Edit Query Block Record Field Help Window

driver

Ssn 2006 Salary 9500

bus info X 103

Find 103

Bus_Id	Model_Id
103	MOD-C

End OK Cancel

Choices in list: 1 (Choices in full list: 3)

ORACLE

Action Edit Query Block Record Field Help Window

driver

Ssn 2006 Salary 9500

bus info X 103

Find 103

Bus_Capacity
50

End OK Cancel