

Mini-Project-2

NAME: NANCY M
DATE : 18-07-2025

1.Login.html:

```
<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8" />

<title>Login - ShopEase</title>

<style>

* {

    box-sizing: border-box;

    margin: 0;

    padding: 0;

    font-family: Arial, sans-serif;

}

body {

    background: url('img/bg.jpg') center center/cover no-repeat;

    height: 100vh;

    display: flex;

    justify-content: center;

    align-items: center;

}

.card {
```

```
background: #fff;  
padding: 2rem;  
border-radius: 10px;  
width: 90%;  
max-width: 350px;  
box-shadow: 0 4px 10px rgba(0, 0, 0, 0.2);  
}  
  
h4 {  
text-align: center;  
margin-bottom: 1rem;  
color: #333;  
}  
  
.form-label {  
display: block;  
margin-bottom: 0.5rem;  
font-weight: bold;  
}  
  
.form-control {  
width: 100%;  
padding: 0.5rem;  
border: 1px solid #ccc;  
border-radius: 5px;  
margin-bottom: 1rem;  
}
```

```
.btn {  
    width: 100%;  
    padding: 0.6rem;  
    background-color: #ff5722;  
    color: white;  
    border: none;  
    border-radius: 5px;  
    cursor: pointer;  
    font-size: 1rem;  
    margin-top: 0.5rem;  
}  
  
.btn:hover {  
    background-color: #e64a19;  
}  
  
#errorMsg {  
    color: red;  
    text-align: center;  
    margin-bottom: 0.5rem;  
}  
  
</style>  
</head>  
<body>  
<div class="card">  
    <h4>Login</h4>
```

```
<form id="loginForm">

    <label for="username" class="form-label">User name</label>

    <input type="text" class="form-control" id="username" required />

    <label for="password" class="form-label">Password</label>

    <input type="password" class="form-control" id="password" required />

    <div id="errorMsg" style="display: none;"></div>

    <button type="submit" class="btn">Login</button>

    <button type="button" class="btn"
    onclick="window.location.href='reg.html'">Register</button>

</form>

</div>

<script>

const loginForm = document.getElementById("loginForm");

const errorMsg = document.getElementById("errorMsg");

loginForm.addEventListener("submit", function (e) {

    e.preventDefault();

    const username = document.getElementById("username").value.trim();

    const password = document.getElementById("password").value;

    const users = JSON.parse(localStorage.getItem("users")) || [];

    const user = users.find(u =>

        u.name.trim().toLowerCase() === username.toLowerCase() &&
        u.password === password

    );

    if (username === "admin" && password === "admin123") {

        window.location.href = "menu_admin.html";
    }
})</script>
```

```
    } else if (user) {  
  
        localStorage.setItem("currentUser", JSON.stringify(user));  
  
        window.location.href = "menu.html";  
  
    } else {  
  
        errorMsg.innerText = "Invalid username or password.";  
  
        errorMsg.style.display = "block";  
  
    }  
  
});  
  
</script>  
  
</body>  
  
</html>
```

2. Reg.html:

```
<!DOCTYPE html>  
  
<html lang="en">  
  
<head>  
  
<meta charset="UTF-8" />  
  
<title>Register - ShopEase</title>  
  
<style>  
  
* {  
  
    box-sizing: border-box;  
  
    margin: 0;  
  
    padding: 0;  
  
    font-family: Arial, sans-serif;  
  
}
```

```
body {  
background: url('img/bg.jpg') center center/cover no-repeat;  
height: 100vh;  
display: flex;  
justify-content: center;  
align-items: center;  
}  
  
.card {  
background: #fff;  
padding: 2rem;  
border-radius: 10px;  
width: 90%;  
max-width: 400px;  
box-shadow: 0 4px 10px rgba(0, 0, 0, 0.2);  
}  
  
h4 {  
text-align: center;  
margin-bottom: 1rem;  
color: #333;  
}  
  
.form-label {  
display: block;  
margin-bottom: 0.4rem;  
font-weight: bold;
```

```
}

.form-control {
    width: 100%;
    padding: 0.5rem;
    border: 1px solid #ccc;
    border-radius: 5px;
    margin-bottom: 1rem;
}

.btn {
    width: 100%;
    padding: 0.6rem;
    background-color: #4caf50;
    color: white;
    border: none;
    border-radius: 5px;
    font-size: 1rem;
    cursor: pointer;
}

.btn:hover {
    background-color: #388e3c;
}

#errorMsg {
    color: red;
    text-align: center;
}
```

```
margin-bottom: 0.5rem;  
}  
</style>  
</head>  
<body>  
<div class="card">  
  <h4>Register</h4>  
  <form id="registerForm">  
    <label class="form-label">User ID</label>  
    <input type="text" class="form-control" id="userid" required />  
    <label class="form-label">Name</label>  
    <input type="text" class="form-control" id="name" required />  
    <label class="form-label">Address</label>  
    <input type="text" class="form-control" id="address" required />  
    <label class="form-label">Contact Number</label>  
    <input type="tel" class="form-control" id="contact" required minlength="10"/>  
    <label class="form-label">Password</label>  
    <input type="password" class="form-control" id="password" required />  
    <div id="errorMsg" style="display: none;"></div>  
    <button type="submit" class="btn">Register</button>  
  </form>  
</div>  
<script>  
const registerForm = document.getElementById("registerForm");
```

```
const errorMsg = document.getElementById("errorMsg");

function isValidPassword(password) {

    const regex = /^(?=.*[A-Z])(?=.*\d)(?=.*[@#$%^&()_+=\{\};:"\\|,<>\?]).{8,}$/;

    return regex.test(password);
}

registerForm.addEventListener("submit", function (e) {

    e.preventDefault();

    const userid = document.getElementById("userid").value.trim();

    const name = document.getElementById("name").value.trim();

    const address = document.getElementById("address").value.trim();

    const contact = document.getElementById("contact").value.trim();

    const password = document.getElementById("password").value;

    if (!userid || !name || !address || !contact || !password) {

        errorMsg.innerText = "All fields are required.";

        errorMsg.style.display = "block";

        return;
    }

    if (!isValidPassword(password)) {

        errorMsg.innerText = "Password must be at least 8 characters and contain 1 uppercase letter, 1 number, and 1 special character.";

        errorMsg.style.display = "block";

        return;
    }
})
```

```

let users = JSON.parse(localStorage.getItem("users")) || [];

if (users.find(u => u.userid === userid)) {

    errorMsg.innerText = "User ID already exists.";
    errorMsg.style.display = "block";

    return;
}

users.push({ userid, name, address, contact, password });

localStorage.setItem("users", JSON.stringify(users));

alert("✅ Registered successfully. You can now log in.");

window.location.href = "login.html";

});

</script>

</body>

</html>

```

3. Menu.html:

```

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8" />

<title>Menu - FoodEase</title>

<meta name="viewport" content="width=device-width, initial-scale=1.0" />

<style>

* { margin: 0; padding: 0; box-sizing: border-box; font-family: 'Segoe UI', sans-serif; }

body { background-color: #fdfdfd; }

```

```
header {  
background-color: #ff5722;  
color: white;  
padding: 1rem 2rem;  
display: flex;  
justify-content: space-between;  
align-items: center;  
}  
  
header h1 { font-size: 1.5rem; }  
  
nav a {  
color: white;  
text-decoration: none;  
margin-left: 1.5rem;  
font-weight: bold;  
}  
  
.menu-container {  
max-width: 1100px;  
margin: 2rem auto;  
display: grid;  
grid-template-columns: repeat(auto-fit, minmax(250px, 1fr));  
gap: 2rem;  
padding: 0 1rem;  
}  
  
.menu-card {
```

```
background-color: white;  
border: 1px solid #ddd;  
border-radius: 10px;  
box-shadow: 0 4px 10px rgba(0, 0, 0, 0.1);  
padding: 1rem;  
transition: transform 0.2s ease;  
}  
  
.menu-card:hover { transform: translateY(-5px); }  
  
.menu-card img {  
width: 100%;  
height: 180px;  
object-fit: cover;  
border-radius: 8px;  
margin-bottom: 1rem;  
}  
  
.menu-title {  
font-size: 1.2rem;  
margin-bottom: 0.5rem;  
color: #333;  
}  
  
.menu-desc {  
font-size: 0.9rem;  
color: #555;  
margin-bottom: 1rem;
```

```
}

.btn {
    padding: 0.4rem 1rem;
    border: none;
    border-radius: 5px;
    cursor: pointer;
    font-weight: bold;
}

.btn-add {
    background-color: #ff5722;
    color: white;
}

footer {
    text-align: center;
    padding: 1rem;
    background: #ff5722;
    color: white;
    margin-top: 3rem;
}

</style>

</head>

<body>

<header>

<h1>FoodEase Menu</h1>
```

```
<nav>
  <a href="menu.html">Menu</a>
  <a id="cartLink" href="cart.html">Cart</a>
  <a href="login.html">Logout</a>
</nav>

</header>

<div class="menu-container">

  <div class="menu-card">
    
    <div class="menu-title">Mutton Briyani</div>
    <div class="menu-desc">Traditional South Indian style mutton biryani.</div>
    <div class="menu-title">₹150</div>
    <button class="btn btn-add" onclick="addToCart('Mutton Briyani', 150)">Add to Cart</button>
  </div>

  <div class="menu-card">
    
    <div class="menu-title">Chicken Rice</div>
    <div class="menu-desc">Flavored rice served with spicy chicken gravy.</div>
    <div class="menu-title">₹140</div>
    <button class="btn btn-add" onclick="addToCart('Chicken Rice', 140)">Add to Cart</button>
  </div>

  <div class="menu-card">
    
```

```
<div class="menu-title">Dosa</div>

<div class="menu-desc">Crispy dosa served with chutney and sambar.</div>

<div class="menu-title">₹70</div>

<button class="btn btn-add" onclick="addToCart('Dosa', 70)">Add to Cart</button>

</div>

<div class="menu-card">



<div class="menu-title">Noodles</div>

<div class="menu-desc">Spicy fried noodles with vegetables and sauces.</div>

<div class="menu-title">₹120</div>

<button class="btn btn-add" onclick="addToCart('Noodles', 120)">Add to Cart</button>

</div>

<div class="menu-card">



<div class="menu-title">Parota</div>

<div class="menu-desc">Flaky layered flatbread served with kurma.</div>

<div class="menu-title">₹50</div>

<button class="btn btn-add" onclick="addToCart('Parota', 50)">Add to Cart</button>

</div>

<div class="menu-card">



<div class="menu-title">Grill Chicken</div>

<div class="menu-desc">Juicy grilled chicken marinated with spices.</div>

<div class="menu-title">₹180</div>
```

```

<button class="btn btn-add" onclick="addToCart('Grill Chicken', 180)">Add to Cart</button>

</div>

</div>

<footer>

    &copy; 2025 FoodEase. All rights reserved.

</footer>

<script>

    const cartItems = [];

    function addToCart(name, price) {

        cartItems.push(` ${name} - ${price}`);

        const cartUrl =
`cart.html?items=${encodeURIComponent(cartItems.join(', '))}`;

        document.getElementById("cartLink").href = cartUrl;

        alert(`✓ ${name} added to cart!`);

    }

</script>

</body>

</html>

```

4. Menu_admin.html:

```

<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8" />

    <title>Menu - FoodEase</title>

```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0" />

<style>

* { margin: 0; padding: 0; box-sizing: border-box; font-family: 'Segoe UI', sans-serif; }

body { background-color: #fdfdfd; }

header {

background-color: #ff5722;

color: white;

padding: 1rem 2rem;

display: flex;

justify-content: space-between;

align-items: center;

}

header h1 { font-size: 1.5rem; }

nav a {

color: white;

text-decoration: none;

margin-left: 1.5rem;

font-weight: bold;

}

.menu-container {

max-width: 1100px;

margin: 2rem auto;

display: grid;

grid-template-columns: repeat(auto-fit, minmax(250px, 1fr));
```

```
gap: 2rem;  
padding: 0 1rem;  
}  
  
.menu-card {  
background-color: white;  
border: 1px solid #ddd;  
border-radius: 10px;  
box-shadow: 0 4px 10px rgba(0, 0, 0, 0.1);  
padding: 1rem;  
transition: transform 0.2s ease;  
}  
  
.menu-card:hover { transform: translateY(-5px); }  
  
.menu-card img {  
width: 100%;  
height: 180px;  
object-fit: cover;  
border-radius: 8px;  
margin-bottom: 1rem;  
}  
  
.menu-title {  
font-size: 1.2rem;  
margin-bottom: 0.5rem;  
color: #333;  
}
```

```
.menu-desc {  
    font-size: 0.9rem;  
    color: #555;  
    margin-bottom: 1rem;  
}  
  
.btn {  
    padding: 0.4rem 1rem;  
    border: none;  
    border-radius: 5px;  
    cursor: pointer;  
    font-weight: bold;  
}  
  
.btn-edit {  
    background: #ff5722;  
    color: white;  
    margin-top: 0.5rem;  
}  
  
footer {  
    text-align: center;  
    padding: 1rem;  
    background: #ff5722;  
    color: white;  
    margin-top: 3rem;  
}
```

```
/* Modal styles */

#editModal {
    display: none;
    position: fixed;
    top: 0; left: 0;
    width: 100%; height: 100%;
    background: rgba(0, 0, 0, 0.6);
    justify-content: center;
    align-items: center;
    z-index: 1000;
}

#editModal .modal-content {
    background: white;
    padding: 2rem;
    border-radius: 10px;
    width: 90%;
    max-width: 400px;
    position: relative;
}

#editModal input, #editModal textarea {
    width: 100%;
    padding: 0.5rem;
    margin-bottom: 1rem;
    font-size: 1rem;
}
```

```
}

#editModal button {

    padding: 0.6rem 1.2rem;

    border: none;

    border-radius: 5px;

    font-weight: bold;

    cursor: pointer;

}

#editModal .save-btn {

    background: #ff5722;

    color: white;

}

#editModal .cancel-btn {

    background-color: #999;

    color: white;

    margin-left: 1rem;

}

</style>

</head>

<body>

<header>

    <h1>FoodEase Menu</h1>

    <nav>

        <a href="#">Menu</a>

```

```
<a href="login.html">Logout</a>

</nav>

</header>

<div class="menu-container">

<div class="menu-card">



<div class="menu-title">Mutton Briyani</div>

<div class="menu-desc">Traditional South Indian style mutton biryani.</div>

<div class="menu-title">₹150</div>

<button class="btn btn-edit" onclick="editItem('Mutton Briyani')">Edit</button>

</div>

<div class="menu-card">



<div class="menu-title">Chicken Rice</div>

<div class="menu-desc">Flavored rice served with spicy chicken gravy.</div>

<div class="menu-title">₹140</div>

<button class="btn btn-edit" onclick="editItem('Chicken Rice')">Edit</button>

</div>

<div class="menu-card">



<div class="menu-title">Dosa</div>

<div class="menu-desc">Crispy dosa served with chutney and sambar.</div>

<div class="menu-title">₹70</div>

<button class="btn btn-edit" onclick="editItem('Dosa')">Edit</button>
```

```
</div>

<div class="menu-card">
  
  <div class="menu-title">Noodles</div>
  <div class="menu-desc">Spicy fried noodles with vegetables and sauces.</div>
  <div class="menu-title">₹120</div>
  <button class="btn btn-edit" onclick="editItem('Noodles')">Edit</button>
</div>

<div class="menu-card">
  
  <div class="menu-title">Parota</div>
  <div class="menu-desc">Flaky layered flatbread served with kurma.</div>
  <div class="menu-title">₹50</div>
  <button class="btn btn-edit" onclick="editItem('Parota')">Edit</button>
</div>

<div class="menu-card">
  
  <div class="menu-title">Grill Chicken</div>
  <div class="menu-desc">Juicy grilled chicken marinated with spices.</div>
  <div class="menu-title">₹180</div>
  <button class="btn btn-edit" onclick="editItem('Grill Chicken')">Edit</button>
</div>
</div>
<footer>
```

© 2025 FoodEase. All rights reserved.

</footer>

<!-- Modal -->

<div id="editModal">

<div class="modal-content">

<h2 style="margin-bottom:1rem; color:#ff5722;">Edit Item</h2>

<label>Name:</label>

<input id="editName" type="text" />

<label>Description:</label>

<textarea id="editDesc" rows="3"></textarea>

<label>Price (₹):</label>

<input id="editPrice" type="number" />

<button class="save-btn" onclick="saveChanges()">Complete</button>

<button class="cancel-btn" onclick="closeModal()">Cancel</button>

</div>

</div>

<script>

let currentCard = null;

function editItem(itemName) {

const cards = document.querySelectorAll('.menu-card');

cards.forEach(card => {

const nameElem = card.querySelector('.menu-title');

const descElem = card.querySelector('.menu-desc');

const priceElem = card.querySelectorAll('.menu-title')[1];

```
if (nameElem.textContent === itemName) {  
    currentCard = card;  
  
    document.getElementById('editName').value = nameElem.textContent;  
    document.getElementById('editDesc').value = descElem.textContent;  
    document.getElementById('editPrice').value = priceElem.textContent.replace("₹", "").trim();  
    document.getElementById('editModal').style.display = 'flex';  
}  
});  
}  
  
function saveChanges() {  
    if (!currentCard) return;  
  
    const newName = document.getElementById('editName').value.trim();  
    const newDesc = document.getElementById('editDesc').value.trim();  
    const newPrice = document.getElementById('editPrice').value.trim();  
  
    if (newName && newDesc && !isNaN(newPrice)) {  
        const titles = currentCard.querySelectorAll('.menu-title');  
        const descElem = currentCard.querySelector('.menu-desc');  
        titles[0].textContent = newName;  
        descElem.textContent = newDesc;  
        titles[1].textContent = `₹${parseFloat(newPrice).toFixed(2)}`;  
        closeModal();  
    } else {  
        alert("✖ Please fill all fields correctly.");  
    }  
}
```

```
}

function closeModal() {

    document.getElementById('editModal').style.display = 'none';

    currentCard = null;

}

</script>

</body>

</html>
```

5. Cart.html:

```
<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="UTF-8" />

<title>Your Cart - FoodEase</title>

<meta name="viewport" content="width=device-width, initial-scale=1.0" />

<style>

* { box-sizing: border-box; }

body, html {

margin: 0;

padding: 0;

min-height: 100vh;

font-family: 'Segoe UI', sans-serif;

display: flex;

flex-direction: column;
```

```
}

header {
    background-color: #ff5722;
    color: white;
    padding: 1rem 2rem;
    display: flex;
    justify-content: space-between;
    align-items: center;
}

nav a {
    color: white;
    text-decoration: none;
    margin-left: 1.5rem;
    font-weight: bold;
}

.cart-container {
    width: 100%;
    padding: 1rem;
    flex-grow: 1;
}

.cart-title {
    font-size: 1.5rem;
    margin-bottom: 1rem;
    color: #ff5722;
}
```

```
}

.cart-item {
    display: flex;
    justify-content: space-between;
    align-items: center;
    padding: 0.8rem;
    border-bottom: 1px solid #eee;
}

.cart-item span {
    flex: 1;
}

.controls {
    display: flex;
    align-items: center;
    gap: 0.5rem;
}

.controls button {
    padding: 0.2rem 0.6rem;
    font-size: 1rem;
    cursor: pointer;
}

.order-btn {
    margin-top: 1rem;
    padding: 0.8rem 1.5rem;
```

```
background-color: #ff5722;  
color: white;  
border: none;  
cursor: pointer;  
font-size: 1rem;  
}
```

```
.total-price {  
margin-top: 1rem;  
font-size: 1.2rem;  
font-weight: bold;  
text-align: right;  
color: #333;  
}
```

```
.empty {  
color: #777;  
text-align: center;  
padding: 2rem;  
}
```

```
footer {  
text-align: center;  
padding: 1rem;  
background: #ff5722;  
color: white;  
}
```

```
</style>

</head>

<body>

<header>

    <h1>Your Cart</h1>

    <nav>

        <a href="menu.html">Menu</a>

        <a href="cart.html">Cart</a>

        <a href="login.html">Logout</a>

    </nav>

</header>

<div class="cart-container">

    <div class="cart-title">Items in Cart</div>

    <div id="cartItems"></div>

    <div id="totalPrice" class="total-price"></div>

    <button id="orderBtn" class="order-btn" style="display:none;" onclick="placeOrder()">Order Now</button>

</div>

<footer>

    © 2025 FoodEase. All rights reserved.

</footer>

<script>

    const params = new URLSearchParams(window.location.search);

    const itemsParam = params.get('items');

    const cartDiv = document.getElementById('cartItems');


```

```
const totalPriceDiv = document.getElementById('totalPrice');

const orderBtn = document.getElementById('orderBtn');

if (!itemsParam) {

  cartDiv.innerHTML = '<div class="empty">Your cart is empty.</div>';

  totalPriceDiv.textContent = '';

} else {

  const itemList = itemsParam.split(',');

  const itemData = itemList.map(item => {

    const [name, price] = item.split('-');

    return { name, price: parseFloat(price), quantity: 1 };

  });

  function renderCart() {

    cartDiv.innerHTML = "";

    let total = 0;

    itemData.forEach((item, index) => {

      const itemTotal = item.price * item.quantity;

      total += itemTotal;

      const div = document.createElement('div');

      div.className = 'cart-item';

      div.innerHTML = `

        <span>${item.name}</span>

        <span>₹${itemTotal.toFixed(2)}</span>

        <div class="controls">

          <button onclick="decrease(${index})">-</button>

```

```
<span>${item.quantity}</span>
<button onclick="increase(${index})">+</button>
<button onclick="removeItem(${index})" style="color:red;">Delete</button>
</div>
`;
cartDiv.appendChild(div);
});
totalPriceDiv.textContent = `Total: ₹${total.toFixed(2)}`;
orderBtn.style.display = itemData.length > 0 ? 'block' : 'none';
}

window.increase = (index) => {
    itemData[index].quantity += 1;
    renderCart();
};

window.decrease = (index) => {
    if (itemData[index].quantity > 1) {
        itemData[index].quantity -= 1;
        renderCart();
    }
};

window.removeItem = (index) => {
    itemData.splice(index, 1);
    renderCart();
    if (itemData.length === 0) {
```

```

        cartDiv.innerHTML = '<div class="empty">Your cart is empty.</div>';

        totalPriceDiv.textContent = "";

        orderBtn.style.display = 'none';

    }

};

window.placeOrder = () => {

    alert("✅ Order placed successfully!");

    window.location.href = "menu.html";

};

renderCart();

}


</script>

</body>


</html>

```

Login:



Register.html:



User menu :

FoodEase Menu

Menu Cart Logout

 Mutton Briyani Traditional South Indian style mutton biryani. ₹150 Add to Cart	 Chicken Rice Flavored rice served with spicy chicken gravy. ₹140 Add to Cart	 Dosa Crispy dosa served with chutney and sambar. ₹70 Add to Cart
 Noodles Spicy fried noodles with vegetables and sauces. ₹120 Add to Cart	 Parota Flaky layered flatbread served with kurma. ₹50 Add to Cart	 Grill Chicken Juicy grilled chicken marinated with spices. ₹180 Add to Cart

© 2025 FoodEase. All rights reserved.

Cart:

Your Cart

Items in Cart

Chicken Rice	₹140.00	<input type="button" value="-"/> 1 <input type="button" value="+"/> <input type="button" value="Delete"/>
Dosa	₹70.00	<input type="button" value="-"/> 1 <input type="button" value="+"/> <input type="button" value="Delete"/>

Total: ₹210.00

© 2025 FoodEase. All rights reserved.

Admin:

FoodEase Menu

Menu Logout



Mutton Briyani
Traditional South Indian style mutton biryani.
₹150

[Edit](#)



Chicken Rice
Flavored rice served with spicy chicken gravy.
₹140

[Edit](#)



Dosa
Crispy dosa served with chutney and sambar.
₹70

[Edit](#)



Noodles
Spicy fried noodles with vegetables and sauces.
₹120

[Edit](#)



Parota
Flaky layered flatbread served with kurma.
₹50

[Edit](#)



Grill Chicken
Juicy grilled chicken marinated with spices.
₹180

[Edit](#)

© 2025 FoodEase. All rights reserved.

Edit admin:

FoodEase Menu

Menu Logout



Mutton Briyani
Traditional South Indian style mutton biryani.
₹150

[Edit](#)



Edit Item

Name:

Description:

Price (₹):

[Complete](#) [Cancel](#)



Dosa
Crispy dosa served with chutney and sambar.
₹70

[Edit](#)



Noodles
Spicy fried noodles with vegetables and sauces.
₹120

[Edit](#)



Parota
Flaky layered flatbread served with kurma.
₹50

[Edit](#)



Grill Chicken
Juicy grilled chicken marinated with spices.
₹180

[Edit](#)

After editing:

FoodEase Menu

Menu Logout



Mutton Briyani
Traditional South Indian style mutton biryani.
₹150

[Edit](#)



Hyderabad Chicken Briyani
Flavored rice
₹200.00

[Edit](#)



Dosa
Crispy dosa served with chutney and sambar.
₹70

[Edit](#)

