

DAY -7

NAME: NANCY M
DATE : 16-07-2025

Exercise 1:

IPL Committee wants to display the match summary of a league match in a webpage. Help them by creating a webpage to display the match summary. Build the web page with the details mentioned in the below screenshot. Have the content and look and feel of the page as shown in the screenshot.

UI Constraints:

For class "heading" have the font-style as "italic" and color #C71585.

Have the color #FFFF00 for hr tag

For all headings except "Indian Premier League" use heading class.

```
<!DOCTYPE html>
<html>
<head>
<title>IPL Match Summary</title>
<style>
  body {
    font-family: Arial, sans-serif;
  }
  .container {
    border: 10px solid #C71585;
    margin: 20px auto;
    width: 90%;
  }
  .main-title {
    background-color: #C71585;
    color: white;
    text-align: center;
    font-size: 28px;
    padding: 15px;
    font-weight: bold;
  }
  .heading {
    font-style: italic;
    color: #C71585;
    text-align: center;
```

```
    margin: 15px 0;
}
hr {
    border: 1px solid #FFFF00;
}
#team {
    display: flex;
    justify-content: space-between;
    padding: 0 20px;
}
.teams ul {
    list-style-type: disc;
    padding-left: 20px;
}
.team-title {
    font-weight: bold;
    color: #C71585;
    font-style: italic;
}

#score {
    display: flex;
    gap: 34%;
    margin-left: 2%;
}

#score .team {
    color: #C71585;
    font-weight: bold;
    text-align: center;
    font-style: italic;
}
#score p {
    font-weight: bold;
}

.winning{
    padding-left: 20px;
}
.black{
    border: 2px solid black;
}
.left
{
```

```
        margin-right:30%;
    }
    .top-heading{
        margin-bottom: 50px;
    }
    #win p{
        margin-left:20px;
    }
</style>
</head>
<body>
<div class="container">
    <div class="main-title">Indian Premier League</div>
<div class="black">
<div>
    <div class="top-heading">
        <h3 class="heading">Team Details</h3>
        <h4 class="heading">Mumbai Indians vs Rising Pune Supergiants</h4>
    </div>

    <div id="team">
        <div>
            <div class="team-title">Team 1 : Mumbai Indians</div>
            <ul>
                <li>Lendl Simmons</li>
                <li>Rohit Sharma</li>
                <li>Hardik Pandya</li>
                <li>Jos Buttler</li>
                <li>Ambati Rayudu</li>
                <li>Kieron Pollard</li>
                <li>Shreyas Gopal</li>
                <li>Harbhajan Singh</li>
                <li>Vinay Kumar</li>
                <li>Mitchell McClenaghan</li>
                <li>Bumrah</li>
            </ul>
        </div>
        <div class="left">
            <div class="team-title">Team 2 : Rising Pune Supergiants</div>
            <ul>
                <li>Ajinkya Rahane</li>
                <li>Faf du Plessis</li>
                <li>Kevin Pietersen</li>
                <li>S Smith</li>
            </ul>
        </div>
    </div>
</div>
</div>
```

```
        <li>Mitchell Marsh</li>
        <li>Dhoni</li>
        <li>R Bhatia</li>
        <li>Ashwin</li>
        <li>M Ashwin</li>
        <li>Ishant</li>
        <li>RP Singh</li>
    </ul>
</div>
</div>
</div>
<hr>
<h3 class="heading">Winning Details</h3>
<div id="win">
    <p>
        <b>Rising Pune Supergiants</b> won the match by <b>7 wickets</b></p>
</div>
<hr>
<h3 class="heading">Score Details</h3>
<div id="score">
    <div>
        <div class="team">Mumbai Indians</div>
        <p>Runs - 121</p>
        <p>Overs - 20</p>
        <p>Wickets - 8</p>
    </div>
    <div>
        <div class="team">Rising Pune Supergiants</div>
        <p>Runs - 126</p>
        <p>Overs - 14.4</p>
        <p>Wickets - 1</p>
    </div>
</div>
</div>
</div>
</div>
</body>
</html>
```

Indian Premier League	
Team Details	
Mumbai Indians vs Rising Pune Supergiants	
Team 1 : Mumbai Indians <ul style="list-style-type: none"> Lendl Simmons Rohit Sharma Hardik Pandya Jos Buttler Ambati Rayudu Kieron Pollard Shreyas Gopal Harbhajan Singh Vinay Kumar Mitchell McClenaghan Bumrah 	Team 2 : Rising Pune Supergiants <ul style="list-style-type: none"> Ajinkya Rahane Faf du Plessis Kevin Pietersen S Smith Mitchell Marsh Dhoni R Bhatia Ashwin M Ashwin Ishant RP Singh
Winning Details	
Rising Pune Supergiants won the match by 7 wickets	
Score Details	
Mumbai Indians Runs - 121 Overs - 20 Wickets - 8	Rising Pune Supergiants Runs - 126 Overs - 14.4 Wickets - 1

Exercise 2:

IPL Committee wants to display the team details and differentiate the teams based on their points as Low, Average and High. Help them by creating a HTML table to display IPL team details, as shown in the below screenshot.

Teams are classified based on their Points as below:

Less then 50 and equal to 50 - Low

Greater than 50 and less than 80 - Average

Greater than 80 and equal to 80 - High

Use CSS class for these three classification and have the appropriate background color as mentioned below.

UI constraints should be followed for the element id and name as shown in the screenshot below,

The file name should be index.html.

UI Constraints:

For class "high" background-color is #FFB6C1.

For class "average" background-color is #FFFF00.

For class "low" background-color is #98FB98.

For Thead background-color is #00BFFF.

Font-style: oblique

Font-size-adjust: 0.50

" IPL Team Details" should be declared under colspan.

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>IPL Team Details</title>
  <style>
    table {
      width: 90%;
      margin: 20px auto;
      border-collapse: collapse;
      font-style: oblique;
      font-size-adjust: 0.50;
    }
    #team th, #team td {
      border: 2px solid #fff;
      padding: 10px;
      text-align: center;
    }
    thead {
      background-color: #00BFFF;
    }
    .high {
      background-color: #FFB6C1;
    }
    .average {
      background-color: #FFFF00;
    }
    .low {
      background-color: #98FB98;
    }
  </style>
</head>
<body>
  <table id="team">
    <thead>
```

```

<tr>
  <th colspan="7">IPL Team Details</th>
</tr>
<tr>
  <th>S.No</th>
  <th>Team</th>
  <th>Matches</th>
  <th>Won</th>
  <th>Lost</th>
  <th>NetRun Rate</th>
  <th>Points</th>
</tr>
</thead>
<tbody id="team">
  <tr class="high">
    <td>1</td>
    <td>Gujarat Lions</td>
    <td>14</td>
    <td>9</td>
    <td>5</td>
    <td>9.7</td>
    <td>95</td>
  </tr>
  <tr class="high">
    <td>2</td>
    <td>Mumbai Indians</td>
    <td>14</td>
    <td>7</td>
    <td>7</td>
    <td>8.5</td>
    <td>90</td>
  </tr>
  <tr class="average">
    <td>3</td>
    <td>Raising Pune Supergiants</td>
    <td>14</td>
    <td>5</td>
    <td>9</td>
    <td>7.5</td>
    <td>75</td>
  </tr>
  <tr class="average">
    <td>4</td>
    <td>Sunrisers Hyderabad</td>

```

```

        <td>14</td>
        <td>6</td>
        <td>8</td>
        <td>6.8</td>
        <td>70</td>
    </tr>
    <tr class="average">
        <td>5</td>
        <td>Delhi Daredevils</td>
        <td>14</td>
        <td>7</td>
        <td>7</td>
        <td>6.4</td>
        <td>64</td>
    </tr>
    <tr class="average">
        <td>6</td>
        <td>Royal Challengers Bangalore</td>
        <td>14</td>
        <td>6</td>
        <td>8</td>
        <td>5.8</td>
        <td>55</td>
    </tr>
    <tr class="low">
        <td>7</td>
        <td>Kolkata Knight Riders</td>
        <td>14</td>
        <td>5</td>
        <td>9</td>
        <td>3.5</td>
        <td>35</td>
    </tr>
    <tr class="low">
        <td>8</td>
        <td>Kings XI Punjab</td>
        <td>14</td>
        <td>4</td>
        <td>10</td>
        <td>2.5</td>
        <td>20</td>
    </tr>
</tbody>
</table>

```



```
</body>
</html>
```

IPL Team Details						
S.No	Team	Matches	Won	Lost	NetRun Rate	Points
1	Gujarat Lions	14	9	5	9.7	95
2	Mumbai Indians	14	7	7	8.5	90
3	Raising Pune Supergiants	14	5	9	7.5	75
4	Sunrisers Hyderabad	14	6	8	6.8	70
5	Delhi Daredevils	14	7	7	6.4	64
6	Royal Challengers Bangalore	14	6	8	5.8	55
7	Kolkata Knight Riders	14	5	9	3.5	35
8	Kings XI Punjab	14	4	10	2.5	20

Exercise 3:

Create a home page layout for an ecommerce website using html, css and bootstrap.
Create header with bootstrap navbar , footer .and main body content.

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<title>Simple eCommerce Homepage</title>
```

```
<!-- Bootstrap CSS Link -->
```

```
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">
```

```
<style>
```

```
/* Custom Styles */
```

```
.hero {
```

```
padding: 40px;
```

```
    text-align: center;
}

.footer {
    background-color: #198754;
    color: white;
    padding: 15px 0;
    text-align: center;
    margin-top: 40px;
}

.card img {
    object-fit: cover;
}
</style>
</head>
<body>
<!-- ===== Header / Navbar ===== -->
<nav class="navbar navbar-expand-lg navbar-dark bg-success">
    <div class="container">
        <a class="navbar-brand" href="#">DN Watches</a>
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target="#navbarNav">
            <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="navbarNav">
            <ul class="navbar-nav ms-auto"> <!-- ms-auto pushes links to right -->
```

```
<li class="nav-item">

  <a class="nav-link active" href="#">Home</a>

</li>

<li class="nav-item">

  <a class="nav-link" href="#">Products</a>

</li>

<li class="nav-item">

  <a class="nav-link" href="#">Cart</a>

</li>

<li class="nav-item">

  <a class="nav-link" href="#">Contact</a>

</li>

</ul>

</div>

</div>

</nav>

<!-- ===== Hero Section ===== -->

<!-- ===== Main Content / Products ===== -->

<div class="container my-5">

  <h2 class="text-center mb-4 ">Featured Products</h2>

  <div class="row">

    <!-- Product 1 -->

    <div class="col-md-4">

      <div class="card">
```

```
1" >  

```

```
<h5 class="card-title">Brown Strap Watch</h5>
```

```
<p class="card-text">$15.99</p>
```

```
<a href="#" class="btn btn-success">Add to Cart</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- Product 2 -->
```

```
<div class="col-md-4">
```

```
<div class="card">
```

```

```

```
<div class="card-body">
```

```
<h5 class="card-title">Rosegold Watch</h5>
```

```
<p class="card-text">$39.99</p>
```

```
<a href="#" class="btn btn-success">Add to Cart</a>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- Product 3 -->
```

```
<div class="col-md-4">
```

```
<div class="card">
```

```

```

```
<div class="card-body">

  <h5 class="card-title">Silver Watch</h5>

  <p class="card-text">$89.99</p>

  <a href="#" class="btn btn-success">Add to Cart</a>

</div>

</div>

</div>

</div>

</div>

<!-- ===== Footer ===== -->

<div class="footer">

  <p>&copy; 2025 MyShop. All rights reserved.</p>

</div>

<!-- Bootstrap JS -->

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>

</body>

</html>
```

Featured Products



Brown Strap Watch

\$15.99

Add to Cart



Rosegold Watch

\$39.99

Add to Cart



Silver Watch

\$89.99

Add to Cart