

Day-16

DATE:29-08-25

NAME: NANCY M

- Today's Task
- Call the fevourtieBookAPI from Angular and display the values in the form
 - user can update the name, price etc., in the form
 - When submit button is pressed, call the updateBOOK api from angular
 - (optional) include the token via interceptor when calling the update api
 - (optional) also put the delete button, when clicked call the delete api

Api's

[HttpGet("FetchAllNewBooks")]

public IActionResult FetchAllNewBooks()

```
{
    var allBooks = appDbContext.NewBooks.Include(x => x.author).ToList();
    return Ok(allBooks);
}
```

[HttpDelete("RemoveNewBook")]

public IActionResult RemoveNewBook(int _Id)

```
{
    if (_Id < 0)
        return BadRequest("only pass pos num");
    var book_to_del = appDbContext.NewBooks.FirstOrDefault(x => x.NewBookId
== _Id);
    if (book_to_del == null)
        return BadRequest("book not found");
    appDbContext.NewBooks.Remove(book_to_del);
    appDbContext.SaveChanges();
    return Ok("Deleted");
}
```

[HttpPut("UpdateBook/{id}")]

public IActionResult UpdateBook(int id, [FromBody] Updatenewbook
updatedBook)

```
{
```

```

    var existingBook = appDbContext.NewBooks.FirstOrDefault(x => x.NewBookId
== id);
    if (existingBook == null)
        return NotFound("Book not found");

    var author = appDbContext.Authors.FirstOrDefault(a => a.AuthorName ==
updatedBook.AuthorName);
    if (author == null)
        return NotFound("Author not found");

    existingBook.Title = updatedBook.Title;
    existingBook.Price = updatedBook.Price;
    existingBook.Sales = updatedBook.Sales;
    existingBook.AuthorId = author.AuthorId;

    appDbContext.SaveChanges();

    return Ok("Book updated successfully");
}

```

Angular:

```

addnewBook(bookentry:bookentry)
{
    const headers=new HttpHeaders().set('Content-Type','application/json')
    const book_add_url=`${this.apiUrl}/AddNewBook`
    return
    this.http.post(book_add_url,bookentry,{headers:headers,responseType:'text'})

}
delBook(id:number){
    return
    this.http.delete(`${this.apiUrl}/RemoveNewBook?_Id=${id}`,{responseType:'text'})
}
}

```

```

getMyFavBook(){
  return this.http.get<Book[]>(`${this.apiUrl}/FetchAllNewBooks`)
  // .subscribe(
  //   value=>{
  //     console.log(JSON.stringify(value));
  //   }
  // )
}

```

```

updateBook(id: number, updatedBook: any) {
  return this.http.put(`${this.apiUrl}/UpdateBook/${id}`, updatedBook, {
    responseType: 'text'
  });
}

```

Sample.component:

Booktitle:string=""

Bookdescription:string=""

Bookrating:number=0

Bookprice: number=0

```

AddBookINBook(){

  this.bookService.addbookinbook

  ({title:this.Booktitle,
  description:this.Bookdescription,rating:this.Bookrating,price:this.Bookprice}).su
  bscribe(

    value=>{console.log(`added succesfully:${value}`);}

  )
}

```

```

showBook(){

```

```

this.bookService.getMyFavBook().subscribe(
  value=>
  {
    // console.log(`from server ${value}`);
    // console.log(JSON.stringify(value));
    console.log("API Response:", value);
    this.my_fav_book=value

    console.log(`from server ${this.my_fav_book[0].title}`)
  }
)
}

deleteBook(id: number) {
  this.bookService.delBook(id).subscribe(
    (value) => {
      console.log(`Delete response: ${value}`);
      this.showBook();
    },
    (error) => {
      console.error("Error while deleting:", error);
    }
  );
}

```

```

selectedBook: any = null;

isEditing: boolean = false;

startEdit(books: any) {

  this.selectedBook = { ...books };

  this.isEditing = true;

}

updateBook() {

  this.bookService.updateBook(this.selectedBook.newBookId, this.selectedBook)

    .subscribe(

      (response) => {

        console.log("Update response:", response);

        this.showBook(); // refresh list

        this.isEditing = false; // hide form

      },

      (error) => {

        console.error("Error while updating:", error);

      }

    );

}

```

Html:

```

<table class="table" >

  <thead>

    <tr>

```

```
<th>ID</th>

<th>Title</th>

<th>Price</th>

<th>Sales</th>

<th>Author</th>

<th>Actions</th>

</tr>

</thead>

<tbody>

<tr *ngFor="let book of my_fav_book">

  <td>{{book.newBookId}}</td>

  <td>{{ book.title }}</td>

  <td>{{ book.price }}</td>

  <td>{{ book.sales }}</td>

  <td>{{ book.author?.authorName }}</td>

  <td>

    <button (click)="startEdit(book)">Edit</button>

    <button (click)="deleteBook(book.newBookId)" >Delete</button>

  </td>

</tr>

</tbody>

</table>

<div *ngIf="isEditing">
```

<h3>Edit Book</h3>

<form (ngSubmit)="updateBook()">

<label>Title: </label>

<input [(ngModel)]="selectedBook.title" name="title" required>

**

**

<label>Price: </label>

<input [(ngModel)]="selectedBook.price" name="price" type="number" required>

**

**

<label>Sales: </label>

<input [(ngModel)]="selectedBook.sales" name="sales" type="number" required>

**

**

<label>Author Name </label>

<input [(ngModel)]="selectedBook.author.authorName" name="authorname" required>

**

**

<button type="submit">Update</button>

<button type="button" (click)="isEditing = false">Cancel</button>

</form>

</div>

ID	Title	Price	Sales	Author	Actions
2	Harry Potter	99	0	JK rowling	<button>Edit</button> <button>Delete</button>
3	Clean Code	59	0	Robert	<button>Edit</button> <button>Delete</button>
4	The Pragmatic Programmer	199	0	Andru	<button>Edit</button> <button>Delete</button>
5	Harry Potter 2	250	0	JK rowling	<button>Edit</button> <button>Delete</button>
6	Golden Gate	400	50	Vikram Seth	<button>Edit</button> <button>Delete</button>
7	Beastly Tales	40	30	Vikram Seth	<button>Edit</button> <button>Delete</button>
15	Harry Potter 6	123	20	JK rowling	<button>Edit</button> <button>Delete</button>
18	Two Lives	250	30	Vikram Seth	<button>Edit</button> <button>Delete</button>

2	Harry Potter	99	0	JK rowling	<button>Edit</button> <button>Delete</button>
3	Clean Code	59	0	Robert	<button>Edit</button> <button>Delete</button>
4	The Pragmatic Programmer	199	0	Andru	<button>Edit</button> <button>Delete</button>
5	Harry Potter 2	250	0	JK rowling	<button>Edit</button> <button>Delete</button>
6	Golden Gate	400	50	Vikram Seth	<button>Edit</button> <button>Delete</button>
7	Beastly Tales	40	30	Vikram Seth	<button>Edit</button> <button>Delete</button>
15	Harry Potter 6	123	20	JK rowling	<button>Edit</button> <button>Delete</button>
18	Two Lives	250	30	Vikram Seth	<button>Edit</button> <button>Delete</button>

Edit Book

Title:

Price:

Sales:

Author Name

UpdateCancel

100 %

Results Messages

	NewBookId	Title	Price	AuthorId	Sales
1	2	Harry Potter	99	1	0
2	3	Clean Code	59	2	0
3	4	The Pragmatic Programmer	199	3	0
4	5	Harry Potter 2	250	1	0
5	6	Golden Gate	400	4	50
6	7	Beastly Tales	40	4	30
7	15	Harry Potter 6	123	1	20

For Delete:

enter Title | enter description | 0 | 0 [Add Book in Book table](#) [showBook](#)

ID	Title	Price	Sales	Author	Actions
2	Harry Potter	99	0	JK rowling	Edit Delete
3	Clean Code	59	0	Robert	Edit Delete
4	The Pragmatic Programmer	199	0	Andru	Edit Delete

Elements Console Sources **Network** Memory Performance Application Lighthouse Redux

☒ Preserve log ☐ Disable cache No throttling

20 ms 40 ms 60 ms 80 ms 100 ms 120 ms 140 ms 160 ms 180 ms 200 ms 220 ms 240 ms 260 ms 280 ms 300 ms 320 ms 340 ms 360 ms 380 ms 400 ms

Name	Status	Type	Initiator	Size	Time	Waterfall
RemoveNewBook?id=15	200	xhr	sample.component.ts:116	0.2 kB	246 ms	
FetchAllNewBooks	200	xhr	sample.component.ts:102	0.9 kB	111 ms	