

Day-17

DATE:02-09-25

NAME: NANCY M

[AppdbContext.cs:](#)

```
using Microsoft.EntityFrameworkCore;

using dog_varieties.Models;

namespace dog_varieties.Context
{
    public class AppDbContext : DbContext
    {
        public AppDbContext(DbContextOptions<AppDbContext> options) :
        base(options) { }

        public DbSet<Pet> Pets { get; set; }
    }
}
```

[PetsController.cs:](#)

```
using Microsoft.AspNetCore.Mvc;

using Microsoft.EntityFrameworkCore;

using dog_varieties.Context;

using dog_varieties.Models;

namespace dog_varieties.Controllers
{
    [ApiController]

    [Route("api/[controller]")]
```

```
public class PetsController : ControllerBase
{
    private readonly AppDbContext appDbContext;

    public PetsController(AppDbContext context)
    {
        appDbContext = context;
    }

    [HttpGet("getpets")]
    public IActionResult GetPets()
    {
        var petsli = appDbContext.Pets.ToList();

        return Ok(petsli);
    }

    [HttpPost("addpet")]
    public IActionResult AddPet(Pet pet)
    {
        appDbContext.Pets.Add(pet);

        appDbContext.SaveChanges();

        return Ok("pets added successfully");
    }
}
```

[Pet.cs:](#)

```
namespace dog_varieties.Models
{
    public class Pet
    {
        public int Id { get; set; }

        public string DogName { get; set; }

        public string Breed { get; set; }

        public int Age { get; set; }
    }
}
```

[Program.cs:](#)

```
using Microsoft.EntityFrameworkCore;
using Microsoft.OpenApi.Models;
using dog_varieties.Context;

var builder = WebApplication.CreateBuilder(args);

// Services

builder.Services.AddControllers();

builder.Services.AddEndpointsApiExplorer();

builder.Services.AddSwaggerGen(c =>
{
    c.SwaggerDoc("v1", new OpenApiInfo { Title = "Pet API", Version = "v1" });
});

builder.Services.AddDbContext<AppDbContext>(options =>
```

```
options.UseSqlServer(builder.Configuration.GetConnectionString("DefaultConne
ction"))

);

var app = builder.Build();

// Middleware

if (app.Environment.IsDevelopment())

{

    app.UseSwagger();

    app.UseSwaggerUI(c =>

    {

        c.SwaggerEndpoint("/swagger/v1/swagger.json", "Pet API V1");

        c.RoutePrefix = "swagger"; // Use /swagger

    });

}

app.UseHttpsRedirection();

app.UseAuthorization();

app.MapControllers();

app.Run();
```

Pet API

V1

OAS 3.0

/swagger/v1/swagger.json

Pets

GET

/api/Pets/getpets

POST

/api/Pets/addpet

No parameters

Request body

application/json

```
{
  "id": 0,
  "dogName": "rambo",
  "breed": "lab",
  "age": 1
}
```

Execute

Clear

SQLQuery6.sql - P...YODA\nancy.m (54) X SQLQuery5.sql

```
SELECT TOP (1000) [Id]
, [DogName]
, [Breed]
, [Age]
FROM [demo_nancy].[dbo].[Pets]
```

100 %

Results Messages

	Id	DogName	Breed	Age
1	1	rufus	golden retriever	2
2	2	rambo	lab	1

responses

Curl

```
curl -X 'GET' \
'http://localhost:5022/api/Pets/getpets' \
-H 'accept: */*'
```

Request URL

```
http://localhost:5022/api/Pets/getpets
```

Server response

Code	Details
------	---------

200	
-----	--

Response body

```
[
  {
    "id": 1,
    "dogName": "rufus",
    "breed": "golden retriever",
    "age": 2
  },
  {
    "id": 2,
    "dogName": "rambo",
    "breed": "lab",
    "age": 1
  }
]
```

Response headers

```
content-type: application/json; charset=utf-8
date: Tue, 02 Sep 2025 07:18:59 GMT
server: Kestrel
transfer-encoding: chunked
```