

Project-1

DATE:8-08-25

NAME: NANCY M

project:

Create an MVC Web app with the ability to add a food (or) cloth product and view in the table

FoodMenu.cshtml:

```
@{
    ViewData["Title"] = "Food Menu";
}
@model List<Fooddt>
<div class="text-center">
    <h1 class="display-4">Food Menu</h1>
    <a asp-controller="Home" asp-action="CreateFoodMenu" class="btn
btn-primary ">Add Food Item</a>
<br />
    <table class="table">
        <thead>
            <tr>
                <th>
                    Item Name
                </th>
                <th>
                    Description
                </th>
                <th>
                    Price
                </th>
                <th>
                    Action
                </th>
            </tr>
        </thead>
        <tbody>
            @{
```

```

        foreach (var food in Model)
        {
            <tr>
                <td>@food.Item_name</td>
                <td>@food.Description</td>
                <td>@food.Price </td>
                <td>
                    <a asp-action="Deleteaction"
asp-route-id="@food.Id">Delete</a>
                    <a asp-action="Editaction" asp-route-id="@food.Id">Edit</a>
                </td>
            </tr>

        }
    }
</tbody>
</table>
</div>

```

Editaction.cshtml:

```

@{
    ViewData["Title"] = "Edit Store";
}
@model Day5Task.Models.Fooddt

<div class="text-center">
    <h1 class="display-4">Edit Food</h1>
</div>

<form asp-action="Editaction">
    <input type="hidden" asp-for="Id" />

    <label class="mt-4">Name</label>
    <input class="form-control" type="text" asp-for="Item_name" />

    <label class="mt-4">Description</label>
    <input class="form-control" type="text" asp-for="Description" />

    <label class="mt-4"> Price</label>

```

```
<input class="form-control" type="number" asp-for=" Price" />
```

```
<button class="btn btn-primary mt-4" type="submit">Save</button>
</form>
```

CreateFoodMenu.cshtml:

```
@{
    ViewData["Title"] = "My EditOwner Page";
}
@model Day5Task.Models.Fooddt
```

```
<div class="text-center">
    <h1 class="display-4">Food deatils</h1>
</div>
<form asp-action="AddFood">
    <label class="mt-4">Name</label>
    <input class="form-control" type="text" placeholder="enter name" asp-for="
Item_name " />
    <label class="mt-4">Description</label>
    <input class="form-control" type="text" placeholder="enter des"
asp-for="Description" />
    <label class="mt-4">Price</label>
    <input class="form-control" type="text" placeholder="enter price"
asp-for="Price" />
    <button class="mt-4 btn btn-primary" type="submit"> Submit</button>
</form>
```

[Fooddt.cs:](#)

```
using System.ComponentModel.DataAnnotations;
```

```
namespace Day5Task.Models
```

```
{
    public class Fooddt
    {
        public int Id { get; set; }
        [Required]
        public string Item_name { get; set; }
        public string? Description { get; set; }
        public int Price { get; set; }
    }
}
```

```
}
```

[HomeController.cs:](#)

```
using Day5Task.Context;  
using Day5Task.Models;  
using Microsoft.AspNetCore.Mvc;  
using System.Diagnostics;
```

```
namespace Day5Task.Controllers
```

```
{
```

```
    public class HomeController : Controller
```

```
    {
```

```
        private readonly ILogger<HomeController> _logger;
```

```
        private ApplicationDbContext ApplicationDbContext { get; set; }
```

```
        public HomeController(ILogger<HomeController> logger, ApplicationDbContext  
appDbContext)
```

```
        {
```

```
            _logger = logger;
```

```
            ApplicationDbContext = appDbContext;
```

```
        }
```

```
        public IActionResult Index()
```

```
        {
```

```
            return View();
```

```
        }
```

```
        public IActionResult Privacy()
```

```
        {
```

```
            return View();
```

```
        }
```

```
        public IActionResult FoodMenu()
```

```
        {
```

```
            var allFood = ApplicationDbContext.Foods.ToList();
```

```
            return View(allFood);
```

```
        }
```

```
        public IActionResult AddFood(Fooddt fooddt)
```

```
        {
```

```
            ApplicationDbContext.Foods.Add(fooddt);
```

```

        AppDbContext.SaveChanges();
        return RedirectToAction("FoodMenu");
    }
    public IActionResult CreateFoodMenu()
    {
        return View();
    }

    public IActionResult Deleteaction(int id)
    {
        var store = AppDbContext.Foods.FirstOrDefault(abc => abc.Id == id);
        if (store != null)
        {
            _logger.LogWarning($"{store.Item_name} is being deleted");
            AppDbContext.Foods.Remove(store);
            AppDbContext.SaveChanges();
        }
        return RedirectToAction("FoodMenu");
    }

    public IActionResult Editaction(int id)
    {
        var foodedit= AppDbContext.Foods.FirstOrDefault(x => x.Id == id);
        return View(foodedit);
    }

    [HttpPost]
    public IActionResult Editaction(Fooddt foodt)
    {
        AppDbContext.Foods.Update(foodt);
        AppDbContext.SaveChanges();
        return RedirectToAction("FoodMenu");
    }
    [ResponseCache(Duration = 0, Location = ResponseCacheLocation.None,
NoStore = true)]
    public IActionResult Error()
    {
        return View(new ErrorViewModel { RequestId = Activity.Current?.Id ??
HttpContext.TraceIdentifier });
    }

```

```
}  
}
```

AppDbContext.cs:

```
using Microsoft.EntityFrameworkCore;  
using Day5Task.Models;  
  
namespace Day5Task.Context  
{  
    public class AppDbContext : DbContext  
    {  
        public AppDbContext(DbContextOptions options) : base(options)  
        {  
        }  
        public DbSet<Fooddt> Foods{ get; set; }  
    }  
}
```

Program.cs:

```
using Microsoft.EntityFrameworkCore;  
using Day5Task.Context;  
using System;  
//using Day5Tak.Context;  
var builder = WebApplication.CreateBuilder(args);  
  
// Add services to the container.  
builder.Services.AddControllersWithViews();  
const string connectionString =  
    "Data Source=PTSQLTESTDB01;" +  
    "Initial Catalog=demo_nancy;" +  
    "Integrated Security=true;" +  
    "TrustServerCertificate=True; ";  
builder.Services.AddDbContext<AppDbContext>(x =>  
x.UseSqlServer(connectionString));  
var app = builder.Build();  
  
// Configure the HTTP request pipeline.  
if (!app.Environment.IsDevelopment())  
{
```

```
    app.UseExceptionHandler("/Home/Error");
}
app.UseStaticFiles();

app.UseRouting();

app.UseAuthorization();

app.MapControllerRoute(
    name: "default",
    pattern: "{controller=Home}/{action=Index}/{id?}");

app.Run();
```

Day5Task Home Privacy Food

Welcome

Learn about [building Web apps with ASP.NET Core](#).

FoodMenu

Food Menu

Add Food Item

Item Name	Description	Price	Action
Mutton briyani	delicious	360	Delete Edit

Food deatils

Name

chicken rice

Description

spicy

Price

120

Submit

Food Menu

Add Food Item

Item Name	Description	Price	Action
Mutton briyani	delicious	360	Delete Edit
chicken rice	spicy	120	Delete Edit

SQLQuery5.sql - P...YODA\nancy.m (56) X SQLQuer

```
SELECT TOP (1000) [Id]
, [Item_name]
, [Description]
, [Price]
FROM [demo_nancy].[dbo].[Foods]
```

100 %

Results Messages

	Id	Item_name	Description	Price
1	4	Mutton briyani	delicious	360
2	6	chicken rice	spicy	120

✓ Query executed successfully.

Edit Food

Name

Mutton chuka

Description

delicious

Price

320

Save

Food Menu

Add Food Item

Item Name	Description	Price	Action
Mutton chuka	delicious	320	Delete Edit
chicken rice	spicy	120	Delete Edit

SQLQuery5.sql - P...YODA\nancy.m (56) SQL

```

SELECT TOP (1000) [Id]
      , [Item_name]
      , [Description]
      , [Price]
FROM [demo_nancy].[dbo].[Foods]
  
```

100 %

Results Messages

	Id	Item_name	Description	Price
1	4	Mutton chuka	delicious	320
2	6	chicken rice	spicy	120

Day5Task Home Privacy Food

Food Menu

Add Food Item

Item Name	Description	Price	Action
chicken rice	spicy	120	Delete Edit

SQLQuery5.sql - P...YODA\nancy.m (56) X SQLQuery

```
SELECT TOP (1000) [Id]
, [Item_name]
, [Description]
, [Price]
FROM [demo_nancy].[dbo].[Foods]
```

100 %

Results Messages

	Id	Item_name	Description	Price
1	6	chicken rice	spicy	120