

WeekTask-2

Api:

```
[HttpGet("fetchallbookings")]
public IActionResult fetchallbookings()
{
    var allbookings = AppDbContext.Movies.ToList();
    return Ok(allbookings);
}
[HttpPost("addbookings")]
public IActionResult addbookings(Movie movie)
{
    AppDbContext.Movies.Add(movie);
    AppDbContext.SaveChanges();
    return Ok("booking added");
}
[HttpDelete("deletebooking")]
public IActionResult deletebooking(int id)
{
    var deleteduser = AppDbContext.Movies.FirstOrDefault(x => x.Id == id);
    AppDbContext.Movies.Remove(deleteduser);
    AppDbContext.SaveChanges();
    return Ok(deleteduser);
}
```

[Home.component.cs:](#)

```
<!-- <p>home works!</p> -->
```

```
<div class="movie-card">
```

```

```

```
<div class="movie-info">
```

```
<h2 class="movie-title">Coolie</h2>
```

```
<p class="movie-description">
```

Coolie The film was officially announced in September 2023 under the tentative title Thalaivar 171 as Rajinikanth's 171st film as a lead actor and the official title was announced in April 2024. Principal photography commenced the following July in Chennai,

```
</p>
```

```
<div class="button-group">
```

```
  <button class="btn book-btn" routerLink="/book-tickets">Book Ticket</button>
```

```
  <button class="btn details-btn" routerLink="/detail-page">Show Details</button>
```

```
</div>
```

```
</div>
```

```
</div>
```

Home.component.css:

```
/* Center the card */
```

```
.movie-card {
```

```
width: 350px;
```

```
margin: 50px auto;
```

```
border: 1px solid #ddd;
```

```
border-radius: 12px;
```

```
overflow: hidden;
```

```
box-shadow: 0 4px 8px rgba(0, 0, 0, 0.1);
```

```
font-family: Arial, sans-serif;
```

```
background: #fff;
```

```
transition: transform 0.2s ease-in-out;
```

```
}
```

```
.movie-card:hover {
```

```
transform: scale(1.03);
```

```
}
```

```
/* Movie Poster */
```

```
.movie-poster {
```

```
width: 100%;  
  
height: 400px;  
  
object-fit: cover;  
  
}  
  
/* Movie Info */  
  
.movie-info {  
  
padding: 16px;  
  
}  
  
.movie-title {  
  
font-size: 1.5rem;  
  
margin-bottom: 10px;  
  
color: #333;  
  
}  
  
.movie-description {  
  
font-size: 0.95rem;  
  
color: #666;  
  
margin-bottom: 16px;  
  
line-height: 1.4;  
  
}  
  
/* Buttons */  
  
.button-group {  
  
display: flex;  
  
justify-content: space-between;  
  
}
```

```
.btn {  
  flex: 1;  
  padding: 10px 15px;  
  margin: 0 5px;  
  border: none;  
  border-radius: 8px;  
  cursor: pointer;  
  font-weight: bold;  
  transition: background 0.2s ease-in-out;  
}  
  
.book-btn {  
  background-color: #007bff;  
  color: white;  
}  
  
.book-btn:hover {  
  background-color: #0056b3;  
}  
  
.details-btn {  
  background-color: #28a745;  
  color: white;  
}  
  
.details-btn:hover {  
  background-color: #1e7e34;  
}
```

[Home.component.ts:](#)

```
import { Component } from '@angular/core';

@Component({
  selector: 'app-home',
  templateUrl: './home.component.html',
  styleUrls: ['./home.component.css']
})
export class HomeComponent {
}
```

Bookingpage.component.html:

```
<p>bookingpage works!</p>

<div class="form-container">

  <h2>Book Tickets</h2>

  <form (ngSubmit)="newBooking()">

    <div class="form-group">

      <label for="name">Full Name</label>

      <input type="text" id="name" name="name" [(ngModel)]="memberName" placeholder="Enter
your name" required />

    </div>

    <div class="form-group">

      <label>Gender</label>

      <div class="gender-options">

        <label><input type="radio" name="gender" value="male" [(ngModel)]="memberGender"
required /> Male</label>
```

```
<label><input type="radio" name="gender" value="female" [(ngModel)]="memberGender"
/> Female</label>
```

```
<label><input type="radio" name="gender" value="other" [(ngModel)]="memberGender"/>
Other</label>
```

```
</div>
```

```
</div>
```

```
<div class="form-group">
```

```
<label for="age">Age</label>
```

```
<input type="number" id="age" name="age" [(ngModel)]="memberAge" placeholder="Enter
your age" required />
```

```
</div>
```

```
<div class="form-group">
```

```
<label for="dob">Date of Birth</label>
```

```
<input type="date" id="dob" name="dob" [(ngModel)]="memberDob" required />
```

```
</div>
```

```
<button type="submit" class="submit-btn">Submit</button>
```

```
</form>
```

```
</div>
```

BookTicekt.componnet.css:

```
/* Form Container */
```

```
.form-container {
```

```
width: 400px;
```

```
margin: 40px auto;
```

```
padding: 20px;
```

```
border-radius: 12px;
```

```
background: #ffffff;
```

```
box-shadow: 0 4px 12px rgba(0, 0, 0, 0.15);
```

```
font-family: Arial, sans-serif;
```

```
}
```

```
/* Heading */
```

```
.form-container h2 {
```

```
text-align: center;
```

```
margin-bottom: 20px;
```

```
color: #333;
```

```
}
```

```
/* Form Groups */
```

```
.form-group {
```

```
margin-bottom: 15px;
```

```
display: flex;
```

```
flex-direction: column;
```

```
}
```

```
/* Labels */
```

```
.form-group label {
```

```
font-weight: bold;
```

```
margin-bottom: 5px;
```

```
color: #444;
```

```
}
```

```
/* Inputs */
```

```
.form-group input[type="text"],
```

```
.form-group input[type="number"],
```

```
.form-group input[type="date"] {  
  padding: 10px;  
  border: 1px solid #ccc;  
  border-radius: 8px;  
  outline: none;  
  transition: border-color 0.2s ease-in-out;  
}  
  
.form-group input:focus {  
  border-color: #007bff;  
}  
  
/* Gender Options */  
  
.gender-options {  
  display: flex;  
  gap: 15px;  
  margin-top: 5px;  
}  
  
.gender-options label {  
  font-weight: normal;  
  cursor: pointer;  
}  
  
/* Submit Button */  
  
.submit-btn {  
  width: 100%;  
  padding: 12px;
```

```
border: none;

border-radius: 8px;

background-color: #007bff;

color: white;

font-weight: bold;

cursor: pointer;

transition: background 0.3s ease-in-out;

}

.submit-btn:hover {

background-color: #0056b3;

}
```

[Bookticket.component.ts:](#)

```
import { Component } from '@angular/core';

import { BookticketService } from 'src/app/bookticket.service';

@Component({

selector: 'app-bookingpage',

templateUrl: './bookingpage.component.html',

styleUrls: ['./bookingpage.component.css']

})

export class BookingpageComponent {

constructor(private bookticket:BookticketService)

{

}

memberId: number = 0;
```

```

memberName: string = "";
memberGender: string = "";
memberAge: number = 0;
memberDob: string = "";

newBooking(){

this.bookticket.addbookings

({id:this.memberId,
name:this.memberName,gender:this.memberGender,age:this.memberAge,dob:this.
memberDob}).subscribe(

    value=>{console.log(`added succesfully:${value}`);}

)}

}

```

Detailpage.component.html:

```

<p>detailpage works!</p>

<div class="details-container">

<h2>Booked Tickets</h2>

<table class="tickets-table">

<thead>

<tr>

<th>Id</th>

<th>Name</th>

<th>Gender</th>

<th>Age</th>

<th>Date of Birth</th>

<th>Action</th>

```

```

</tr>

</thead>

<tbody>

<tr *ngFor="let ticket of all_bookings">

  <td>{{ticket.id}}</td>

  <td>{{ ticket.name }}</td>

  <td>{{ ticket.gender }}</td>

  <td>{{ ticket.age }}</td>

  <td>{{ ticket.dob | date: 'dd-MM-yyyy' }}</td>

  <td>

    <button class="delete-btn" (click)="delBooking(ticket.id)">Delete</button>

  </td>

</tr>

</tbody>

</table>

</div>

```

Detailpage.coponent.css:

```

.details-container {

width: 80%;

margin: 40px auto;

font-family: Arial, sans-serif;

}

```

```
h2 {  
  text-align: center;  
  margin-bottom: 20px;  
  color: #333;  
}  
  
/* Table Styling */  
  
.tickets-table {  
  width: 100%;  
  border-collapse: collapse;  
  box-shadow: 0 4px 12px rgba(0, 0, 0, 0.1);  
}  
  
.tickets-table th,  
.tickets-table td {  
  padding: 12px 15px;  
  border: 1px solid #ddd;  
  text-align: center;  
}  
  
.tickets-table th {  
  background-color: #007bff;  
  color: white;  
}  
  
.tickets-table tr:nth-child(even) {  
  background-color: #f9f9f9;  
}
```

```
/* Delete Button */
```

```
.delete-btn {  
  
  background-color: #dc3545;  
  
  border: none;  
  
  color: white;  
  
  padding: 8px 12px;  
  
  border-radius: 6px;  
  
  cursor: pointer;  
  
  transition: background 0.2s;  
  
}
```

```
.delete-btn:hover {  
  
  background-color: #a71d2a;  
  
}
```

```
detail.component.ts
```

```
import { Component } from '@angular/core';  
  
import { BookticketService } from 'src/app/bookticket.service';  
  
import { info } from 'src/app/Models/info.interface';  
  
@Component({  
  
  selector: 'app-detailpage',  
  
  templateUrl: './detailpage.component.html',  
  
  styleUrls: ['./detailpage.component.css']  
  
})  
  
export class DetailpageComponent {  
  
  constructor(private bookticket:BookticketService)
```

```

{
}

all_bookings:info=[]

showBookings(){

  this.bookticket.getAllDetails().subscribe(

    value=>

    {

      this.all_bookings=value

    }

  )

}

delBooking(id:number){

  this.bookticket.deletebooking(id).subscribe(

    (value)=>{

      console.log(`Delete response: ${value}`);

      this.showBookings();

    },

    (error)=>{

      console.error("Error while deleting:", error);

    }

  )

}

ngOnInit(){

  this.showBookings();

```

```
}  
}
```

Bookservice.ts:

```
import { HttpClient, HttpHandler, HttpHeaders } from '@angular/common/http';  
import { Injectable } from '@angular/core';  
import { info } from './Models/info.interface';  
  
@Injectable({  
  providedIn: 'root'  
})  
  
export class BookticketService {  
  private apiURL='http://localhost:5054/Home';  
  
  constructor(private http:HttpClient) { }  
  
  getAllDetails(){  
    return this.http.get<info[]>(` ${this.apiURL}/fetchallbookings`)  
  }  
  
  deletebooking(id:number){  
    return  
this.http.delete(` ${this.apiURL}/deletebooking?id=${id}`, {responseType:'text'})  
  }  
  
  addbookings(infomodel:info)  
  {  
    const headers=new HttpHeaders().set('Content-Type','application/json')  
  
    return  
this.http.post(` ${this.apiURL}/addbookings`,infomodel,{headers:headers,responseType:'text'})  
  }
```

```
}
```

```
}
```

Model:

```
export interface info{
```

```
  id:number
```

```
  name:string;
```

```
  age:number;
```

```
  gender:string;
```

```
  dob:string
```

```
}
```



Coolie

Coolie The film was officially announced in September 2023 under the tentative title Thalaivar 171 as Rajinikanth's 171st film as a lead actor and the official title was announced in April 2024. Principal photography commenced the following July in Chennai,

[Book Ticket](#) [Show Details](#)

detailpage works!

Booked Tickets

Id	Name	Gender	Age	Date of Birth	Action
1	dharu	female	20	09-12-2004	Delete
2	nandhini	female	21	19-08-2025	Delete

Book Tickets

Full Name

rufus

Gender

☒ Male

☐ Female

☐ Other

Age

20

Date of Birth

24 - 09 - 2025

Submit

SQLQuery2.sql - P...YODA\nancy.m (60)) SQLQuery1.sql -

SELECT TOP (1000) [Id]

[Name]

[Gender]

[Age]

[DOB]

FROM [demo_nancy].[dbo].[Movies]

100 %

Results

Messages

	Id	Name	Gender	Age	DOB
1	1	dharu	female	20	2004-12-09
2	2	nandhini	female	21	2025-08-19
3	10	rufus	male	20	2025-09-24