

Install Internet Information Services (IIS) on a Windows Server 2025 Virtual Machine

Summary:-

In this lab, Internet Information Services (IIS) is installed on a Windows Server 2025 virtual machine hosted in Microsoft Azure. An inbound HTTP rule is configured in the Network Security Group (NSG) to allow web traffic, and the IIS default webpage is verified through the virtual machine's public IP address.


Let's Start:-

- Install the IIS Web Server role.
- Configure an HTTP inbound rule.
- Allow web traffic through the Network Security Group.
- Verify the IIS default webpage.


Lab Steps

Step 1 – Connect to the Virtual Machine

- Open the Azure portal.
- Open the Windows Server virtual machine.
- Click **Connect** → **RDP**.




- Download and open the RDP file.
- Sign in using the Administrator credentials.




Step 2 – Install the IIS Web Server Role


- Open Server Manager.




- Click Add Roles and Features.




- **Click Next.**




- **Select Role-based or feature-based installation.**




- Click Next.




- Select the local server.




- Enable **Web Server (IIS)**.



- Click **Add Features** when prompted.



- Click **Next**. Continue with the default settings.



- Click **Install**.
- Wait until the installation completes.

Step 3 – Allow HTTP Traffic

- Return to the Azure portal.

Microsoft Azure

Search resources, services, and docs (G+/)

Home > Resource Manager

Resource Manager | All resources

My Directory

Search

Filter resources by region Are any resources impacted by outages Browse all resources in this subscription

+ Create Manage view Refresh Export to CSV Open query Assign tags Delete Group by none

Filter for any field...

Subscription equals all Resource Group equals all Type equals all Location equals all Add filter

Name	Type	Resource Group	Location	Subscription
ASP-terraformstorage-80b4	App Service plan	terraform-storage-rg	East US	Visual Studio Enterp...
NetworkWatcher_eastus	Network Watcher	NetworkWatcherRG	East US	Visual Studio Enterp...
SQLsvr-dev-eus (web-db/SQLsvr-dev-eus)	SQL database	terraform-storage-rg	East Asia	Visual Studio Enterp...
vm-dev-eus-01	Virtual machine	RG-AZ204-DEV-EUS	East US	Visual Studio Enterp...
vm-dev-eus-01-ip	Public IP address	rg-az204-dev-eus	East US	Visual Studio Enterp...
vm-dev-eus-01-nsg	Network security gr...	rg-az204-dev-eus	East US	Visual Studio Enterp...

Showing 1 - 10 of 11. Display count: auto

Add or remove favorites by pressing Ctrl+Shift+F

- Open the virtual machine.
- Select **Networking**.

Microsoft Azure

Search resources, services, and docs (G+/)

Home > Resource Manager | All resources > vm-dev-eus-01

vm-dev-eus-01 | Network settings

Virtual machine

What are the requirements for attaching and detaching network interfaces? +2

Search

Access control (IAM) Tags Diagnose and solve problems Monitor Resource visualizer Connect

Networking

Network settings

Load balancing Application security groups Network manager

Add or remove favorites by pressing Ctrl+Shift+F

Network security group **vm-dev-eus-01-nsg** (attached to networkInterface: vm-dev-eus-01347)
Impacts 0 subnets, 1 network interfaces

Search rules Source == all Destination == all Protocol == all Action == all Port == all


Prio...	Name	Port	Protocol	Source	Destination
Inbound port rules (4)					
300	RDP	3389	TCP	Any	Any
65000	AllowVnetInBound	Any	Any	VirtualNetwork	VirtualNetwork
65001	AllowAzureLoadBalancerInB...	Any	Any	AzureLoadBalancer	Any
65500	DenyAllInBound	Any	Any	Any	Any
Outbound port rules (3)					

+ Create port rule

Inbound port rule

Outbound port rule

- Click **Add inbound port rule**.




- Configure the rule as follows:

Setting	Value
Source	Any
Destination Port	80
Protocol	TCP
Service	HTTP
Action	Allow
Priority	Default
Name	Allow-HTTP


- Click **Add**.

Step 4 – Verify IIS


- Copy the virtual machine's **Public IP Address**.



- Open a web browser.
- Browse to:
`http://<Public-IP>`



- Verify that the default **Internet Information Services (IIS)** webpage is displayed.



Verification

- IIS is successfully installed.
- HTTP (Port 80) is allowed.
- The IIS default webpage loads successfully.
- The web server is accessible through the public IP address.

