

Create an Azure Function App Using the Flex Consumption Plan

Summary:-

In this lab, an **Azure Function App** is created using the **Flex Consumption** hosting plan in Microsoft Azure. The Function App is configured with the **.NET 10 runtime**, while Azure automatically provisions the required **Storage Account** and **Application Insights** resources. After deployment, the Function App is verified to ensure it is running successfully and ready for hosting Azure Functions.

Let's Start:-


After completing this lab, you will be able to:

- Create an Azure Function App.
- Select the Flex Consumption hosting plan.
- Configure the .NET runtime for Azure Functions.
- Provision the required Azure Storage Account.
- Enable Application Insights for monitoring.
- Deploy and verify the Azure Function App.


Lab Steps:-

Step 1 – Open Azure Function App

- Sign in to the **Azure Portal**.
- Click **Create a Resource**.



- Select **Function App**.




- Click **Create**.

Step 2 – Select the Hosting Plan

- Select the following hosting option:

Setting	Value
Hosting Plan	Flex Consumption



- The Flex Consumption plan automatically scales based on demand and charges only for execution time. When no functions are running, the compute resources scale down to zero.
- Click **Select**.

Step 3 – Configure the Basic Settings

- Configure the **Function App** using the following settings.

Setting	Value
Subscription	Select your Azure subscription
Resource Group	Select an existing Resource Group
Function App Name	Enter a unique name

Home > Create a resource > Create Function App

Create Function App (Flex Consumption)

Basics Storage Azure OpenAI Networking Monitoring Durable Functions Deployment Authentication Tags Review + create

Create a function app, which lets you group functions as a logical unit for easier management, deployment and sharing of resources. Functions lets you execute your code in a serverless environment without having to first create a VM or publish a web application.

Project Details

Select a subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription *

Resource Group * [Create new](#)

Instance Details

Function App name * -gah9dngjfravde44.canadacentral-01.azurewebsites.net

[Review + create](#) [< Previous](#) [Next : Storage >](#)

- Select:
 - Unique Default Hostname : No
 - Region : East US
 - Runtime Stack : .NET
 - Version : 10 (LTS), isolated worker model
 - Instance Memory : Default (2048 MB)

Home > Create a resource > Create Function App

Create Function App (Flex Consumption)

Subscription *

Resource Group * [Create new](#)

Instance Details

Function App name * -gah9dngjfravde44.eastus-01.azurewebsites.net

☒ Secure unique default hostname on. [More about this update](#)

Region *

Runtime stack *

Version *

Instance size *

[Review + create](#) [< Previous](#) [Next : Storage >](#)

- Click Next: Storage.

Step 4 – Configure Storage

- Leave the default storage configuration.
- Azure automatically creates a Storage Account for the Function App.

The screenshot shows the 'Create Function App (Flex Consumption)' page in the Microsoft Azure portal. The 'Storage account' field is set to '(New) funcdeveus01group8bd2'. Below this, there is a diagnostic settings section with two radio button options: 'Configure later (Recommended for custom controls)' and 'Configure now (Recommended for basic controls)'. The 'Configure later' option is selected. At the bottom, there are three buttons: 'Review + create', '< Previous', and 'Next : Azure OpenAI >'. The 'Next : Azure OpenAI >' button is highlighted with a red rectangle.

- Click **Next: Azure Open AI**.

Step 5 – Configure Azure Open AI

- Leave all Open AI settings as their default values.

The screenshot shows the 'Create Function App (Flex Consumption)' page in the Microsoft Azure portal, with the 'Azure OpenAI' tab selected. The 'Enable Azure OpenAI' checkbox is unchecked. At the bottom, there are three buttons: 'Review + create', '< Previous', and 'Next : Networking >'. The 'Next : Networking >' button is highlighted with a red rectangle.

- Click **Next: Networking**.

Step 6 – Configure Networking

- Leave all networking settings as their default values.

Microsoft Azure

Search resources, services, and docs (G+/)

Copilot

cf-nancy.az@behalrites...
MY DIRECTORY (BEHALRITESHG...)

Home > Create a resource > Create Function App

Create Function App (Flex Consumption)

Basics Storage Azure OpenAI **Networking** Monitoring Durable Functions Deployment Authentication Tags Review + create

Function Apps can be provisioned with the inbound address being public to the internet or isolated to an Azure virtual network. Function Apps can also be provisioned with outbound traffic able to reach endpoints in a virtual network, be governed by network security groups or affected by virtual network routes. By default, your app is open to the internet and cannot reach into a virtual network. These aspects can also be changed after the app is provisioned. [Learn more](#)

i You can configure networking on new services when you enable virtual network integration and configure outbound access networking on your function app.

Enable public access * ☒ On ☐ Off

Enable virtual network integration * ☐ On ☒ Off

[Review + create](#) [< Previous](#) [Next: Monitoring >](#)

- Click **Next: Monitoring**.

Step 7 – Configure Monitoring

- Verify the monitoring settings.
- Leave **Application Insights** enabled.

Microsoft Azure

Search resources, services, and docs (G+/)

Copilot

cf-nancy.az@behalrites...
MY DIRECTORY (BEHALRITESHG...)

Home > Create a resource > Create Function App

Create Function App (Flex Consumption)

Basics Storage Azure OpenAI Networking **Monitoring** Durable Functions Deployment Authentication Tags Review + create

Application Insights

Azure Monitor application insights is an Application Performance Management (APM) service for developers and DevOps professionals. Enable it below to automatically monitor your application. It will detect performance anomalies, and includes powerful analytics tools to help you diagnose issues and to understand what users actually do with your app. Your bill is based on amount of data used by Application Insights and your data retention settings. [Learn more](#)

[App Insights pricing](#)

Enable Application Insights * ☐ No ☒ Yes

Application Insights * (New) func-dev-eus-01 (East US) [Create new](#)

Region East US

[Review + create](#) [< Previous](#) [Next: Durable Functions >](#)

- Click **Next: Durable Functions**.

Step 8 – Durable Functions

- Leave all **Durable Functions** settings unchanged.

Home > Create a resource > Create Function App

Create Function App (Flex Consumption) ...

Basics Storage Azure OpenAI Networking Monitoring **Durable Functions** Deployment Authentication Tags Review + create

Durable Functions allows you to write stateful functions (e.g. orchestrations and entities) that are long-running and execute reliably, with automatic recovery from infrastructure failures. [Learn More](#)

Backend providers *

- ☒ Bring your own: Azure Storage
For scenarios with small to moderate throughput and low performance requirements, Durable Functions will share the storage account of the function app, using the host storage (AzureWebJobsStorage) connection. Storage account name: funcdeveus01group8bd2
- ☐ Azure managed: Durable Task Scheduler
For best performance and user experience. Fully managed by Azure with convenient features such as built-in monitoring dashboard, automatic disaster recovery, data encryption, and other enterprise-friendly features.

i You do not have the permissions to set up Durable Functions because it uses managed identity authentication during app creation.

[Review + create](#) [< Previous](#) [Next : Deployment >](#)

- Click **Next: Deployment**.

Step 9 – Configure Deployment

- Leave all deployment settings unchanged.

Microsoft Azure Search resources, services, and docs (G+/I) Copilot

Home > Create a resource > Create Function App

Create Function App (Flex Consumption) ...

Basics Storage Azure OpenAI Networking Monitoring Durable Functions **Deployment** Authentication Tags Review + create

Continuous deployment settings

Set up continuous deployment to easily deploy code from your GitHub repository via GitHub Actions. [Learn more](#)

Continuous deployment ☒ Disable ☐ Enable

GitHub settings

Set up GitHub Actions to push content to your app whenever there are code changes made to your repository. Note: Your GitHub account must have write access to the selected repository in order to add a workflow file which manages deployments to your app.

GitHub account [Authorize](#)

Organization [Select organization](#)


Repository [Select repository](#)

[Review + create](#) [< Previous](#) [Next : Authentication >](#)

- Click **Next: Authentication**.

Step 10 – Configure Authentication


- Keep the default authentication settings.



- Click **Next: Tags**.

Step 11 – Configure Tags


- Do not add any tags.



- Click **Next: Review + Create**.

Step 12 – Review and Create

- Wait for validation to complete.
- Verify that **Validation Passed** is displayed.
- Review the configuration.
- Click **Create**.




Azure begins deploying the following resources:

- Azure Function App
- Azure Storage Account
- Application Insights

Wait until the deployment completes successfully.

- It will show:




Step 13 – Verify the Function App

- Click **Go to Resource**.
- Verify that the Function App status is **Running**.
- Review the following information:

Property	Expected Value
Hosting Plan	Flex Consumption
Location	East US
Status	Running

Property	Expected Value
Default Domain	<function-app-name>.azurewebsites.net



Verification

Verify that:

- The Azure Function App has been created successfully.
- The hosting plan is **Flex Consumption**.
- The Function App status is **Running**.
- A Storage Account has been created automatically.
- An Application Insights resource has been created automatically.
- The default **azurewebsites.net** hostname is assigned to the Function App.