

Create an HTTP Trigger Azure Function Using Visual Studio Code

Summary:-

In this lab, an **HTTP Trigger Azure Function** is created locally using **Visual Studio Code** and the **Azure Functions extension**. A new Azure Functions project is configured with the **.NET 10 runtime**, an HTTP trigger template is selected, and a function is generated with **Anonymous** authorization. The generated function code is then reviewed to verify that the project is ready for local testing and deployment.

Let's Start:-


After completing this lab, you will be able to:

- Create an Azure Functions project in Visual Studio Code.
- Configure an Azure Function using the .NET 10 runtime.
- Create an HTTP Trigger Azure Function.
- Configure anonymous access for the function.
- Generate the default Azure Function code.
- Verify that the function project is created successfully.

Lab Steps:-


Step 1 – Open an Empty Project Folder

- Open **Visual Studio Code**.
- Select **File** → **Open Folder**.
- Create or select an **empty folder** for the Azure Functions project.




Step 2 – Open the Command Palette


- Make sure you have:
 - Extension: Azure Tools, Azure Functions
 - .NET 10 SDK installed
 - [Azure Functions Core Tools](#) installed



- Press **Ctrl + Shift + P**.
- Click on **Show and Run Commands**.




- **Search for Azure Functions: Create Function.**



- Select the command.

Step 3 – Select the Project Folder


- Select the empty folder opened in the previous step.




- Click Select Folder.

Step 4 – Configure the Azure Functions Project


- Select the following options when prompted.
 - Language : C#




- Runtime : .NET 10




○ Template : **HTTP Trigger**.




○ Rename it as **GetCourseOrders**. Click **Enter**.




○ Namespace : Leave the default value. Click **Enter**.



○ Authorization Level : Anonymous



- Visual Studio Code generates the Azure Functions project.




Step 5 – Review the Generated Project

Expand the project in the **Explorer** pane.

Verify that the project contains files similar to the following:


- **GetCourseOrders.cs**
- **host.json**
- **local.settings.json**
- **Program.cs**

- Project (.csproj) file



Step 6 – Review the Function Code

- Open GetCourseOrders.cs.
- Review the generated HTTP Trigger function.



- Verify that the trigger is configured with:
 - HTTP Trigger
 - GET and POST methods (default template)
 - Anonymous authorization

- Save all project files. The Azure Function project is now ready for local execution and deployment.

Verification

Verify the following:

- Visual Studio Code successfully creates the Azure Functions project.
- The project uses the **.NET 10** runtime.
- An **HTTP Trigger** function named **GetCourseOrders** is created.
- The function uses **Anonymous** authorization.
- The generated source code is available in **GetCourseOrders.cs**.
- The project structure contains the required Azure Functions configuration files.