Name:Setti Durga Poojitha	SRN:PES2UG20CS458	Section:G
	Date:23/11/2021	Unit 4 Assignment Exercise

PROBLEM STATEMENT(Even SRN's)

1. Create a MongoDB database that has a collection of employees having different documents (such as emp_id, emp_name, emp_dob,emp_type, emp_dept etc)for each employee. Create a server listening to 8081 that checks the query string submitted to it and retrieves the Employee ID and full names of all employees sorted based on the parameter (either dept or eid only) passed to it. For instance, the URLhttp://localhost:8081/?dept=Salesshould display Employee ID and names of employees working in sales. The URLhttp://localhost:8081/?eid=2 should display Employee ID and names of employees with Employee ID 2.
2. Create a custom module to generate random numbers and import it in your application and display the random numbers.

OBJECTIVE

The objective of this exercise is to test the student on NodeJS and MongoDB.It evaluates the student's knowledge ofhttp server creation using Node, Reading from MongoDB and NodeJS MongoDB driver.

PREREQUISITE

In order to complete this exercise, the student needs to understand the fundamentals of HTML,CSS, and JavaScript

DATABASE CREATION

SAMPLE SCREENSHOT OF OUTPUT (Just for your reference)

2:BobB

2:BobB

3:JohnJ

9:AlexaA

PROGRAM> use employee_db switched to db empdb >
db.createCollection("Employee") { "ok" : 1 } >
db.student.insert({"emp_id":"101","emp_name":"john","emp_dob":"12/12/1989", "emp_type":"night-shift","emp_dept":"sales"}) WriteResult({ "nInserted" : 1 }) >
db.student.insert({"emp_id":"102","emp_name":"jane","emp_dob":"12/2/1999" ,"emp_type":"day-shift","emp_dept":"sales"}) WriteResult({ "nInserted" : 1 }) >
db.student.insert({"emp_id":"103","emp_name":"ram","emp_dob":"1/8/1987","emp_type":"day-shift","emp_dept":"HR"}) WriteResult({ "nInserted" : 1 }) > db.student.insert({"emp_id":"104","emp_name":"mohan","emp_dob":" 11/8/2000 ","emp_type":"day-shift","emp_dept":"PR"}) WriteResult({

"nInserted" : 1 }) >
db.student.insert({"emp_id":"105","emp_name":"ryan","emp_dob":" 1/10/1990 ","emp_type":"night-shift","emp_dept":"marketing"})
WriteResult({ "nInserted" : 1 }) >
db.student.insert({"emp_id":"2","emp_name":"rohan","emp_dob":" 25/8/1987 ","emp_type":"night-shift","emp_dept":"marketing"}) WriteResult({ "nInserted" : 1 })

Code:
```
var http = require('http');
var url = require('url');
var fs = require('fs');
var qs = require('querystring');
var MongoClient = require('mongodb').MongoClient;
var dburl = "mongodb://localhost:27017/";
http.createServer(function (request, response) {
if (request.method == "GET") {
var myurl = url.parse(request.url)
var pathname = myurl.pathname;
MongoClient.connect(dburl, function (err, db) {
var dbo = db.db('employee_db');
var query = myurl.query;
var qobj = qs.parse(query);
dbo.collection('Employee').find(qobj).toArray(function (err, result)
{
if (err) throw err;
response.writeHead(200, { 'Content-Type': 'text/html' });
for (var i = 0; i < result.length; i++) {
response.write('<h1> Employee name : ' +
JSON.stringify(result[i].emp_name) + ' Employee_ID : ' +
JSON.stringify(result[i].emp_id) + '</h1>');
}
response.end();
db.close();
})
})
}
}).listen(8081);
console.log("Server started");
```

2 nd URL

```
var http = require('http');
var url = require('url');
var fs = require('fs');
```

```
var qs = require('querystring');
var MongoClient = require('mongodb').MongoClient;
var dburl = "mongodb://localhost:27017/";
http.createServer(function (request, response) {
if (request.method == "GET") {
var myurl = url.parse(request.url)
var pathname = myurl.pathname;
MongoClient.connect(dburl, function (err, db) {
var dbo = db.db('employee_db');
var query = myurl.query;
var q2obj = qs.parse(query);
dbo.collection('Employee').find(q2obj).toArray(function (err, result)
{
if (err) throw err;
response.writeHead(200, { 'Content-Type': 'text/html' });
response.write("<h1> Second part </h1>");
for (var i = 0; i < result.length; i++) {
response.write('<h1> Employee name : ' +
JSON.stringify(result[i].emp_name) + ' Employee_ID : ' +
```

```
JSON.stringify(result[i].emp_id) + '</h1>');
}
response.end();
db.close();
})
})
}
}).listen(8081);
console.log("Server started");
```

Main.js

```
const fs = require("fs");
const result = require("./module.js");
console.log(result.re);
console.log(result.re);
console.log(result.re);
console.log(result.re);
```

Module.js

```
const result = Math.random() * (20 - 17) + 12
exports.re = result;
```

SCREENSHOT OF YOUR OUTPUT



Employee name : "john" Employee_ID : "101"

Employee name : "jane" Employee_ID : "102"



Employee name : "john" Employee_ID : "101"

Employee name : "jane" Employee_ID : "102"