


CYBER SECURITY AND ETHICAL HAKING

TOPIC – Kali Linux VM Basic Fundamental

ASSIGNMENT – 1



The image displays two screenshots of a Kali Linux terminal window, showing basic file operations. The terminal has a dark background with a faint, stylized cityscape pattern. The window title is "kali@kali: ~/cyber_security_assignment".

Top Screenshot:

```
kali@kali: ~/cyber_security_assignment
Session Actions Edit View Help
(kali@kali) ~/cyber_security_assignment
$ cp file.txt backup.txt
(kali@kali) ~/cyber_security_assignment
$
```

Bottom Screenshot:

```
kali@kali: ~/cyber_security_assignment
Session Actions Edit View Help
(kali@kali) ~/cyber_security_assignment
$ touch script.sh
(kali@kali) ~/cyber_security_assignment
$ chmod +x script.sh
(kali@kali) ~/cyber_security_assignment
$ ls -l script.sh
-rwxrwxr-x 1 kali kali 0 Feb  7 05:48 script.sh
(kali@kali) ~/cyber_security_assignment
$ ./script.sh
(kali@kali) ~/cyber_security_assignment
$ find . -type f
./file.txt
./script.sh
./backup.txt
(kali@kali) ~/cyber_security_assignment
$ grep "text" file.txt
(kali@kali) ~/cyber_security_assignment
$ grep "test" file.txt
test
(kali@kali) ~/cyber_security_assignment
$
```

```
kali@kali: ~/cyber_security_assignment

Session Actions Edit View Help
kali@kali)~$ touch script.sh
kali@kali)~$ chmod +x script.sh
kali@kali)~$ ls -l script.sh
-rwxrwxr-x 1 kali kali 0 Feb  7 05:48 script.sh
kali@kali)~$ ./script.sh
kali@kali)~$ find . -type f
./file.txt
./script.sh
./backup.txt
kali@kali)~$
```

```
kali@kali: ~/cyber_security_assignment

Session Actions Edit View Help
kali@kali)~$ touch script.sh
kali@kali)~$ chmod +x script.sh
kali@kali)~$ ls -l script.sh
-rwxrwxr-x 1 kali kali 0 Feb  7 05:48 script.sh
kali@kali)~$ ./script.sh
kali@kali)~$
```

```
kali@kali: ~/cyber_security_assignment

Session Actions Edit View Help
kali@kali)~$ touch script.sh
kali@kali)~$ chmod +x script.sh
kali@kali)~$ ls -l script.sh
-rwxrwxr-x 1 kali kali 0 Feb  7 05:48 script.sh
kali@kali)~$
```

```
kali@kali: ~/cyber_security_assignment


Session Actions Edit View Help
kali@kali)~$ touch script.sh
kali@kali)~$ chmod +x script.sh
kali@kali)~$
```

```
kali@kali: ~/cyber_security_assignment

Session Actions Edit View Help
(kali@kali)-[~/cyber_security_assignment]
$ touch script.sh
(kali@kali)-[~/cyber_security_assignment]
$
```


```
kali@kali: ~/cyber_security_assignment

Session Actions Edit View Help
(kali@kali)-[~/cyber_security_assignment]
$ chmod 600 file.txt
(kali@kali)-[~/cyber_security_assignment]
$ ls -l file.txt
-rw----- 1 kali kali 5 Feb  7 05:16 file.txt
(kali@kali)-[~/cyber_security_assignment]
$
```



A terminal window titled "kali@kali: ~/cyber_security_assignment" with a menu bar (Session, Actions, Edit, View, Help) and a toolbar. The background is a dark, isometric cityscape. The terminal shows the following commands and output:

```
kali@kali)~$ chmod 600 file.txt
kali@kali)~$
```



A terminal window titled "kali@kali: ~/cyber_security_assignment" with a menu bar (Session, Actions, Edit, View, Help) and a toolbar. The background is a dark, isometric cityscape. The terminal shows the following commands and output:

```
kali@kali)~$ cd cyber_security_assignment
kali@kali)~/cyber_security_assignment$ ls -l file.txt
-rw-rw-r-- 1 kali kali 5 Feb  7 05:16 file.txt
kali@kali)~/cyber_security_assignment$
```

```
kali@kali: ~/cyber_security_assignment

Session Actions Edit View Help
(kali@kali)-[~/cyber_security_assignment]
$ find . -name "*.txt"
./file.txt
./backup.txt
(kali@kali)-[~/cyber_security_assignment]
$
```

```
kali@kali: ~/cyber_security_assignment

Session Actions Edit View Help
(kali@kali)-[~/cyber_security_assignment]
$ cp file.txt backup.txt
(kali@kali)-[~/cyber_security_assignment]
$ ls -l
total 8
-rw-rw-r-- 1 kali kali 5 Feb 7 05:23 backup.txt
-rw-rw-r-- 1 kali kali 5 Feb 7 05:16 file.txt
(kali@kali)-[~/cyber_security_assignment]
$
```

```
kali@kali: ~/cyber_security_assignment
Session Actions Edit View Help
(kali@kali)-[~/cyber_security_assignment]
$ cat file.txt
test
(kali@kali)-[~/cyber_security_assignment]
$
```

```
kali@kali: ~/cyber_security_assignment
Session Actions Edit View Help
(kali@kali)-[~/cyber_security_assignment]
$ echo "test" > file.txt
(kali@kali)-[~/cyber_security_assignment]
$
```

File Edit View Go Bookmarks Help

← → ↑ ↓ 🏠 kali cyber_security_assig

Places

- Computer
- kali
- Desktop
- Recent
- Trash
- Documents
- Music
- Pictures
- Videos
- Downloads

Devices

- File System

Network

- Browse Network

file.txt



~/cyber_security_assignment/file.txt - Mousepad



File Edit Search View Document Help




1 test

2

"file.txt" | 5 bytes | Plain text document








```
kali@kali: ~/cyber_security_assignment

Session Actions Edit View Help

(kali@kali)-[~/cyber_security_assignment]
$ cat log_analysis_commands.txt
LOG ANALYSIS COMMANDS

1.view log file
cat system_log.txt

2.search for failed entries
grep "Failed" system_log.txt

3.count failed attempts
grep -c "Failed" system_log.txt

(kali@kali)-[~/cyber_security_assignment]
$ ls -lah
total 36K
drwxrwxr-x  2 kali kali 4.0K Feb  7 07:52 .
drwx----- 18 kali kali 4.0K Feb  7 06:05 ..
-rw-rw-r--  1 kali kali  5 Feb  7 06:03 backup.txt
-rw-rw-r--  1 kali kali 203 Feb  7 06:48 common_ports.txt
-rw-----  1 kali kali  5 Feb  7 05:16 file.txt
-rw-rw-r--  1 kali kali 226 Feb  7 07:43 incident_report.txt
-rw-rw-r--  1 kali kali 195 Feb  7 07:52 log_analysis_commands.txt
-rw-rw-r--  1 kali kali 130 Feb  7 06:19 password_security.txt
-rwxrwxr-x  1 kali kali  0 Feb  7 05:48 script.sh
-rw-rw-r--  1 kali kali 533 Feb  7 07:33 system_log.txt

(kali@kali)-[~/cyber_security_assignment]
$ ls -l
total 28
-rw-rw-r--  1 kali kali  5 Feb  7 06:03 backup.txt
-rw-rw-r--  1 kali kali 203 Feb  7 06:48 common_ports.txt
-rw-----  1 kali kali  5 Feb  7 05:16 file.txt
-rw-rw-r--  1 kali kali 226 Feb  7 07:43 incident_report.txt
-rw-rw-r--  1 kali kali 195 Feb  7 07:52 log_analysis_commands.txt
-rw-rw-r--  1 kali kali 130 Feb  7 06:19 password_security.txt
-rwxrwxr-x  1 kali kali  0 Feb  7 05:48 script.sh
-rw-rw-r--  1 kali kali 533 Feb  7 07:33 system_log.txt

(kali@kali)-[~/cyber_security_assignment]
$
```

```
kali@kali: ~/cyber_security_assignment

Session Actions Edit View Help

(kali@kali)-[~/cyber_security_assignment]
$ cat incident_report.txt
Incident Report

log file analyzed : system_log.txt

I checked the log file and found multiple failed login attempts.
some IP addresses were present in th log entries.
These IP addresses were extracted using the grep command.

(kali@kali)-[~/cyber_security_assignment]
$ nano log_analysis_commands.txt

(kali@kali)-[~/cyber_security_assignment]
$ cat log_analysis_commands.txt
LOG ANALYSIS COMMANDS

1.view log file
cat system_log.txt

2.search for failed entries
grep "Failed" system_log.txt

3.count failed attempts
grep -c "Failed" system_log.txt

(kali@kali)-[~/cyber_security_assignment]
$ ls -lah
total 36K
drwxrwxr-x  2 kali kali 4.0K Feb  7 07:52 .
drwx----- 18 kali kali 4.0K Feb  7 06:05 ..
-rw-rw-r--  1 kali kali  5 Feb  7 06:03 backup.txt
-rw-rw-r--  1 kali kali 203 Feb  7 06:48 common_ports.txt
-rw-----  1 kali kali  5 Feb  7 05:16 file.txt
-rw-rw-r--  1 kali kali 226 Feb  7 07:43 incident_report.txt
-rw-rw-r--  1 kali kali 195 Feb  7 07:52 log_analysis_commands.txt
-rw-rw-r--  1 kali kali 130 Feb  7 06:19 password_security.txt
-rwxrwxr-x  1 kali kali  0 Feb  7 05:48 script.sh
-rw-rw-r--  1 kali kali 533 Feb  7 07:33 system_log.txt

(kali@kali)-[~/cyber_security_assignment]
$
```

```
kali@kali: ~/cyber_security_assignment

Session Actions Edit View Help
(kali@kali)~/cyber_security_assignment
$ nano incident_report.txt
(kali@kali)~/cyber_security_assignment
$ cat incident_report.txt
Incident Report

log file analyzed : system_log.txt

I checked the log file and found multiple failed login attempts.
some IP addresses were present in th log entries.
These IP addresses were extracted using the grep command.

(kali@kali)~/cyber_security_assignment
$ nano log_analysis_commands.txt
(kali@kali)~/cyber_security_assignment
$ cat log_analysis_commands.txt
LOG ANALYSIS COMMANDS

1.view log file
cat system_log.txt

2.search for failed entries
grep "Failed" system_log.txt

3.count failed attempts
grep -c "Failed" system_log.txt

(kali@kali)~/cyber_security_assignment
$
```

```
kali@kali: ~/cyber_security_assignment

Session Actions Edit View Help
(kali@kali)~/cyber_security_assignment
$ nano incident_report.txt
(kali@kali)~/cyber_security_assignment
$ cat incident_report.txt
Incident Report

log file analyzed : system_log.txt

I checked the log file and found multiple failed login attempts.
some IP addresses were present in th log entries.
These IP addresses were extracted using the grep command.

(kali@kali)~/cyber_security_assignment
$ nano log_analysis_commands.txt
(kali@kali)~/cyber_security_assignment
$
```

```
kali@kali: ~/cyber_security_assignment
Session Actions Edit View Help
(kali@kali)~/cyber_security_assignment
$ nano incident_report.txt
(kali@kali)~/cyber_security_assignment
$ cat incident_report.txt
Incident Report

log file analyzed : system_log.txt

I checked the log file and found multiple failed login attempts.
some IP addresses were present in th log entries.
These IP addresses were extracted using the grep command.
(kali@kali)~/cyber_security_assignment
$
```

```
kali@kali: ~/cyber_security_assignment
Session Actions Edit View Help
(kali@kali)~/cyber_security_assignment
$ nano incident_report.txt
(kali@kali)~/cyber_security_assignment
$
```

```
kali@kali: ~/cyber_security_assignment

Session Actions Edit View Help
(kali@kali)~/cyber_security_assignment
$ cat system_log.txt
log entry format : [data time] level: message

LOG ENTRY
[2026-02-07 10:15:22] INFO :Application started
[2026-02-07 10:16:01] INFO :User logged in
[2026-02-07 10:17:45] WARNING :Low disk space
[2026-02-07 10:18:32] Failed login :unknow user failed to login
[2026-02-07 10:19:30] ERROR: Failed to connect to database
[2026-02-07 10:20:10] INFO: Application closed

(kali@kali)~/cyber_security_assignment
$ grep "Failed login" system_log.txt
[2026-02-07 10:18:32] Failed login :unknow user failed to login

(kali@kali)~/cyber_security_assignment
$ grep -c "Failed" system_log.txt
2

(kali@kali)~/cyber_security_assignment
$ grep -oE '([0-9]{1,3}\.){3}[0-9]{1,3}' system_log.txt
192.168.1.10
172.16.0.2

(kali@kali)~/cyber_security_assignment
$
```

```
kali@kali: ~/cyber_security_assignment

Session Actions Edit View Help
(kali@kali)~/cyber_security_assignment
$ cat system_log.txt
log entry format : [data time] level: message

LOG ENTRY
[2026-02-07 10:15:22] INFO :Application started
[2026-02-07 10:16:01] INFO :User logged in
[2026-02-07 10:17:45] WARNING :Low disk space
[2026-02-07 10:18:32] Failed login :unknow user failed to login
[2026-02-07 10:19:30] ERROR: Failed to connect to database
[2026-02-07 10:20:10] INFO: Application closed

(kali@kali)~/cyber_security_assignment
$ grep "Failed login" system_log.txt
[2026-02-07 10:18:32] Failed login :unknow user failed to login

(kali@kali)~/cyber_security_assignment
$ grep -c "Failed" system_log.txt
2

(kali@kali)~/cyber_security_assignment
$
```

```
kali@kali: ~/cyber_security_assignment
Session Actions Edit View Help
(kali@kali)~/cyber_security_assignment
$ cat system_log.txt
log entry format : [data time] level: message

LOG ENTRY
[2026-02-07 10:15:22] INFO :Application started
[2026-02-07 10:16:01] INFO :User logged in
[2026-02-07 10:17:45] WARNING :Low disk space
[2026-02-07 10:18:32] Failed login :unknow user failed to login
[2026-02-07 10:19:30] ERROR: Failed to connect to database
[2026-02-07 10:20:10] INFO: Application closed

(kali@kali)~/cyber_security_assignment
$ grep "Failed login" system_log.txt
[2026-02-07 10:18:32] Failed login :unknow user failed to login

(kali@kali)~/cyber_security_assignment
$
```

```
kali@kali: ~/cyber_security_assignment
Session Actions Edit View Help
(kali@kali)~/cyber_security_assignment
$ nano system_log.txt
(kali@kali)~/cyber_security_assignment
$ cat system_log.txt
log entry format : [data time] level: message

LOG ENTRY
[2026-02-07 10:15:22] INFO :Application started
[2026-02-07 10:16:01] INFO :User logged in
[2026-02-07 10:17:45] WARNING :Low disk space
[2026-02-07 10:18:30] ERROR: Failed to connect to database
[2026-02-07 10:19:10] INFO: Application closed

(kali@kali)~/cyber_security_assignment
$ grep "WARNING" system_log.txt
[2026-02-07 10:17:45] WARNING :Low disk space

(kali@kali)~/cyber_security_assignment
$
```



```
kali@kali: ~/cyber_security_assignment
Session Actions Edit View Help
(kali@kali)~/cyber_security_assignment
$ nano system_log.txt
(kali@kali)~/cyber_security_assignment
$ cat system_log.txt
log entry format : [data time] level: message

LOG ENTRY
[2026-02-07 10:15:22] INFO :Application started
[2026-02-07 10:16:01] INFO :User logged in
[2026-02-07 10:17:45] WARNING :Low disk space
[2026-02-07 10:18:30] ERROR: Failed to connect to database
[2026-02-07 10:19:10] INFO: Application closed
(kali@kali)~/cyber_security_assignment
$
```

```
kali@kali: ~/cyber_security_assignment
Session Actions Edit View Help
(kali@kali)~/cyber_security_assignment
$ nano system_log.txt
(kali@kali)~/cyber_security_assignment
$
```



```
kali@kali: ~/cyber_security_assignment

Session Actions Edit View Help

inet6 fe80::c3ed:d145:e23c:9340 prefixlen 64 scopeid 0<20<link>
ether 00:0c:29:b7:30:9b txqueuelen 1000 (Ethernet)
RX packets 1384 bytes 91484 (89.3 KiB)
RX errors 0 dropped 0 overruns 0 frame 0
TX packets 405 bytes 33916 (33.1 KiB)
TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
inet 127.0.0.1 netmask 255.0.0.0
inet6 ::1 prefixlen 128 scopeid 0<10<host>
loop txqueuelen 1000 (Local Loopback)
RX packets 8 bytes 480 (480.0 B)
RX errors 0 dropped 0 overruns 0 frame 0
TX packets 8 bytes 480 (480.0 B)
TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

(kali@kali)~/cyber_security_assignment
$ route -n
Kernel IP routing table
Destination Gateway Genmask Flags Metric Ref Use Iface
0.0.0.0 192.168.30.2 0.0.0.0 UG 100 0 0 eth0
192.168.30.0 0.0.0.0 255.255.255.0 U 100 0 0 eth0

(kali@kali)~/cyber_security_assignment
$ ping -c 4 google.com
PING google.com (172.217.24.14) 56(84) bytes of data:
64 bytes from tsa01s07-in-f14.1e100.net (172.217.24.14): icmp_seq=1 ttl=128 time=38.3 ms
64 bytes from tsa01s07-in-f14.1e100.net (172.217.24.14): icmp_seq=2 ttl=128 time=70.2 ms
64 bytes from tsa01s07-in-f14.1e100.net (172.217.24.14): icmp_seq=3 ttl=128 time=88.0 ms
64 bytes from tsa01s07-in-f14.1e100.net (172.217.24.14): icmp_seq=4 ttl=128 time=72.7 ms

--- google.com ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3061ms
rtt min/avg/max/mdev = 38.305/67.293/88.005/18.074 ms

(kali@kali)~/cyber_security_assignment
$ netstat -tuln
Active Internet connections (only servers)
Proto Recv-Q Send-Q Local Address Foreign Address State

(kali@kali)~/cyber_security_assignment
$
```

```
kali@kali: ~/cyber_security_assignment

Session Actions Edit View Help

(kali@kali)~/cyber_security_assignment
$ ifconfig
eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
inet 192.168.30.128 netmask 255.255.255.0 broadcast 192.168.30.255
inet6 fe80::c3ed:d145:e23c:9340 prefixlen 64 scopeid 0<20<link>
ether 00:0c:29:b7:30:9b txqueuelen 1000 (Ethernet)
RX packets 1384 bytes 91484 (89.3 KiB)
RX errors 0 dropped 0 overruns 0 frame 0
TX packets 405 bytes 33916 (33.1 KiB)
TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
inet 127.0.0.1 netmask 255.0.0.0
inet6 ::1 prefixlen 128 scopeid 0<10<host>
loop txqueuelen 1000 (Local Loopback)
RX packets 8 bytes 480 (480.0 B)
RX errors 0 dropped 0 overruns 0 frame 0
TX packets 8 bytes 480 (480.0 B)
TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

(kali@kali)~/cyber_security_assignment
$ route -n
Kernel IP routing table
Destination Gateway Genmask Flags Metric Ref Use Iface
0.0.0.0 192.168.30.2 0.0.0.0 UG 100 0 0 eth0
192.168.30.0 0.0.0.0 255.255.255.0 U 100 0 0 eth0

(kali@kali)~/cyber_security_assignment
$ ping -c 4 google.com
PING google.com (172.217.24.14) 56(84) bytes of data:
64 bytes from tsa01s07-in-f14.1e100.net (172.217.24.14): icmp_seq=1 ttl=128 time=38.3 ms
64 bytes from tsa01s07-in-f14.1e100.net (172.217.24.14): icmp_seq=2 ttl=128 time=70.2 ms
64 bytes from tsa01s07-in-f14.1e100.net (172.217.24.14): icmp_seq=3 ttl=128 time=88.0 ms
64 bytes from tsa01s07-in-f14.1e100.net (172.217.24.14): icmp_seq=4 ttl=128 time=72.7 ms

--- google.com ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3061ms
rtt min/avg/max/mdev = 38.305/67.293/88.005/18.074 ms

(kali@kali)~/cyber_security_assignment
$
```

```
kali@kali: ~/cyber_security_assignment

Session Actions Edit View Help
kali@kali)~$ ifconfig
eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 192.168.30.128 netmask 255.255.255.0 broadcast 192.168.30.255
    inet6 fe80::c3ed:d145:e23c:9340 prefixlen 64 scopeid 0<20<link>
    ether 00:0c:29:b7:30:9b txqueuelen 1000 (Ethernet)
    RX packets 1384 bytes 91484 (89.3 KiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 405 bytes 33916 (33.1 KiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    inet6 ::1 prefixlen 128 scopeid 0<10<host>
    loop txqueuelen 1000 (Local Loopback)
    RX packets 8 bytes 480 (480.0 B)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 8 bytes 480 (480.0 B)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

kali@kali)~$ route -n
Kernel IP routing table
Destination Gateway Genmask Flags Metric Ref Use Iface
0.0.0.0 192.168.30.2 0.0.0.0 UG 100 0 0 eth0
192.168.30.0 0.0.0.0 255.255.255.0 U 100 0 0 eth0

kali@kali)~$
```

```
kali@kali: ~/cyber_security_assignment

Session Actions Edit View Help
kali@kali)~$ ifconfig
eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
    inet 192.168.30.128 netmask 255.255.255.0 broadcast 192.168.30.255
    inet6 fe80::c3ed:d145:e23c:9340 prefixlen 64 scopeid 0<20<link>
    ether 00:0c:29:b7:30:9b txqueuelen 1000 (Ethernet)
    RX packets 1384 bytes 91484 (89.3 KiB)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 405 bytes 33916 (33.1 KiB)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING> mtu 65536
    inet 127.0.0.1 netmask 255.0.0.0
    inet6 ::1 prefixlen 128 scopeid 0<10<host>
    loop txqueuelen 1000 (Local Loopback)
    RX packets 8 bytes 480 (480.0 B)
    RX errors 0 dropped 0 overruns 0 frame 0
    TX packets 8 bytes 480 (480.0 B)
    TX errors 0 dropped 0 overruns 0 carrier 0 collisions 0

kali@kali)~$
```

```
kali@kali: ~/cyber_security_assignment

Session Actions Edit View Help
(kali@kali)-[~/cyber_security_assignment]
$ cat /etc/group | head -10
root:x:0:
daemon:x:1:
bin:x:2:
sys:x:3:
adm:x:4:kali
tty:x:5:
disk:x:6:
lp:x:7:
mail:x:8:
news:x:9:

(kali@kali)-[~/cyber_security_assignment]
$
```

```
kali@kali: ~/cyber_security_assignment

Session Actions Edit View Help
(kali@kali)-[~]
$ id
uid=1000(kali) gid=1000(kali) groups=1000(kali),4(adm),20(dialout),24(cdrom),25(floppy),27(sudo),29(audio),30(dip),44(video),46(plugdev),100(users),101(net
dev),103(scanner),107(bluetooth),120(lpadmin),129(wireshark),130(kaboxer)

(kali@kali)-[~]
$ whoami
kali

(kali@kali)-[~]
$ cat /etc/passwd | grep $(whoami)
kali:x:1000:1000::/home/kali:/usr/bin/zsh

(kali@kali)-[~]
$ who
kali    seat0      2026-02-07 04:46 (:0)

(kali@kali)-[~]
$ cd cyber_security_assignment
(kali@kali)-[~/cyber_security_assignment]
$ nano password_security.txt
(kali@kali)-[~/cyber_security_assignment]
$ cat password_security.txt
Give strong password it contain:
1.use at least 8-12 characters
2.inculude upper case, lower case, latters, number, and symbol

(kali@kali)-[~/cyber_security_assignment]
$
```



```
kali@kali: ~/cyber_security_assignment

Session Actions Edit View Help

(kali@kali)-[~]
└─$ id
uid=1000(kali) gid=1000(kali) groups=1000(kali),4(adm),20(dialout),24(cdrom),25(floppy),27(sudo),29(audio),30(dip),44(video),46(plugdev),100(users),101(net dev),103(scanner),107(bluetooth),120(lpadmin),129(wireshark),130(kaboxer)

(kali@kali)-[~]
└─$ whoami
kali

(kali@kali)-[~]
└─$ cat /etc/passwd | grep $(whoami)
kali:x:1000:1000::/home/kali:/usr/bin/zsh

(kali@kali)-[~]
└─$ who
kali      seat0      2026-02-07 04:46 (:0)

(kali@kali)-[~]
└─$ cd cyber_security_assignment

(kali@kali)-[~/cyber_security_assignment]
└─$ nano password_security.txt

(kali@kali)-[~/cyber_security_assignment]
└─$
```

```
kali@kali: ~

Session Actions Edit View Help

(kali@kali)-[~]
└─$ id
uid=1000(kali) gid=1000(kali) groups=1000(kali),4(adm),20(dialout),24(cdrom),25(floppy),27(sudo),29(audio),30(dip),44(video),46(plugdev),100(users),101(net dev),103(scanner),107(bluetooth),120(lpadmin),129(wireshark),130(kaboxer)

(kali@kali)-[~]
└─$ whoami
kali

(kali@kali)-[~]
└─$ cat /etc/passwd | grep $(whoami)
kali:x:1000:1000::/home/kali:/usr/bin/zsh

(kali@kali)-[~]
└─$ who
kali      seat0      2026-02-07 04:46 (:0)

(kali@kali)-[~]
└─$
```

```
kali@kali: ~  
Session Actions Edit View Help  
(kali@kali)-[~]  
$ id  
uid=1000(kali) gid=1000(kali) groups=1000(kali),4(adm),20(dialout),24(cdrom),25(floppy),27(sudo),29(audio),30(dip),44(video),46(plugdev),100(users),101(net  
dev),103(scanner),107(bluetooth),120(lpadmin),129(wireshark),130(kaboxer)  
(kali@kali)-[~]  
$ whoami  
kali  
(kali@kali)-[~]  
$ cat /etc/passwd | grep $(whoami)  
kali:x:1000:1000::/home/kali:/usr/bin/zsh  
(kali@kali)-[~]  
$
```

```
kali@kali: ~  
Session Actions Edit View Help  
(kali@kali)-[~]  
$ id  
uid=1000(kali) gid=1000(kali) groups=1000(kali),4(adm),20(dialout),24(cdrom),25(floppy),27(sudo),29(audio),30(dip),44(video),46(plugdev),100(users),101(net  
dev),103(scanner),107(bluetooth),120(lpadmin),129(wireshark),130(kaboxer)  
(kali@kali)-[~]  
$ whoami  
kali  
(kali@kali)-[~]  
$
```

```
kali@kali: ~  
Session Actions Edit View Help  
kali@kali~$ id  
uid=1000(kali) gid=1000(kali) groups=1000(kali),4(adm),20(dialout),24(cdrom),25(floppy),27(sudo),29(audio),30(dip),44(video),46(plugdev),100(users),101(net  
dev),103(scanner),107(bluetooth),120(lpadmin),129(wireshark),130(kaboxer)  
kali@kali~$
```