



Ask Gemini:D





SETUP- 08.IFCTMANAGER

Delivery

Relationship

LayoutsLayouts

Details

Fields

PageLayouts

LightningRecordPages

Buttons, Links and Actions

Compact

FieldSets

ObjectLimits

Record Types

Related Lookup Filters

Search Layouts

Details

Description

API Name

Parcel_c

Custom

✓

Singular Label

Parcel

Plural Label

parcels

Enable Reports

✓

Track Activities

✓

Track Field History

✓

Deployment Status

Edit

Delete

De pi wed

Help Settings

Standard salesforc@.com Help Window

New Tab

FuturData Prime

Welcome to Salesforce Rec...

Agents | Agentforce Studio

Sender | Salesforce

Ark Gemini

org/ham-7fbc0b3e32-dev-ed/develop.my.salesforce.com/lightning/setup/ObjectManager/011aj00000FX7Ez/Details/View

My GmailYouTubeMapsMy Gmail

Developer Edition

Search Setup

SetupHomeObject Manager

SETUP- 08:IFCTMANAGER

Sender

Details

Fields Relationships

PageLayouts

LightningRecordPages

Buttons, Links and Actions

Compact

Field Sets

Object Limits

Details

Description

API Name

Delivery_c

Custom

✓

Singular Label

Delivery

Plural Label

Deliveries

Enable Reports

✓

Track Activities

✓

Track Field History

✓

Deployment Status

Edit

Delete

New Tab

Futary Data Point

Welcome to Salesforce Recv

Agents | Agentforce Studio

Receiver | Salesforce

Ask Gemini

org/ham-7fbc0b3e32-dev-ed/develop.my.salesforce.com/lightning/setup/ObjectManager/011aj00000XFX7Wj/Details/view

My GmailYouTubeMapsMy Gmail

Developer Edition

Search Setup

SetupHomeObject Manager

SETUP- 08:IFCTMANAGER

Receiver

DetailsFields RelationshipsPage LayoutsLightning Record PagesButtons, Links and ActionsCompactField SetsObject Limits

Details

Description

API Name

Sender_c

Custom

✓

Singular Label

Sender

Plural Label

Senders

Enable Reports

✓

Track Activities

✓

Track Field History

✓

Deployment Status

https://org/ham-7fbc0b3e32-dev-ed/develop.my.salesforce.com/lightning/setup/ObjectManager/011aj00000XFX7Wj/Details/view

- Gmail
- Details
- Fields
- PageLayouts
- LightningRecordPages
- Buttons, Links and Actions
- Compact
- FieldSets
- Object Limits

Ask Gemini: **D**

Details

Description

API Name

Receiver__c

Custom

✓

Singular Label

Receiver

Plural Label

Receivers

Enable Reports

✓

Track Activities

✓

Track Field History

✓

Deployment Status

Deployed

Edit

Delete

- Record Types
- Related Lookup Filters
- Search Layouts

New Tab

Future Data Point

Welcome to Salesforce Recruit

Agents | Agentforce Studio

Setup | Salesforce

Ask Gemini

org/harm-7fbc0b3e82-dev-ed/develop.my.salesforce-[setup.com/lightning/setup/CustomTabs/home](#)

GmailYouTubeMapsGmail

All Bookmarks

Developer Edition

Search Setup

SetupHomeObject Manager

tabs

User Interface

Rename Tabs and Labels

Custom Tabs

Didn't find what you're looking for? Try using Global Search.

SETUP

Custom Tabs

Custom Tabs

You can create new custom tabs to extend Salesforce functionality or to build new application functionality.

Custom Object tabs look and behave like the standard tabs provided with Salesforce. Web tabs allow you to embed external web applications and content within the Salesforce window. Visualforce tabs allow you to embed Visualforce pages. Lightning Component tabs allow you to add Lightning components to the navigation menu in Lightning Experience and the mobile app. Lightning Page tabs allow you to add Lightning Pages to Lightning Experience and the mobile app.

Custom Object Tabs

NewWhat is This?

Action	Label	Tab Style	Description
New New	Deliverables	 Antenna	
New New	MARKETS	 Alarm clock	
Edit New	RECOVERIES	 Under	
Edit New	RECOVERIES	 Highway sign	

Web Tabs

NewWhat is This?

No Web Tabs have been defined.

Didn't find what you're looking for? Try using Global Search.

us.n3 GIO" Serch.

Developer Edition

Search Setup

SetupHomeObject Manager

SETUP > OBJECT MANAGER

Parcel

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

Fields & Relationships

9 Items, Sorted by Field Label

Quick Find

NewDeleted FieldsField DependenciesSet History Tracking

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
Estimated Delivery	Estimated_Delivery__c	Date		
Last Modified By	LastModifiedById	Lookup(User)		
Owner	OwnerId	Lookup(User/Group)		✓
Parcel ID	Parcel_ID__c	Auto Number		
Parcel Name	Name	Text(80)		✓
Sender	Sender__c	Lookup(Sender)		✓
Status	Status__c	Picklist		

Related Lookup Filters

Search Layouts

Developer Edition

Search Setup

Setup Home Object Manager

Prompt Builder Retrieve Parcel Details Version 1 (Active) Help

Preview Save Save As Deactivate Delete Version

Template Details

Properties Resources References

Overview

Model

Model Type: Standard

Model: GPT 5 Mini

Limits

File Exclusion Priority

Insert Resource


Parcel Tracking Update

Parcel Tracking Update

- Parcel Name: InputParcel_c.Name
- Parcel ID: InputParcel_c.Parcel_ID_c
- Status: InputParcel_c.Status_c
- Weight: InputParcel_c.Weight_c
- Estimated Delivery Date: InputParcel_c.Estimated_Delivery_c

Retrieve Prompt

Generate Response



Developer Edition

Flow Builder

Toolbox

Manager

Search this flow...

New Resource

RESOURCES

- Record (Single) Variables (1)
 - Parcel from Get Parcel Records
- Variables (2)
 - A₁ Ids
 - A₂ Output

ELEMENTS

- Get Records (1)
 - Get Parcel Records

Autolaunched Flow

Start

Get Parcel Records

Get Records

End

Get Records

Get Records of This Object

* Object

Parcel

Also get related records (beta)

Filter Parcel Records

Condition Requirements

All Conditions Are Met (AND)

Field

Parcel ID

Operator

Equals

Value

A₁ Ids

+ Add Condition

Sort Parcel Records

Sort Order

Developer Edition

Flow Builder

Toolbox

Manager

Search this flow...

New Resource

RESOURCES

- Actions (1)
 - Outputs from Parcel Updates
- Record (single) Variables (1)
 - Parcel from Get Parcel Records
- Variables (2)
 - Id
 - Output

ELEMENTS

- Actions (1)
 - Parcel Updates
- Get Records (1)
 - Get Parcel Records

Autolaunched Flow

Start

Get Parcel Records

Get Records

Parcel Updates

Action

End

Retrieve Parcel Details

*Label

Parcel Updates

*API Name

ParcelUpdates

Description

Use values from earlier in the flow to set the inputs for the "Retrieve Parcel Details" core action. To use its outputs later in the flow, store them in variables.

Set Input Values

* objectToSerialize

Parcel from Get Parcel Records

* Output language

Not included

Developer Edition

Flow Builder

Toolbox

Manager

Search this flow...

New Resource

RESOURCES

- Actions (1)
 - Outputs from Parcel Updates
- Record (single) Variables (1)
 - Parcel from Get Parcel Records
- Variables (2)
 - Id
 - Output

ELEMENTS

- Actions (1)
 - Parcel Updates
- Assignments (1)
 - Assignments Outputs

Autolaunched Flow

Start

Get Parcel Records

Get Records

Parcel Updates

Action

Assignments Outputs

Assignment

Label

Assignments Outputs

API Name

Assignments Outputs



Description

Set Variable Values

Each variable is modified by the operator and value combination.

Variable	Operator	Value
Output X	Equals	Parcel Updates - Prompt Response X

+ Add Assignment



Setup

Home

Object Manager

Search Setup

Users

Permission Set Groups

Permission Sets

Custom Code

Custom Permissions

Didn't find what you're looking for? Try using Global Search

SETUP

Permission Sets

Permission Sets

On this page you can create, view, and manage permission sets.

All Permission Sets

Edit

Delete

Create New

New

Filter

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z Other

	Permission Set Name	Description	License
☐	Clone	Standard Einstein Activity Capture	StandardEinsteinActivityCapture3P
☐	Clone	Self-Service	Einstein Agent
☐	Clone	Self-Service - Tracked (1811011017) Permissions	Einstein Agent
☐	Clone	Self-Service - Service (1811011017) Permissions	Einstein Agent

25 of 25

0 Selected

4 Records

Page 2 of 2

The screenshot shows the Salesforce Setup interface. The left sidebar contains the navigation menu with 'Setup' selected. The main content area displays the 'Permission Sets' page, specifically the 'Swift Ship' permission set. The page includes a search bar, a list of settings, and a table of object permissions.

Permission Name	Enabled
Read	☒
Create	☒
Edit	☒
Delete	☐
View All Records	☐
Modify All Records	☐
View All Fields	☐

The screenshot shows the Salesforce Developer Edition interface. The top navigation bar includes the Salesforce logo, a search bar, and various utility icons. The main content area is titled 'Permission Sets' and shows the configuration for a user named 'jenns'. The 'Swift Ship' permission set is selected, and the 'Receivers' tab is active. A table titled 'Object Permissions' lists the following permissions and their status:

Permission Name	Enabled
Read	☒
Create	☒
Edit	☒
Delete	☒
View All Records	☒
Modify All Records	☒

Agentforce Builder

SwitchShip Tracker: Version 1 (Active)

Save saved on 10/3/2026, 10:25 AM

New Version

Deactivate

Parcel Details

Refence ActiM1 Type

How

EvenM o dined

10/2/2026, AM

Hello! How can I help you with your Agent?

Exp

Search...

System Messages

Agent-Level Instructions

Agent Access

Language Settings

Subagents

Agent Router

Service Customer Verification

General FAQ

Case Management

Account Management

Reservation Management

Delivery Issues

Order Inquiries

Escalation

OH Topic

Ambiguous Question

Parcel Tracker

Parcel Details

Variables

Connections

Data

Preview

Parcel Trac... X

Agent Defi... X

Parcel Deta... X

Parcel Details

Basic Information

Provide a clear name for this action and define the API name for system references

* Agent Action Label

Parcel Details

* Agent Action API Name

Parcel Details

* Description ⓘ

This agent will provide parcel details based on the parcel id.

* Reference Action Type

Flow

* Reference Action

Parcel Details

Parcel_Details

Reference Action Type

Flow

Last Modified

10/3/2026, 09:33 AM

Problems

Agentforce

Hello! How can I help you with your Agent?

Ask for help or describe what you'd like to build...

Agentforce Builder

SwiftShip Tracker: Version 1 (Active)

Last saved on 10/3/2025, 10:25 AM

New Version

Deactivate

Agent Definition

Settings

Agent Settings

System Messages

Agent-Level Instructions

Agent Access

Language Settings

Subagents

Agent Router

Service Customer Verification

General FAQ

Case Management

Account Management

Reservation Management

Delivery Issues

Order Inquiries

Escalation

Off Topic

Ambiguous Question

Parcel Tracker

Variables

Live Test

Hi, I'm an AI service assistant. How can I help you?

please provide parcel information about parcel id=P-002

Here are the details for parcel ID P-002:

Parcel Name: Sandwood

Parcel ID: P-002

Current Status: Out of Delivery

Weight: 5 (units not specified)

Estimated Delivery Date: 10/26/2026

Would you like more information or need help with another parcel?

Describe your task or ask a question...

Trace

Variables

Sessions: #01a10...

Agent Preview Details

Context Variables 5

Summary

Input

Transition to Subagent

Reasoning

Action

Reasoning

Output Evaluation

GROUNDING

The user asked for parcel information for ID P-002. The agent routed to the Parcel Tracker as follows: invoked the Parcel Details action.

Agentforce

Hello! How can I help you with your Agent?

Ask for help or describe what you'd like to build...

Hello! How can I help you with your Agent?

Exp

Cue

Account Management Reservation Management Delivery Order Inquiries

OH Topic Ambiguous Question

pmview

Live Test O

Hi, an service assistant. Han can I help you? please provide parcel information about parcel id

Here are the details for parcel ID 9-002:

parcel

Sandwood

Status: Out of Deliver,'

Weight: S (units siwified)

Delivery 10/26/2026

Would you like information parcel help with nothing

task ar a qÄiom__

Agent Preview Details

Actm

e

O
u
t
p
u
t
q
•
c
,
Variables

n
a
U
N
O
E
D

The user asked for parcel information for 'O P-
T

h
e
a
g
e

nt routed to the Parcel_Trackpr subagent.
invoked the ParcelCetails action with Ids- ^P-
002", received the parcol data (name Sarßwood
status Out of Delivery.
5, ETA 10/26/2026), and replied
with those details followed by z follow—up
question,

Agent? Ask Agentforce

Session; a 10, _

Hello! How can I help you with your

help	you'd like
------	------------