


WEEK 2 ALT SAFETY ANALYSIS

Baseline-adjusted ALT at Week 2 by assigned

Sum of emmean by TRT01P



contrast	Sum of estimate	Sum of lower.CL	Sum of p.value	Sum of upper.CL
Low dose - Placebo	2.64	0.31	0.03	4.96
High dose - Placebo	1.68	-0.65	0.16	4.01
Total	4.32	-0.34	0.18	8.98

Eligibility safety population

254

Sum of eligible_n


Paired ALT safety population

239


Sum of paired_n

Safety and Demographics

Participants with Reported AE(%) > or= 1



Sex distribution by treatment Arm




Age summary by Treatment Arm


Sum of age_min	Sum of age_median	Sum of age_mean	Sum of age_sd	Sum of age_max	ARM
52	76.00	75.21	8.59	89	Placebo
56	76.00	74.38	7.89	88	Xanomeline High Dose
51	77.50	75.67	8.29	88	Xanomeline Low Dose
159	229.50	225.26	24.76	265	

Data Quality and Analysis Population
Completeness and missingness supporting Week 2 ALT analysis

Paired ALT Completedness (%)



Missing Week 2 ALT by Treatment ARM



Analysis Population and Missingness

TRT01P	Sum of paired_pct	Sum of week2_missing_n	Sum of baseline_missing_n	Sum of eligible_n	Sum of paired_n
Placebo	96.50	3	0	86	83
Xanomeline High Dose	92.90	6	0	84	78
Xanomeline Low Dose	92.90	4	2	84	78
Total	282.30	13	2	254	239