



MCP Servers:

1. Connecting to JIRA MCP Server and fetched all user stories and created test cases based on the returned stories and generated the test cases in Excel format.
2. Connecting to the Local MCP Server and fetch the collections from the local workspace.


JIRA and Local Postman MCP Server configured:



Prompted the copilot to connect to JIRA server and list all projects:



It listed down the projects:



Prompted to list atleast 2 user stories:

List me atleast 2 user stories from GENAI project

5:01 PM

I'm retrieving the issues from the GENAI project and will pull out a couple of user stories from it.

Ran Search with JQL – com.atlassian/atlassian-mcp-server (MCP Server)



Consultant Dashboard My Inpatients
GenAI • GENAI-2 • Unassigned • **TO DO**





Login Functionality for Salesforce application
GenAI • GENAI-1 •  Nandhini Madhivanan • **TO DO**



Here are two user stories from the GENAI project:

- GENAI-1 — Login Functionality for Salesforce application
 - Status: To Do
 - Assignee: Nandhini Madhivanan
- GENAI-2 — Consultant Dashboard My Inpatients
 - Status: To Do
 - Assignee: Unassigned

If you want, I can also list the full descriptions or generate test cases for these stories.

Prompted to generate test cases for the fetched user stories:

Generate me 5 test cases for each user story and save it in the project folder as an excel sheet

I'm preparing the test cases from the two GENAI stories and will save them as an Excel file in your workspace folder.

Ran `import openpyxl; print(openpyxl.__version__)`



```
import openpyxl; print(openpyxl.__version__)

Traceback (most recent call last):
  File "<string>", line 1, in <module>
ModuleNotFoundError: No module named 'openpyxl'
```

The workbook library is missing, so I'm installing it and then I'll generate the Excel file directly in your project folder.


Ran `python -m pip install openpyxl`

It generated and saved the excel in the project folder:



Story ID	Story Title	Test Case ID	Title	Precondition
GENAI-1	Login Functionality for Salesforce application	TC-01	Successful login with valid credentials	User has a valid Salesforce account and is on the login page with a valid username and password.
GENAI-1	Login Functionality for Salesforce application	TC-02	Login fails with invalid password	User is on the login page with a valid username.
GENAI-1	Login Functionality for Salesforce application	TC-03	Login fails with empty username and password	User is on the login page.
GENAI-1	Login Functionality for Salesforce application	TC-04	Login with a locked or disabled account	User account is locked or inactive in the system.
GENAI-1	Login Functionality for Salesforce application	TC-05	Login page preserves entered values after validation error	User is on the login page.



Local Postman configuration done:



```
1 {
2   "servers": {
3     ✓Running | Stop | Restart | 31 tools | More...
4     "com.atlassian/atlassian-mcp-server": {
5       "type": "http",
6       "url": "https://mcp.atlassian.com/v1/mcp/authv",
7       "gallery": "https://api.mcp.github.com",
8       "version": "1.1.3"
9     },
10    ✓Running | Stop | Restart | 125 tools | More...
11    "postman-api-mcp": {
12      "type": "stdio",
13      "command": "npx",
14      "args": [
15        "@postman/postman-mcp-server",
16        "--full"
17      ],
18      "env": {
19        "POSTMAN_API_KEY": "${input:postman-api-key = PMAK-6a6df91e598cca0001218b53-37d62a26c58.."}
20      }
21    },
22    "inputs": [
23      {
24        "id": "Authorization", = *****
```

```
"inputs": [
  {
    "id": "Authorization", = *****
    "type": "promptString",
    "description": "A Bearer token and a valid Postman API key for authenticati",
    "password": true
  },
  {
    "id": "postman-api-key", = PMAK-6a6df91e598cca0001218b53-37d62a26c58..
    "type": "promptString",
    "description": "Enter your Postman API key"
  }
]
```

Prompted to list all collections in my local postman:



Fetching all request from one collection:

Restore Checkpoint

List all API requests available under jiraTest Copy collection

7:31 PM

I'm pulling the contents of that collection so I can list its requests directly.

Can Get Collection (map by default) – postman-api-mcp (MCP Server)

The collection contains these API requests:

- Single story — POST <https://grssankarmca94.atlassian.net/rest/api/3/search/jql>
- Multiple stories — POST <https://grssankarmca94.atlassian.net/rest/api/3/search>

Both requests are Jira API endpoints.

7:31 PM • MAI-Code-1-Flash • 0.8 credits

COLLECTIONS

jiraTest Copy

POST Single story

POST Multiple stories