

MINI PROJECT - 2

NAME: Nandhini V

DATE: 18-07-2025

Question:

Project Overview

truYum is a leading restaurant chain that operates 100+ restaurants across the country. Due to successful business model and solid understanding about consumer needs, the Yum executive management feels that they can increase their business by going online and delivery food to the door steps of the customer. They are planning to open an online portal called Yummy Tummy through which they want to reach out a larger customer base. This document specifies the list of requirements that are needed for the initial phase of the application launch.

Following are the key features that needs to be implemented for Customer and Admin:

Customer

1. Register
2. Login
3. View menu items
4. Add an item to the cart
5. Remove item from the cart

Admin

1. Login
2. View Menu items
3. Edit Menu items

Use Cases

There will be two types of users whom will be using this application:

1. Admin
2. Customer

Admin – Responsible for managing the menu items available in yummy tummy portal.

Customer – Find Menu Items available adds them to the cart. The customer also has the option to remove items which were already added to the cart.

1. Register

Customer can register to the portal using this use case. Customer should provide the basic information like user id, name, address, contact number etc while registering. Store the required customer information in storage API.

2. Login

Both Admin and Customer can login in the platform. Credentials can be hardcoded.

Validations:

Username and password is mandatory

Password should be minimum 8 characters, it should contain atleast 1 special character, 1 uppercase letter and 1 number.

3. View Menu Item List

Both Admin and Customer can see the list of menu items available in the platform. For Admin all the menu items will be listed. For Customer, only menu items that are active and those whose date of launch has crossed the current date will be listed. Menu item details stored are id, name, price, date of launch, category, free delivery (check box)

4. Edit Menu Item

Admin uses this option to change details about a menu item. After the item is modified, success message should be displayed.

Validations:

All fields are mandatory

Price cannot be a negative number.

5.Add Item to the cart

Adds a menu item into the Cart to accumulate menu item selections into the Cart.

6.View cart

A customer views the list of menu items in the Cart. If there is no item in the cart, the display message that there are not items in the cart.

6.Remove item from cart

A customer can remove and item from the Cart.

Use external Javascript. Your web pages should be responsive.

Code:

register.html

```
<!DOCTYPE html>
<html>
<head>
<title>Customer Registration</title>
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" rel="stylesheet">
<style>
body {
    background-image:
url("https://images.pexels.com/photos/326281/pexels-photo-326281.jpeg?cs=srgb&dl=pexels-pixabay-326281.jpg&fm=jpg");
    background-repeat: no-repeat;
    background-size: cover;
    background-position: center;
}
.register-container {
    max-width: 500px;
    margin-left: 700px;
    margin-top: 30px;
    margin-bottom: 30px;
    padding: 30px;
    background-color: white;
    border-radius: 10px;
    box-shadow: 0 0 10px rgba(0,0,0,0.1);
}
</style>
```

```
</head>
<body>

<div class="register-container">
  <h3 class="text-center mb-4">Customer Registration</h3>
  <form id="registerForm">
    <div class="mb-3">
      <label for="userid" class="form-label">User ID</label>
      <input type="text" id="userid" class="form-control" readonly>
    </div>
    <div class="mb-3">
      <label for="fullname" class="form-label">Full Name</label>
      <input type="text" id="fullname" class="form-control" required>
    </div>
    <div class="mb-3">
      <label for="address" class="form-label">Address</label>
      <textarea id="address" class="form-control" rows="3" required></textarea>
    </div>
    <div class="mb-3">
      <label for="contact" class="form-label">Contact Number</label>
      <input type="tel" id="contact" class="form-control" required
        pattern="[0-9]{10}" maxlength="10">
      <div class="form-text">Enter a 10-digit phone number.</div>
    </div>
    <div class="mb-3">
      <label for="password" class="form-label">Password</label>
      <input type="password" id="password" class="form-control" required>
    </div>
    <button type="submit" class="btn btn-primary w-100">Register</button>
    <div class="text-center mt-3">
      Already have an account? <a href="login.html">Login</a>
    </div>
  </form>
</div>

<script>
  function generateUserId() {
    let id = localStorage.getItem("lastUserId") || 0;
    id = parseInt(id) + 1;
    const newId = "U" + id.toString().padStart(3, '0');
    document.getElementById("userid").value = newId;
    return newId;
  }
</script>
```

```

const currentUserId = generateUserId();

document.getElementById("registerForm").onsubmit = function (e) {
  e.preventDefault();

  const userid = currentUserId;
  const fullname = document.getElementById("fullname").value.trim();
  const address = document.getElementById("address").value.trim();
  const contact = document.getElementById("contact").value.trim();
  const password = document.getElementById("password").value.trim();

  const passwordRegex = /^(?=.*[A-Z])(?=.*\d)(?=.*[\W_]).{8,}$/;
  if (!passwordRegex.test(password)) {
    alert("Password must be at least 8 characters long, include 1 uppercase letter, 1 number, and 1 special character.");
    return;
  }

  let users = JSON.parse(localStorage.getItem("users") || "[]");

  if (users.some(user => user.userid === userid)) {
    alert("User ID already exists.");
    return;
  }

  users.push({ userid, fullname, address, contact, password, role: "customer" });

  localStorage.setItem("users", JSON.stringify(users));
  localStorage.setItem("lastUserId", parseInt(userid.slice(1)));
  alert("Registration successful!");
  window.location.href = "login.html";
};

</script>

</body>
</html>

```

login.html

```

<!DOCTYPE html>
<html>
<head>
  <title>Login</title>

```

```
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
rel="stylesheet">
<style>
body {
background-image:
url("https://staticvecteezy.com/system/resources/thumbnails/037/236/579/small_2x/ai-generated-beautiful-fast-food-background-with-copy-space-free-photo.jpg");
background-repeat: no-repeat;
background-size: cover;
background-position: top;
}
.login-container {
max-width: 400px;
margin-left: 150px;
margin-top: 120px;
padding: 30px;
background-color: white;
border-radius: 10px;
box-shadow: 0 0 10px rgba(0,0,0,0.1);
}
</style>
</head>
<body>

<div class="login-container">
<h3 class="text-center mb-4">Login</h3>
<form id="loginForm">
<div class="mb-3">
<label for="username" class="form-label">Username</label>
<input type="text" id="username" class="form-control" required>
</div>
<div class="mb-3">
<label for="password" class="form-label">Password</label>
<input type="password" id="password" class="form-control" required>
</div>
<button type="submit" class="btn btn-success w-100">Login</button>
<div class="text-center mt-3">
Don't have an account? <a href="register.html">Register</a>
</div>
</form>
</div>

<script>
document.getElementById("loginForm").onsubmit = function (e) {
```

```

e.preventDefault();

const username = document.getElementById("username").value.trim();
const password = document.getElementById("password").value.trim();

if (!username || !password) {
    alert("Username and Password are required.");
    return;
}

const passwordRegex = /^(?=.*[A-Z])(?=.*\d)(?=.*[!W_]).{8,}$/;
if (!passwordRegex.test(password)) {
    alert("Invalid password format.");
    return;
}

if (username.toLowerCase() === "admin") {
    if (password === "Admin@123") {
        alert("Admin login successful!");
        window.location.href = "admin.html";
    } else {
        alert("Invalid admin password.");
    }
    return;
}

let users = JSON.parse(localStorage.getItem("users") || "[]");
const user = users.find(u => u.fullname === username && u.password === password);

if (user) {
    alert("Login successful!");
    window.location.href = "customer.html?user=" + encodeURIComponent(username);
} else {
    alert("Invalid credentials.");
}
};

</script>

</body>
</html>

```

admin.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
  <title>Fusion Fiesta - Menu</title>

  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet"/>

  <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.10.5/font/bootstrap-icons.css" rel="stylesheet"/>

<style>
body{
  background-color: lightsteelblue;
}
.food-item {
  border: 1px solid #ddd;
  border-radius: 10px;
  padding: 15px;
  margin-bottom: 20px;
  display: flex;
  gap: 20px;
  background-color: #f9f9f9;
}
.food-img {
  width: 120px;
  height: 100px;
  object-fit: cover;
  border-radius: 8px;
}
.add-btn {
  margin-top: 10px;
}
.nav-link:hover{
  font-size: 20px;
  color:#ffc107 !important;
}
</style>
</head>
<body>
```

```

<nav class="navbar navbar-expand-lg navbar-dark bg-dark px-4">
  <a class="navbar-brand" href="#">Fusion Fiesta</a>
  <div class="ms-auto d-flex">
    <a href="#" class="nav-link text-white me-3 mt-1">Menu</a>
    <button class="btn btn-warning me-3" onclick="goToCart()">
      <i class="bi bi-cart-fill"></i> Cart (<span id="cartCount">0</span>)
    </button>
  </div>
  <button class="btn btn-outline-light btn-sm" onclick="logout()">Logout</button>
</nav>

<div class="container my-4">
  <h2 class="mb-4">Menu</h2>
  <div id="foodList" class="row"></div>
</div>
<footer class="bg-dark text-white text-center py-3 mt-5">
  &copy; 2025 Fusion Fiesta | All rights reserved.
</footer>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>

<script>
  const foodItems = [
    { id: 1, name: "Pizza", price: 250, launchDate: "2024-01-10", category: "Fast Food",
      freeDelivery: true, image:
        "https://septemberfarmcheese.b-cdn.net/wp-content/uploads/Blogs/Homemade-Pizza/homemade-pizza-monterey-jack-cheese.jpg" },
    { id: 2, name: "Burger", price: 120, launchDate: "2024-02-15", category: "Fast Food",
      freeDelivery: true, image:
        "https://blog.swiggy.com/wp-content/uploads/2025/01/Image-9_-meat-burger-1024x538.png" },
    { id: 3, name: "Sushi", price: 300, launchDate: "2024-03-01", category: "Japanese",
      freeDelivery: false, image:
        "https://www.allrecipes.com/thmb/XT7-9MROYJZvNyQR4J40HGOVDmQ=/1500x0/filters:no_upscale():max_bytes(150000):strip_icc()/19511smoked-salmon-sushi-rollfabeverday4x3-159a22b4d3ac49fe9a146db94b53c930.jpg" },
    { id: 4, name: "Dosa", price: 100, launchDate: "2024-01-05", category: "South Indian",
      freeDelivery: true, image:
        "https://encrypted-tbn0.gstatic.com/images?q=tbn:ANd9GcQACCh1yWblwNiWJOZ-8Ikt9oGkf5cdMK4DV8Q&s" },
    { id: 5, name: "Pasta", price: 200, launchDate: "2024-04-10", category: "Italian", freeDelivery:
      false, image:
        "https://encrypted-tbn0.gstatic.com/images?q=tbn:ANd9GcQtGxJQNLQ_tpfDqgGfFpEARarc7qNGTDVEYg&s" },
  ]
</script>

```

```

{ id: 6, name: "Fried Rice", price: 180, launchDate: "2024-05-12", category: "Chinese",
freeDelivery: true, image:
"https://www.vegrecipesofindia.com/wp-content/uploads/2021/02/schezwan-fried-rice-recipe-3.jpg" },
{ id: 7, name: "Noodles", price: 150, launchDate: "2024-06-08", category: "Chinese",
freeDelivery: true, image:
"https://www.kitchensanctuary.com/wp-content/uploads/2024/03/Stir-Fried-Noodles-with-Beansprouts-square-FS.jpg" },
{ id: 8, name: "Paneer Tikka", price: 220, launchDate: "2024-03-18", category: "Indian",
freeDelivery: false, image:
"https://spicecravings.com/wp-content/uploads/2020/10/Paneer-Tikka-Featured-1.jpg" },
{ id: 9, name: "Chicken Curry", price: 280, launchDate: "2024-07-01", category: "Indian",
freeDelivery: true, image:
"https://spiceeats.com/wp-content/uploads/2020/07/Chicken-Hyderabadi.jpg" },
{ id: 10, name: "Ice Cream", price: 90, launchDate: "2024-02-25", category: "Dessert",
freeDelivery: true, image:
"https://encrypted-tbn0.gstatic.com/images?q=tbn:ANd9GcToNb4qLVc8li_M2NHBfEl14DaVpUCmplY5lg&s" }
];

```

const cart = [];

```

function renderMenu() {
  const foodList = document.getElementById("foodList");
  foodList.innerHTML = "";

  foodItems.forEach(item => {
    const col = document.createElement("div");
    col.className = "col-md-6";

    const card = document.createElement("div");
    card.className = "food-item";

    card.innerHTML = `
      
      <div>
        <h5>${item.name} (₹${item.price})</h5>
        <p>ID: ${item.id}<br>
          Category: ${item.category}<br>
          Launch Date: ${item.launchDate}<br>
          Free Delivery: ${item.freeDelivery ? "Yes" : "No"}</p>
        <button class="btn btn-primary btn-sm add-btn">
          onclick='addCart(${JSON.stringify(item)})'>
    
```

```

        <i class="bi bi-cart-plus"></i> Add to Cart
    </button>
</div>
`;

col.appendChild(card);
foodList.appendChild(col);
});
}

function addToCart(item) {
    cart.push(item);
    document.getElementById("cartCount").textContent = cart.length;
    alert(item.name + " added to cart.");
}

function goToCart() {
    const data = encodeURIComponent(JSON.stringify(cart));
    window.location.href = `cart.html?data=${data}`;
}

function logout() {
    localStorage.removeItem('loggedInUser');
    window.location.href = 'login.html';
}

renderMenu();
</script>
</body>
</html>

```

edit.html

```

<!DOCTYPE html>
<html>
<head>
    <title>Edit Food Item</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.10.5/font/bootstrap-icons.css"
rel="stylesheet">
    <style>
        body{ background-color:tan; }

```

```

.container { padding: 40px; max-width: 600px; }
</style>
</head>
<body>
<nav class="navbar navbar-dark bg-dark px-3">
  <span class="navbar-brand">Edit Menu Item</span>
</nav>

<div class="container">
  <h3><i class="bi bi-pencil-square"></i> Edit Food Details</h3>
  <form id="editForm">
    <div class="mb-3">
      <label class="form-label">Name</label>
      <input type="text" id="name" class="form-control" disabled>
    </div>
    <div class="mb-3">
      <label class="form-label">Price</label>
      <input type="number" id="price" class="form-control" required>
    </div>
    <div class="mb-3">
      <label class="form-label">Category</label>
      <input type="text" id="category" class="form-control" required>
    </div>
    <div class="form-check mb-3">
      <input class="form-check-input" type="checkbox" id="freeDelivery">
      <label class="form-check-label">Free Delivery</label>
    </div>
    <button type="submit" class="btn btn-success">Save</button>
    <a href="admin.html" class="btn btn-secondary ms-2">Cancel</a>
  </form>
</div>

<script>
const query = new URLSearchParams(window.location.search);
let item = {};

if (query.has("data")) {
  try {
    item = JSON.parse(decodeURIComponent(query.get("data")));
    document.getElementById("name").value = item.name;
    document.getElementById("price").value = item.price;
    document.getElementById("category").value = item.category;
    document.getElementById("freeDelivery").checked = item.freeDelivery;
  } catch (e) {

```

```

        alert("Invalid item data.");
    }
}

document.getElementById("editForm").addEventListener("submit", function(e) {
    e.preventDefault();
    item.price = document.getElementById("price").value;
    item.category = document.getElementById("category").value;
    item.freeDelivery = document.getElementById("freeDelivery").checked;
    alert("Item updated successfully!");
    window.location.href = "admin.html";
});
</script>
</body>
</html>

```

customer.html

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
    <title>Fusion Fiesta - Menu</title>

    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet"/>

    <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.10.5/font/bootstrap-icons.css" rel="stylesheet"/>

<style>
body{
    background-color: lightsteelblue;
}
.food-item {
    border: 1px solid #ddd;
    border-radius: 10px;
    padding: 15px;
    margin-bottom: 20px;
    display: flex;
    gap: 20px;
    background-color: #f9f9f9;
}

```

```

        }
    .food-img {
        width: 120px;
        height: 100px;
        object-fit: cover;
        border-radius: 8px;
    }
    .add-btn {
        margin-top: 10px;
    }
    .nav-link:hover{
        font-size: 20px;
        color:#ffc107 !important;
    }
</style>
</head>
<body>

<nav class="navbar navbar-expand-lg navbar-dark bg-dark px-4">
    <a class="navbar-brand" href="#">Fusion Fiesta</a>
    <div class="ms-auto d-flex">
        <a href="#" class="nav-link text-white me-3 mt-1">Menu</a>
        <button class="btn btn-warning me-3" onclick="goToCart()">
            <i class="bi bi-cart-fill"></i> Cart (<span id="cartCount">0</span>)
        </button>
    </div>
    <button class="btn btn-outline-light btn-sm" onclick="logout()">Logout</button>
</nav>

<div class="container my-4">
    <h2 class="mb-4">Menu</h2>
    <div id="foodList" class="row"></div>
</div>
<footer class="bg-dark text-white text-center py-3 mt-5">
    © 2025 Fusion Fiesta | All rights reserved.
</footer>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>

<script>
const foodItems = [
    { id: 1, name: "Pizza", price: 250, launchDate: "2024-01-10", category: "Fast Food",
    freeDelivery: true, image:

```

```

"https://septemberfarmcheese.b-cdn.net/wp-content/uploads/Blogs/Homemade-Pizza/homemade-pizza-monterey-jack-cheese.jpg" },
    { id: 2, name: "Burger", price: 120, launchDate: "2024-02-15", category: "Fast Food",
freeDelivery: true, image:
"https://blog.swiggy.com/wp-content/uploads/2025/01/Image-9_-meat-burger-1024x538.png" },
    { id: 3, name: "Sushi", price: 300, launchDate: "2024-03-01", category: "Japanese",
freeDelivery: false, image:
"https://www.allrecipes.com/thmb/XT7-9MROYJZvNyQR4J40HGOVDmQ=/1500x0/filters:no_upscale():max_bytes(150000):strip_icc()/19511smoked-salmon-sushi-rollfabeveryday4x3-159a22b4d3ac49fe9a146db94b53c930.jpg" },
    { id: 4, name: "Dosa", price: 100, launchDate: "2024-01-05", category: "South Indian",
freeDelivery: true, image:
"https://encrypted-tbn0.gstatic.com/images?q=tbn:ANd9GcQACh1yWblwNiWJOZ-8Ikt9oGkf5cdMK4DV8Q&s" },
    { id: 5, name: "Pasta", price: 200, launchDate: "2024-04-10", category: "Italian", freeDelivery:
false, image:
"https://encrypted-tbn0.gstatic.com/images?q=tbn:ANd9GcQtGxJQNLQ_tpfDqgGfFpEARarc7qNGTDVEYg&s" },
    { id: 6, name: "Fried Rice", price: 180, launchDate: "2024-05-12", category: "Chinese",
freeDelivery: true, image:
"https://www.vegrecipesofindia.com/wp-content/uploads/2021/02/schezwan-fried-rice-recipe-3.jpg" },
    { id: 7, name: "Noodles", price: 150, launchDate: "2024-06-08", category: "Chinese",
freeDelivery: true, image:
"https://www.kitchensanctuary.com/wp-content/uploads/2024/03/Stir-Fried-Noodles-with-Beansprouts-square-FS.jpg" },
    { id: 8, name: "Paneer Tikka", price: 220, launchDate: "2024-03-18", category: "Indian",
freeDelivery: false, image:
"https://spicecravings.com/wp-content/uploads/2020/10/Paneer-Tikka-Featured-1.jpg" },
    { id: 9, name: "Chicken Curry", price: 280, launchDate: "2024-07-01", category: "Indian",
freeDelivery: true, image:
"https://spiceeats.com/wp-content/uploads/2020/07/Chicken-Hyderabadi.jpg" },
    { id: 10, name: "Ice Cream", price: 90, launchDate: "2024-02-25", category: "Dessert",
freeDelivery: true, image:
"https://encrypted-tbn0.gstatic.com/images?q=tbn:ANd9GcToNb4qLVc8li_M2NHBfEl14DaVpUCmplY5lg&s" }
];

const cart = [];

function renderMenu() {
  const foodList = document.getElementById("foodList");
  foodList.innerHTML = "";

```

```

foodItems.forEach(item => {
  const col = document.createElement("div");
  col.className = "col-md-6";

  const card = document.createElement("div");
  card.className = "food-item";

  card.innerHTML = `
    
    <div>
      <h5>${item.name} (₹${item.price})</h5>
      <p>ID: ${item.id}<br>
        Category: ${item.category}<br>
        Launch Date: ${item.launchDate}<br>
        Free Delivery: ${item.freeDelivery ? "Yes" : "No"}</p>
      <button class="btn btn-primary btn-sm add-btn"
        onclick='addToCart(${JSON.stringify(item)})'>
        <i class="bi bi-cart-plus"></i> Add to Cart
      </button>
    </div>
  `;

  col.appendChild(card);
  foodList.appendChild(col);
});

function addToCart(item) {
  cart.push(item);
  document.getElementById("cartCount").textContent = cart.length;
  alert(item.name + " added to cart.");
}

function goToCart() {
  const data = encodeURIComponent(JSON.stringify(cart));
  window.location.href = `cart.html?data=${data}`;
}

function logout() {
  localStorage.removeItem('loggedInUser');
  window.location.href = 'login.html';
}

```

```
renderMenu();
</script>
</body>
</html>
```

cart.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Cart Page</title>
  <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.2/dist/css/bootstrap.min.css" rel="stylesheet">
<style>
  body {
    padding: 40px;
    background-color: #ccc5b9;
  }
  .cart-item img {
    width: 80px;
    height: 80px;
    object-fit: cover;
    border-radius: 8px;
    margin-right: 15px;
  }
  .cart-item {
    background-color: #fff3cd;
    border: 1px solid #dee2e6;
    border-radius: 8px;
    padding: 15px;
    margin-bottom: 15px;
    display: flex;
    align-items: center;
  }
  .cart-details {
    flex-grow: 1;
  }
</style>
</head>
<body>

<div class="container">
```

```

<h2 class="mb-4"> Your Cart</h2>
<div id="cartContainer"></div>
<a href="customer.html" class="btn btn-primary mt-3">← Back to Menu</a>
</div>
<script src="cart.js"></script>

</body>
</html>

```

cart.js

```

const cartContainer = document.getElementById("cartContainer");

const query = new URLSearchParams(window.location.search);
let cart = [];

if (query.has("data")) {
  try {
    cart = JSON.parse(decodeURIComponent(query.get("data")));
  } catch (e) {
    alert("Invalid cart data");
  }
}

function renderCart() {
  cartContainer.innerHTML = "";
  if (cart.length === 0) {
    cartContainer.innerHTML = `<div class="alert alert-info">Your cart is empty.</div>`;
    return;
  }

  cart.forEach((item, index) => {
    const div = document.createElement("div");
    div.className = "cart-item";
    div.innerHTML = `
      
      <div class="cart-details">
        <h5>${item.name}</h5>
        <p>₹${item.price} | <strong>${item.category}</strong></p>
      </div>
      <button class="btn btn-danger btn-sm" onclick="removeItem(${index})"> Delete</button>
    `;
    cartContainer.appendChild(div);
  });
}

```

```
});  
}  
  
function removeItem(index) {  
    cart.splice(index, 1);  
    renderCart();  
}  
  
renderCart();
```

Output:

registration



Customer Registration

User ID

Full Name

Address

Contact Number

Enter a 10-digit phone number.

Password

[Register](#)

Already have an account? [Login](#)

login



Login

Username

Password

[Login](#)

Don't have an account? [Register](#)

Home(menu) Page - Admin

All Food Items

**Pizza (ID: 1)**

Price: ₹250

Category: Fast Food

Launch Date: 2024-01-10

Free Delivery: [Edit](#)**Burger (ID: 2)**

Price: ₹120

Category: Fast Food

Launch Date: 2024-02-15

Free Delivery: [Edit](#)**Sushi (ID: 3)**

Price: ₹300

Category: Japanese

Launch Date: 2024-03-01

Free Delivery: [Edit](#)**Dosa (ID: 4)**

Price: ₹100

Category: South Indian

Launch Date: 2024-01-05

Free Delivery: [Edit](#)**Pasta (ID: 5)**

Price: ₹200

Category: Italian

Launch Date: 2024-04-10

Free Delivery: [Edit](#)**Fried Rice (ID: 6)**

Price: ₹180

Category: Chinese

Launch Date: 2024-05-12

Free Delivery: [Edit](#)**Noodles (ID: 7)**

Price: ₹150

Category: Chinese

Launch Date: 2024-06-08

Free Delivery: [Edit](#)**Paneer Tikka (ID: 8)**

Price: ₹220

Category: Indian

Launch Date: 2024-03-18

Free Delivery: [Edit](#)**Chicken Curry (ID: 9)**

Price: ₹280

Category: Indian

Launch Date: 2024-07-01

Free Delivery: [Edit](#)**Ice Cream (ID: 10)**

Price: ₹90

Category: Dessert

Launch Date: 2024-02-25

Free Delivery: [Edit](#)

Edit Page

Edit Menu Item

Edit Food Details

Name

Price

Category

Free Delivery

Save Cancel

[Home\(menu\) Page - Customer](#)

Menu

**Pizza (₹250)**

ID: 1
Category: Fast Food
Launch Date: 2024-01-10
Free Delivery: Yes

 [Add to Cart](#)**Burger (₹120)**

ID: 2
Category: Fast Food
Launch Date: 2024-02-15
Free Delivery: Yes

 [Add to Cart](#)**Sushi (₹300)**

ID: 3
Category: Japanese
Launch Date: 2024-03-01
Free Delivery: No

 [Add to Cart](#)**Dosa (₹100)**

ID: 4
Category: South Indian
Launch Date: 2024-01-05
Free Delivery: Yes

 [Add to Cart](#)**Pasta (₹200)**

ID: 5
Category: Italian
Launch Date: 2024-04-10
Free Delivery: No

 [Add to Cart](#)**Fried Rice (₹180)**

ID: 6
Category: Chinese
Launch Date: 2024-05-12
Free Delivery: Yes

 [Add to Cart](#)**Noodles (₹150)**

ID: 7
Category: Chinese
Launch Date: 2024-06-08
Free Delivery: Yes

 [Add to Cart](#)**Paneer Tikka (₹220)**

ID: 8
Category: Indian
Launch Date: 2024-03-18
Free Delivery: No

 [Add to Cart](#)**Chicken Curry (₹280)**

ID: 9
Category: Indian
Launch Date: 2024-07-01
Free Delivery: Yes

 [Add to Cart](#)**Ice Cream (₹90)**

ID: 10
Category: Dessert
Launch Date: 2024-02-25
Free Delivery: Yes

 [Add to Cart](#)

Cart Page

Your Cart

Your cart is empty.

[← Back to Menu](#)

Your Cart

	Pizza ₹250 Fast Food	Delete
	Noodles ₹150 Chinese	Delete
	Ice Cream ₹90 Dessert	Delete
	Sushi ₹300 Japanese	Delete

[← Back to Menu](#)