

PROJECT - 2

MINI PROJECT

NAME: Nandhini V

DATE: 12-08-2025

Task:

use code first approach to list the audience who have booked the movie tickets in the homepage.

Code:

NewMovie.cs

```
using System.ComponentModel;
using System.ComponentModel.DataAnnotations;
```

```
namespace MiniProject.Models
{
    public class NewMovie
    {
        public int Id { get; set; }

        [Required]
        [StringLength(20, MinimumLength = 5)]
        public string Name { get; set; }

        [Required]
        public string Gender { get; set; }

        [Required]
        [Range(5, 60)]
        public int Age { get; set; }
    }
}
```

TicketForm.cshtml

```
@model MiniProject.Models.NewMovie
@{
    ViewData["Title"] = "Ticket Booking";
}
```

```
<h2 style="text-align:center;">Enter the details to book tickets</h2><br/><br/>
```

```
<form asp-action="GenerateTicket" method="post">
  <div class="form-group mb-3">
    <label asp-for="Name" class="form-label"></label>
    <input asp-for="Name" class="form-control" />
    <span asp-validation-for="Name" class="text-danger"></span>
  </div>

  <div class="form-group mb-3">
    <label asp-for="Gender" class="form-label"></label>
    <select asp-for="Gender" class="form-control">
      <option value="">-- Select Gender --</option>
      <option value="Male">Male</option>
      <option value="Female">Female</option>
    </select>
    <span asp-validation-for="Gender" class="text-danger"></span>
  </div>

  <div class="form-group mb-3">
    <label asp-for="Age" class="form-label"></label>
    <input asp-for="Age" class="form-control" type="number" />
    <span asp-validation-for="Age" class="text-danger"></span>
  </div>

  <button type="submit" class="btn btn-primary">Save</button>
</form>
```

```
@section Scripts {
  @await Html.PartialAsync("_ValidationScriptsPartial")
}
```

MovieDbContext.cs

```
using Microsoft.EntityFrameworkCore;
using MiniProject.Models;
```

```
namespace MiniProject.Context
{
  public class MovieDbContext : DbContext
  {
    public MovieDbContext(DbContextOptions<MovieDbContext> options) : base(options)
    {
    }
    public DbSet<NewMovie> newMovies { get; set; }
  }
}
```

MovieController.cs

```
using Microsoft.AspNetCore.Mvc;
using Microsoft.EntityFrameworkCore;
using MiniProject.Context;
using MiniProject.Models;
using System;

namespace MiniProject.Controllers
{
    public class MovieController : Controller
    {
        MovieDbContext movieDbContext;

        public MovieController(MovieDbContext _movieDbContext)
        {
            movieDbContext = _movieDbContext;
        }

        public IActionResult Index(string filter = null)
        {
            List<NewMovie> tickets;

            if (filter == "female")
            {
                tickets = movieDbContext.newMovies
                    .Where(t => t.Gender == "Female")
                    .ToList();
            }
            else if (filter == "male")
            {
                tickets = movieDbContext.newMovies
                    .Where(t => t.Gender == "Male")
                    .ToList();
            }
            else
            {
                tickets = movieDbContext.newMovies.ToList();
            }

            //var allTickets = movieDbContext.newMovies.Where(t => t.Gender ==
            "Female").OrderBy(t => t.Age).ToList();
            //var allTickets = movieDbContext.newMovies.ToList();
            var fcount = movieDbContext.newMovies.Where(t => t.Gender == "Female").ToList();
        }
    }
}
```

```

        var mcount = movieDbContext.newMovies.Where(t => t.Gender == "Male").ToList();
        var no_of_aud = tickets.Count();
        ViewData["Count_audience"] = no_of_aud;
        var no_of_fcount = fcount.Count();
        ViewData["Female_Count"] = no_of_fcount;
        var no_of_mcount = mcount.Count();
        ViewData["Male_Count"] = no_of_mcount;
        var avg_age = tickets.Average(t => t.Age);
        ViewData["average_age"] = Math.Round(avg_age, 2);
        return View(tickets);
    }

```

```

public IActionResult TicketForm()
{
    return View();
}

```

```

public IActionResult GenerateTicket(NewMovie movie)
{
    if (ModelState.IsValid)
    {
        movieDbContext.newMovies.Add(movie);
        movieDbContext.SaveChanges();
        return RedirectToAction("Index");
    }

    return RedirectToAction("TicketForm");
}

```

```

public IActionResult Details(int id)
{
    var eachAud = movieDbContext.newMovies.FirstOrDefault(t => t.Id == id);
    return View(eachAud);
}

```

```

public IActionResult DeleteAud(int id)
{
    var aud = movieDbContext.newMovies.FirstOrDefault(a => a.Id == id);
    if (aud != null)
    {
        movieDbContext.newMovies.Remove(aud);
        movieDbContext.SaveChanges();
    }
    return RedirectToAction("Index");
}

```

```

    }
  }
}

```

Details.cshtml

```

@{
    ViewData["Title"] = "Audience Details";
}
@model MiniProject.Models.NewMovie

<div class="text-center">
    <h1 class="display-4">Audience Details</h1>
    <br/>
    <br/>
    <b>Name: </b>
    @Model.Name
    <br />
    <br />
    <b>Gender: </b>
    @Model.Gender
    <br />
    <br />
    <b>Age: </b>
    @Model.Age
    <br />
    <a class="btn btn-primary mt-4" asp-controller="Movie" asp-action="Index">Go Back</a>
</div>

```

Index.cshtml (View - Movie)

```

@{
    ViewData["Title"] = "All Tickets";
}
@model List<NewMovie>

<div class="container mt-5">
    <h1 class="text-center text-danger mb-4">🍿 Welcome to Ticket Zone!</h1>
    <div style="text-align:center;">
        <a class="btn btn-danger btn-lg mb-4" asp-controller="Movie" asp-action="TicketForm">
            🍿 Book Tickets
        </a>
    </div>

```

```

<br/>
<a asp-action="Index" asp-route-filter="null">
    Number of audience booked the ticket: @ViewData["Count_audience"]
</a>
<br/>
<a asp-action="Index" asp-route-filter="female">
    Number of female audience booked the ticket: @ViewData["Female_Count"]
</a>
<br/>
<a asp-action="Index" asp-route-filter="male">
    Number of male audience booked the ticket: @ViewData["Male_Count"]
</a>
<h5 class="mt-2 mb-4">
    Average age of audience: @ViewData["average_age"]
</h5>
</div>

@if (Model != null && Model.Any())
{
    <div>
        @foreach (var aud in Model)
        {
            <p style="text-align:center;">
                @aud.Name -
                @* @aud.Age *@
                <a asp-action="Details" asp-route-id="@aud.Id" style="margin-left:10px;
color:#d9534f; text-decoration:none;">
                    See More...
                </a>
                <br/>
                <a asp-action="DeleteAud" asp-route-id="@aud.Id">Remove</a>
            </p>
        }
    </div>
}
else
{
    <p class="text-muted text-center">No tickets booked yet.</p>
}
</div>

```

Index.cshtml (View - Home)

```
@{
    ViewData["Title"] = "Home Page";
}

<style>
    .container {
        text-align: center;
        font-family: Arial, sans-serif;
        padding: 20px;
        background-color: #f8f9fa;
        border-radius: 8px;
        max-width: 600px;
        margin: auto;
    }

    .movie-section {
        margin-top: 20px;
    }

    .movie-section h2 {
        color: #343a40;
    }

    .movie-section h2 span {
        color: #007bff;
    }

    .movie-poster {
        max-width: 100%;
        border-radius: 10px;
        box-shadow: 0 4px 8px rgba(0,0,0,0.1);
        margin-top: 10px;
    }

    .movie-description {
        margin-top: 15px;
        font-size: 15px;
        line-height: 1.6;
        color: #555;
    }

    .release-year {
```

```

    font-weight: bold;
    color: #333;
    margin-top: 10px;
}

.btn-tickets {
    padding: 10px 20px;
    border-radius: 5px;
    margin-top: 15px;
    display: inline-block;
    background-color: #0d6efd;
    color: white;
    text-decoration: none;
    border: none;
    cursor: pointer;
    font-size: 16px;
}

.btn-tickets:hover {
    background-color: #084cd9;
    color: white;
}
</style>

<div class="container">

    <section class="movie-section">
        <h2>🎬 Upcoming Movie: <span>Coolie</span></h2>

        <p class="movie-description">
            <strong>Coolie</strong> is an upcoming Tamil action film directed by <strong>Lokesh
Kanagaraj</strong>
            and starring <strong>Superstar Rajinikanth</strong>. The film promises high-octane
action,
            stylish visuals, and the director's signature storytelling. Fans are eagerly awaiting its
release.
        </p>

```



```
<p class="release-year"> Release Year: 2025</p>
</section>
```

```
<a class="btn-tickets" asp-controller="Movie" asp-action="Index">
 Tickets
</a>
<a class="btn-tickets" asp-controller="Movie" asp-action="TicketForm">Book Tickets</a>
</div>
```

_Layout.cshtml

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="utf-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>@ViewData["Title"] - Movie(Coolie)</title>
  <link rel="stylesheet" href="~/lib/bootstrap/dist/css/bootstrap.min.css" />
  <link rel="stylesheet" href="~/css/site.css" asp-append-version="true" />
  <link rel="stylesheet" href="~/MiniProject.styles.css" asp-append-version="true" />
</head>
<body>
  <header>
    <nav class="navbar navbar-expand-sm navbar-toggleable-sm navbar-light bg-white
border-bottom box-shadow mb-3">
      <div class="container-fluid">
        <a class="navbar-brand" asp-area="" asp-controller="Home"
asp-action="Index">Movie(Coolie)</a>
        <button class="navbar-toggler" type="button" data-bs-toggle="collapse"
data-bs-target=".navbar-collapse" aria-controls="navbarSupportedContent"
aria-expanded="false" aria-label="Toggle navigation">
          <span class="navbar-toggler-icon"></span>
        </button>
        <div class="navbar-collapse collapse d-sm-inline-flex justify-content-between">
          <ul class="navbar-nav flex-grow-1">
            <li class="nav-item">
              <a class="nav-link text-dark" asp-area="" asp-controller="Home"
asp-action="Index">Home</a>
            </li>
            <li class="nav-item">
              <a class="nav-link text-dark" asp-area="" asp-controller="Movie"
asp-action="Index">Tickets</a>
            </li>
          </ul>
        </div>
      </div>
    </nav>
  </header>
</body>
</html>
```

```

        <li class="nav-item">
            <a class="nav-link text-dark" asp-area="" asp-controller="Home"
asp-action="Privacy">Privacy</a>
        </li>
    </ul>
</div>
</div>
</nav>
</header>
<div class="container">
    <main role="main" class="pb-3">
        @RenderBody()
    </main>
</div>

<footer class="border-top footer text-muted">
    <div class="container">
        &copy; 2025 - MiniProject - <a asp-area="" asp-controller="Home"
asp-action="Privacy">Privacy</a>
    </div>
</footer>
<script src="~/lib/jquery/dist/jquery.min.js"></script>
<script src="~/lib/bootstrap/dist/js/bootstrap.bundle.min.js"></script>
<script src="~/js/site.js" asp-append-version="true"></script>
    @await RenderSectionAsync("Scripts", required: false)
</body>
</html>

```

Output:

Home

Movie(Coolie) Home Tickets Privacy

 Upcoming Movie: **Coolie**



Coolie is an upcoming Tamil action film directed by **Lokesh Kanagaraj** and starring **Superstar Rajinikanth**. The film promises high-octane action, stylish visuals, and the director's signature storytelling. Fans are eagerly awaiting its release.


 **Release Year: 2025**

 **Tickets**

Book Tickets

© 2025 - MiniProject - [Privacy](#)

Values in database before adding a record



The screenshot shows the SQL Server Enterprise Manager interface. The Object Explorer on the left displays the database structure, including the 'newMovies' table. The SQL Query window on the right contains the following query:

```
SELECT TOP (1000) [Id]
, [Name]
, [Gender]
, [Age]
FROM [Nandhini_Demo].[dbo].[newMovies]
```

The Results pane shows the data returned by the query:

	Id	Name	Gender	Age
1	8	Nancy	Female	20
2	9	Dharunya	Female	15
3	10	Dharanesh	Male	19
4	11	Sanjeev	Male	32
5	12	Nandhini	Female	21
6	13	Karthi S	Male	40
7	15	Surya	Male	23

The status bar at the bottom indicates: Query executed successfully. PTSQLESTDB01 (16.0 RTM) PAYODA\Nandhini.v (58) Nandhini_Demo 00:00:00 7 rows

Adding a ticket

[Movie\(Coolie\)](#) [Home](#) [Tickets](#) [Privacy](#)

Enter the details to book tickets

Name

Gender

-- Select Gender --

Age

Save

© 2025 - MiniProject - [Privacy](#)

Entering the values

Movie(Coolie) Home Tickets Privacy

Enter the details to book tickets

Name

Navya

Gender

Female

Age

22

Save

© 2025 - MiniProject - [Privacy](#)

Values in database after adding a record

The screenshot shows the SQL Server Enterprise Manager interface. On the left, the Object Explorer displays the database structure, including the 'newMovies' table under the 'Nandhini_Demo' database. The main window shows a SQL query: `SELECT TOP (1000) [Id], [Name], [Gender], [Age] FROM [Nandhini_Demo].[dbo].[newMovies]`. The Results pane displays the following data:

	Id	Name	Gender	Age
1	8	Nancy	Female	20
2	9	Dharunya	Female	15
3	10	Dharanesh	Male	19
4	11	Sanjeev	Male	32
5	12	Nandhini	Female	21
6	13	Karthi.S	Male	40
7	15	Surya	Male	23
8	21	Navya	Female	22

The status bar at the bottom indicates: Query executed successfully. | PTSQLTESTDB01 (16.0 RTM) | PAYODA\Nandhini.v (58) | Nandhini_Demo | 00:00:00 | 8 rows

After adding a record - List of audience

Movie(Coolie) Home Tickets Privacy

 **Welcome to Ticket Zone!**

 **Book Tickets**

[Number of audience booked the ticket: 8](#)
[Number of female audience booked the ticket: 4](#)
[Number of male audience booked the ticket: 4](#)

Average age of audience: 24

Nancy - See More...
[Remove](#)

Dharunya - See More...
[Remove](#)

Dharanesh - See More...
[Remove](#)

Sanjeev - See More...
[Remove](#)

Nandhini - See More...
[Remove](#)


Karthi.S - See More...
[Remove](#)

Surya - See More...
[Remove](#)


Navya - See More...
[Remove](#)

© 2025 - MiniProject - [Privacy](#)

Detail of an audience



Values in database after removing a record



After removing a record - list of audience

Movie(Coolie) Home Tickets Privacy



Welcome to Ticket Zone!

 [Book Tickets](#)

[Number of audience booked the ticket: 7](#)
[Number of female audience booked the ticket: 3](#)
[Number of male audience booked the ticket: 4](#)

Average age of audience: 24.29

Nancy - [See More...](#)
[Remove](#)

Dharunya - [See More...](#)
[Remove](#)

Dharanesh - [See More...](#)
[Remove](#)

Sanjeev - [See More...](#)
[Remove](#)

Nandhini - [See More...](#)
[Remove](#)

Karthi.S - [See More...](#)
[Remove](#)

Surya - [See More...](#)
[Remove](#)

© 2025 - MiniProject - [Privacy](#)