

Q2. 3. 25.

Special operator.

1. IN
2. Not in
3. Between
4. Not Between
5. is
6. is not
7. Like
8. Not Like.

IN operator

- IN operator is similar to equals operator
- IN operator is also known as multivalued operator
- IN operator can accept multiple values belongs to the

same column in an right hand side

- IN operator returns true if any one of the condition get satisfied.

Syntax

column_name/expression IN (V1, V2, ... Vn);

Write a query to display names of an employee who are working in the department of 10, 20, 30.

EMP

Sname	Sal	Deptno
Allen	1800	30
Blake	2500	10
Jones	3000	20
Adams	2000	40
King	1950	10

Select ename
from emp

where deptno IN (10, 20, 30);

30
10
20
40
10

30 IN (10, 20, 30) → T
F → F → T

10 IN (10, 20, 30) → T
T → F → F

20 IN (10, 20, 30) → T
F → T → F

40 IN (10, 20, 30) → F
F → F → F

10 IN (10, 20, 30) → T
T → F → F

1. WAQTD OF an employee working in department no 10 as a manager or clerk.

```
select *
from emp
```

where deptno=10 AND job in ('MANAGER', 'CLERK');

2. WAQTD name, job, deptno of an employees if the employees are working as a clerk or analyst in deptno 10 or 20;

```
select ename, job, deptno
from emp
```

where job in ('CLERK', 'ANALYST') AND deptno in (10, 20);

NOT IN

It is similar to IN operator instead of select the values it reject the values

SYNTAX

column_name/expression NOT IN (V1, V2, ... Vn);

DEPTNO	SAL	ENAME
30	1800	ALLEN
10	3000	BLAKE
50	3000	JONES
40	9000	WARD
10	1500	SMITH

Query

1. WAQTD details of an employees except who are working in deptno 10, 30.

```
select *
from emp
where deptno NOT IN (10, 30);
```

30
10
30

2. WAQTD details of an employees along with annual salary if the employees are working in deptno 10 or deptno 20 except who are working as a manager or Analyst.

```
select EMP.*, sal*12 as 'Annual_sal'
from emp
```

where deptno IN (10, 20) AND job NOT IN ('MANAGER', 'ANALYST');

IS operator

- It is used to compare with only the null values

Syntax

column_name/expression IS NULL ;

Query

1. WAQTD details of an employee if the employees are not earning any commission.

```
select *  
from emp  
where comm IS NULL ;
```

2. WAQTD name and manager number of the employees if the employees does not have any reporting manager (does not have manager number)

```
select ename, MGRNO  
from emp  
where MGRNO IS NULL ;
```

IS NOT operator

It is used to compare with NOT NULL values.

SYNTAX

column-name/expression IS NOT NULL ;

Query

1. WAQTD details of an employees if the employees are earning some commissions.

```
select *  
from emp  
where comm IS NOT NULL ;
```


Q WAQTD NAME, salary and commission of the employee if the employees are earning some salary but not the Commission.

```
select ename, sal, comm
from emp
where sal NOT IS NULL AND com <> 0;
      IS NOT
```

24.3.25

Between Operator

- Whenever we have range of values we go for between operator (starting value and ending value)
- Between operator works including the ranges.
- we cannot interchange range of values in between operator

column_name/expression BETWEEN lower_range AND higher_range

1. Write a Query to display names of an employees if the employees name are earning salary greater than 1500 and less than 3000


Range: 1501 and 2999

```
select ename
```


```
from emp
```

```
where sal between 1501 and 2999;
```


WORKING




1500 between 1501 and 2999 → F




3500 between 1501 and 2999 → F



8000 between 1501 and 2999 → F



4000 between 1501 and 2999 → F



NOTE

sal > 1500 and sal < 3000 → Range: 1501 and 2999

salary Ranges from 1500 to 3000 → Range: 1500 and 3000

salary Between 1500 to 3000 → Range: 1501 and 2999

2. WAQTD details of an employees if the employees are earning salary in the range of 2000 to 3000

select *

from emp

where sal between 2000 and 3000;

Not use para-integer and also no use 'to' instead of 'and'

3. WAQTD name, hiredate of the employees if the employees are hired during the year 81.

select ename, hiredate

from emp

where hiredate between '01-JAN-81' and '31-DEC-81';

3. WAQTD details of an employees who are hire after the year 81 but before the year 84.

```
select *  
from emp  
where hiredate between '01-JAN-82' and '31-DEC-83';
```

NOT BETWEEN Operator

Not between is similar to between operator but it will reject the range of values

syntax

column_name/expression NOT BETWEEN lower_range AND higher_range;

1. WAQTD details of an employee except who are earning salary in the range of 2500 to 5000.

```
select *  
from emp  
where sal NOT between 2500 and 5000;
```

2. WAQTD hiredates of an employees except who are hired during the year 81.

```
select hiredate  
from emp  
where hiredate not between '01-JAN-81' and
```

3. WAQTD name and salary of an employees who are earning salary less than 1000 and greater than 3000.

```
select ename, sal  
from emp  
where sal not between 1000 and 3000;
```