Task 46:

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <title>JavaScript</title>
</head>
<body>
   <script>
     function sum(a,b){
        return a+b;
     }
     console.log(sum(4,4));
   </script>
</body>
</html>
```

```
    8
 >
```

Task 47:

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <title>JavaScript</title>
</head>
<body>
   <script>
     function areaofrec(a,b){
        return a*b;
     }
     console.log(areaofrec(54.34,23.22));
   </script>
</body>
</html>
```

```
    1261.7748
 >
```

Task 48:

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
```

```
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>JavaScript</title>
</head>
<body>
    <script>
      function greet(){
        console.log("The Function is Called Without Parameter");
      }
      greet()
    </script>
</body>
</html>
```

```
    The Function is Called Without Parameter
  >
```

Task 49:

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>JavaScript</title>
</head>
<body>
    <script>
      function greet(){
        return
      }
      console.log(greet());
    </script>
</body>
</html>
```

```
    undefined
  >
```

Task 50:

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>JavaScript</title>
</head>
<body>
    <script>
      function add(a , b = 3){
        return a + b;
      }
      console.log(add(4,5));
```

```
        console.log(add(5));
    </script>
</body>
</html>
```

```
    9
    8
>
```

Task 51:

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>JavaScript</title>
</head>
<body>
    <script>
        greet = (name) => {console.log(`Hello, ${name}!`);}
        greet("John")
        greet("Mary")
        greet("David")
    </script>
</body>
</html>
```

```
Hello, John!
Hello, Mary!
Hello, David!
>
```

Task 52:

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>JavaScript</title>
</head>
<body>
    <script>
        add = (a,b) => {return a+b;}
        console.log(add(5,4));
        console.log(add(6,8));
        console.log(add(7,3));
    </script>
</body>
</html>
```

```
    9
    14
    10
>
```

Task 53:

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>JavaScript</title>
</head>
<body>
    <script>
      isEven = a => { return a%2 == 0 }
      console.log(isEven(5));
      console.log(isEven(2));
    </script>
</body>
</html>
```

```
false
true
>
```

Task 54:

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>JavaScript</title>
</head>
<body>
    <script>
      maxValue = (a,b) => { return a > b ? a : b }
      console.log(maxValue(5,2));
      console.log(maxValue(8,10));
    </script>
</body>
</html>
```

```
5
10
>
```

Task 55:

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>JavaScript</title>
</head>
<body>
```

```
  <script>
   let myObject = {
    value : 10,

    multiplyTraditional(a){
     return this.value*a;
    },

    multiplyArrow : (a) => {return this.value*a}
   }
   console.log( myObject.multiplyArrow(45))
   console.log(myObject.multiplyTraditional(87))
  </script>
</body>
</html>
```

```
NaN
870
>
```