# HOTEL TRANSYLVANIA

BATCH: CSE-H

ROLL NUMBER	NAME
AP18110010462	M. UJWALA
AP18110010470	A. NIKITHA
AP18110010516	N. CHARAN

# **Contributions**

HTML Ujjwala

CSS Nikitha

PHP/DATABASE Charan

(It is not like one did entire html and other css and the other backend or something, we helped each other out and figured out solutions for the problems, like a team!)

## OVERVIEW OF THE PROJECT

Our project "Hotel Transylvania" is about a hotel based website in which users can reserve rooms. We used HTML, CSS, and JavaScript as front end; PHP as the backends; and MySQL as the database.

In this project we created web pages like *home.html*, it's the home page of our website. It contains some pictures of the hotel and a few buttons like about, which takes users to about page; book, which takes users to booking form; and a clickable logo which takes users to homepage from anywhere on site.

book.html contains the room reservation form, in which users can reserve a room. The form submits data to submit.php. It pushes data to the database hotel, and because we have a limited number of rooms, submit.php checks whether rooms were filled or not. If rooms are filled, submit.php take users to the retry.html page. If not, it takes users to the thank.html page.

The reservation form contains the following as inputs;

- 1. First Name
- 2. Last Name
- 3. Gender
- 4. Phone
- 5. Email
- 6. Date

7. And submit button to take inputs

We used MySQL as the data base and it stores inputs from the user. And asigns users a unique id and room

# FEATURES THAT YOU HAVE ALREADY IMPLEMENTED IN PROJECT

- 1. Our project was created with small details in mind. We have lot of small details, which users won't notice like
- 2. Our hotel is based on a fictional hotel from the movie *Hotel Transylvania*. We use the same font which was used in the movies and its marketing materials.
- 3. Since we have a limited number of rooms! *Submit.php* checks whether all the rooms are filled or not on the day the user wants to book and automattically asigns a room, with the following conditional statement.

```
$maxroom = "SELECT MAX(Room) FROM rooms WHERE Date='$date'";
$room = mysqli_query($conn, $maxroom);
$r = mysqli_fetch_assoc($room);


if ($r["MAX(Room)"] <= 50) {
    $newroom = $r["MAX(Room)"] + 1;
}
else {
    header("refresh:0; url=retry.html");
}</pre>
```

4. If the user wants to resize the browser window, the content in the page will dynamically scale accordingly.

5. If the user does not fill any of the form details, the browser will ask the user to fill the field.

# SCREENSHOTS OF THE WEBSITE


home.html



# book.html

HOTEL TRANSYLVANIA	
	FIRST NAME
	LAST NAME
	6ENDER     ALLE    FEMALE      OTHER
	PHONE NO,
	EWAIL
1 <b>1</b> 111 / / /	MM/0D/YYYY
	B00K


# retry.html



## thank.html



# MySQL Database



## SOURCE CODES FOR OUR PROJECT

#### home.html

```
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width,</pre>
initial-scale=1.0">
 <title>Welcome to Hotel Transylvania</title>
 <link rel="stylesheet" type="text/css" href="style.css">
</head>
  <header>
    <img src="img/logo.png" alt="logo" class="logo"</pre>
onclick="window.location.href='home.html'">
    <input type="button" name="book" id="book" class="book"</pre>
value="Book Your Room Now"
onclick="window.location.href='form.html'">
  </header>
 <body style="margin: 0px;" bgcolor="">
    <imq src="imq/homepage/spokky.jpg" alt="spokky"</pre>
class="hcontain1">
```

```
<div class="dcontain1">
      <img src="img/homepage/bed.jpg" alt="Bed Room"</pre>
class="hcontain1t">
      <img src="img/homepage/hallway.jpg" alt="hall"</pre>
class="hcontain1m">
      <img src="img/homepage/bed2.jpg" alt="Bed Room"</pre>
class="hcontain1b">
    </div>
    <img src="img/homepage/welcome.jpg" alt="Welcome to Hotel</pre>
Transylvania" class="hcontain2">
    <div class="dcontain2">
      <img src="img/homepage/hall.png" alt="hall"</pre>
class="hcontain2t">
      <img src="img/homepage/home.jpg" alt="Home"</pre>
class="hcontain2b">
    </div>
  </body>
</html>
```

#### about.html

```
<html lang="en">
<title>ABOUT US </title>
<head>
<link rel="stylesheet" type="text/css" href="style.css">
</head>
<body>
>
<center>
<br/>
<br/>
ABOUT US </br>
<br> Our hotel is a five star hotel, We have many facilites
such as gym area, </br>
<br> Swimming pool and many more.</pr>
<br> We provide complementary breakfast to our guests. <br>
<br> And we provide delicious food, We have qualified chefs
with us, </br>
<br>We provide with a great room service. </br>
</center>
<img src="img/dracula.png" alt="dracula" class="imgbox">
</body>
</html>
```

#### form.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width,</pre>
initial-scale=1.0">
    <title>Hotel Room Booking</title>
    <link rel="stylesheet" type="text/css" href="style.css">
    <script>
        var img = document.getElementById('image');
        var h = window.innerHeight;
        var w = window.innerWidth;
        if (h >= w) {
            img.remove();
        }
    </script>
</head>
<header>
    <img src="img/logo.png" alt="logo" class="logo" id="image"</pre>
onclick="window.location.href='home.html'">
</header>
<body>
```

```
<img src="img/dracula.png" alt="dracula" class="imgbox">
    <div class="container">
    <form method="POST" action="submit.php" class="myform">
        <div class="form-in">
            <!--input firstName-->
            <input type="text" name="firstName" id="firstName"</pre>
placeholder="First Name" required>
        </div>
        <div class="form-in">
            <!--lastName-->
            <input type="text" name="lastName" id="lastName"</pre>
placeholder="Last Name" required>
        </div>
        <div class="form-in">
            <!--gender-->
            <label for="gender">Gender</label>
            <hr>
            <br>
            <input type="radio" name="gender" id="male"</pre>
value="male" required>
            <label for="male">Male</label>
            <br>
            <br>
```

```
<input type="radio" name="gender" id="female"</pre>
value="female" required>
            <label for="female">Female</label>
            <br>
            <br>
            <input type="radio" name="gender" id="other"</pre>
value="other" required>
            <label for="other">Other</label>
        </div>
        <div class="form-in">
            <!--phoneNumber-->
            <input type="tel" name="phone" id="phone"</pre>
placeholder="Phone No." pattern="[0-9]{10}" required>
        </div>
        <div class="form-in">
            <!--email-->
            <input type="email" name="mail" id="mail"</pre>
placeholder="Email" required>
        </div>
        <div class="form-in">
            <!--date-->
            <input type="date" name="date" id="date" required>
        </div>
```

## retry.html

```
<img src="img/dracula.png" alt="dracula" class="imgbox">
    <div class="container">
    <form method="POST" action="submit.php" class="myform">
        <div style="background-color: red; width: 95%; border:</pre>
15px; padding: 10px; text-align: center; border-radius:
10px;">All the rooms are full for that date. Try to book for
some other date .</div>
        <br>
        <br>
        <div class="form-in">
            <!--input firstName-->
            <input type="text" name="firstName" id="firstName"</pre>
placeholder="First Name" required>
        </div>
        <div class="form-in">
            <!--lastName-->
            <input type="text" name="lastName" id="lastName"</pre>
placeholder="Last Name" required>
        </div>
        <div class="form-in">
            <!--gender-->
            <label for="gender">Gender</label>
            <br>
            <br>
```

```
<input type="radio" name="gender" id="male"</pre>
value="male" required>
             <label for="male">Male</label>
             <hr>
             <br>
             <input type="radio" name="gender" id="female"</pre>
value="female" required>
             <label for="female">Female</label>
             <br>
             <br>
            <input type="radio" name="gender" id="other"</pre>
value="other" required>
             <label for="other">Other</label>
        </div>
        <div class="form-in">
             <!--phoneNumber-->
             <input type="tel" name="phone" id="phone"</pre>
placeholder="Phone No." pattern="[0-9]{10}" required>
        </div>
        <div class="form-in">
            <!--email-->
             <input type="email" name="mail" id="mail"</pre>
placeholder="Email" required>
```

### thankyou.html

```
style.css

.logo{
    width: 200px;
    margin: 15px;
}

@font-face{
    src: url('fonts/hoteltransilvania.ttf');
    font-family: hotel;
}
```

```
body{
   background-color: black;
    color: white;
    font-family: hotel;
    margin: 0;
    width: 100%;
    overflow-x: hidden;
header{
    padding-bottom: 40px;
    width: 100%;
}
.book{
   border: 0;
    outline: none !important;
   padding: 15px;
    margin: 30px;
   background: rgb(75, 40, 139);
    cursor: pointer;
    font-family: hotel;
    font-size: 1.4em;
    color: white;
    float: right;
.container{
   margin: 0;
   width: 70%;
    float: right;
}
.imgbox{
   margin: 0;
    width: 30%;
```

```
float: left;
.myform{
   padding: 50px;
.myform .form-in{
   padding-bottom: 20px;
.myform input[type="text"], .myform input[type="tel"], .myform
input[type="email"]{
   width: 95%;
   margin: auto;
   padding: 15px;
   font-family: hotel;
   font-size: 1.5em;
   border: 0;
}
.myform input[type="date"]{
   border: 0;
   padding: 15px;
    font-size: 1.5em;
    font-family: hotel;
.button{
   font-family: hotel;
   font-size: 1.5em;
   padding: 15px;
   color: white;
   background: rgb(75, 40, 139);
   border: 0px;
::placeholder{
```

```
font-family: hotel;
.right_container{
   width: 60%;
/*home page*/
.hcontain1{
   margin: 0;
   width: 71.6%;
   float: left;
.dcontain1{
   margin: 0;
   width: 28.3%;
   float: left;
.hcontain1t{
   margin: 0;
   padding: 0% 0% 3% 3%;
   width: 100%;
   float: right;
   box-sizing: border-box;
.hcontain1m{
   margin: 0;
   padding: 0% 0% 0% 3%;
   width: 100%;
   float: right;
   box-sizing: border-box;
```

```
.hcontain1b{
   margin: 0;
   padding: 3% 0% 0% 3%;
   width: 100%;
   float: right;
   box-sizing: border-box;
.hcontain2{
   margin: 0;
   width: 66.66%;
   float: right;
.dcontain2{
   margin: 0;
   width: 33.33%;
   float: left;
.hcontain2t{
   margin: 0;
   padding: 0% 3% 3% 0%;
   width: 100%;
   float: right;
   box-sizing: border-box;
.hcontain2b{
   margin: 0;
   padding: 0% 3% 0% 0%;
   width: 100%;
   float: right;
   box-sizing: border-box;
```

## submit.php

```
<?php
$servername = "localhost";
$username = "root";
$password = "dunnu";
$dbname = "hotel";
// Create connection
$conn = mysqli connect($servername, $username, $password,
$dbname);
if (!$conn) {
   die("Connection failed: " . mysqli_connect_error());
$date = $_POST['date'];
$firstName = $_POST['firstName'];
$lastName = $ POST['lastName'];
$gender = $_POST['gender'];
$phone = $_POST['phone'];
$email = $ POST['mail'];
```

```
$maxroom = "SELECT MAX(Room) FROM rooms WHERE Date='$date'";
$room = mysqli query($conn, $maxroom);
$r = mysqli fetch assoc($room);
if ($r["MAX(Room)"]<=50) {
    newroom = r["MAX(Room)"] + 1;
 }
else {
    header("refresh:0; url=retry.html");
}
$sql = "INSERT INTO rooms (Date, Room, FirstName, LastName,
Gender, Phone, Email) VALUES ('$date', '$newroom',
'$firstName', '$lastName', '$gender', '$phone', '$email')";
if (mysqli query($conn, $sql)) {
   echo "New record created successfully";
   header("refresh:0; url=thank.html");
} else {
    echo "Error: " . $sql . "<br>" . mysqli error($conn);
mysqli_close($conn);
?>
```

## PENDING WORKS

No pending work we completed the full project.