

SIMATS ENGINEERING ASSESSMENT TOOL 2

COURSE NAME: Artificial Intelligence COURSE CODE: CSA17

COURSE OUTCOME COVERED

CO3: Analyze knowledge representation and reasoning using propositional logic, FOL, inference, resolution, chaining methods, knowledge representation to perform logical reasoning for drawing valid conclusions and decision making. (BL4)

Assessment Tool Weightage: 50%

		Time Duration: 30
Minutes		
QUESTIONS: 30		Total Marks:30
Annexure A		
MCQ		

Code of Conduct:

*I **NEELAM NANDINI [192472277]** (Name / Reg No) certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment.
I understand that any violation of academic integrity rules will result in disciplinary action.*

Signature of the student: N.Nandini.

Annexure A

Q1. Which of the following best describes a Logical Agent in AI?

- a) An agent that reacts randomly to the environment
- b) **An agent that uses a knowledge base and logical inference to decide actions**
- c) An agent that only follows pre-defined scripts
- d) An agent that learns from rewards

Q2. In Propositional Logic, ' $P \rightarrow Q$ ' is logically equivalent to:

- a) $P \wedge \neg Q$
- b) $\neg P \vee Q$
- c) $\neg Q \rightarrow \neg P$ only
- d) **Both b and c**

Q3. Conjunctive Normal Form (CNF) requires the formula to be expressed as:

- a) A disjunction of conjunctions
- b) **A conjunction of disjunctions (clauses)**
- c) A conjunction of literals only
- d) A sequence of implications

Q4. In FOL, the sentence $\forall x: \text{Student}(x) \rightarrow \text{Passes}(x)$ means:

- a) Some students pass
- b) **Every entity that is a student passes**
- c) If something passes, it is a student
- d) There exists at least one student who passes

Q5. Unification in FOL is the process of finding substitutions that:

- a) Convert clauses to CNF
- b) **Make two logical expressions syntactically identical**
- c) Prove a goal using backward chaining
- d) Derive facts using Modus Ponens

6. What is the core function of a logical agent in AI?

- a) Reacting only to current percepts
- b) **Using logic and knowledge representation to reason and make decisions**
- c) Performing physical actions without internal representation
- d) Relying solely on sensors for navigation

7. Which component of a logical agent is responsible for storing facts and rules about the world?

- a) Inference Engine
- b) Perception Unit
- c) **Knowledge Base (KB)**
- d) Action Selector

8. What does a knowledge-based agent do immediately after obtaining a percept from the environment?

- a) Selects an action
- b) Executes the action
- c) **Updates the Knowledge Base with the new percept**

d) Reasons to derive new information

9. Which operation is used to add new information to a Knowledge Base?

a) ASK **b) TELL** c) PERCEIVE d) UPDATE

10. What is a proposition in formal logic?

a) A command or request

b) A declarative statement that is either true or false

c) A question regarding the environment

d) A letter representing a variable

11. Which of the following is NOT a proposition?

a) "The sun rises in the east."

b) "5 + 3 = 10."

c) "Close the door."

d) "Chennai is in India."

12. Which logical operator is represented by the symbol $\neg$?

a) AND

b) OR

c) NOT

d) Implication

13. The AND ($\wedge$) operator is true only when:

a) At least one proposition is true

b) Both propositions are true

c) Both propositions have different truth values

d) Neither proposition is true

14. A proposition that is always true, regardless of the truth values of its variables, is called a:

a) Contradiction **b) Tautology** c) Contingency d) Equivalence

15. In an implication ($P \rightarrow Q$), the statement is false only when:

a) P is false and Q is true

b) P is true and Q is false

c) Both P and Q are false

d) Both P and Q are true

16. What is the number of rows in a truth table for a logical expression with 3 propositions?

a) 4 b) 6 **c) 8** d) 9

17. Which of these represents one of De Morgan's Laws?

a) $\neg(P \wedge Q) \equiv \neg P \vee \neg Q$

b) $\neg(P \wedge Q) \equiv \neg P \wedge \neg Q$

- c) $\neg(\neg P) \equiv P$
d) $P \vee \neg P \equiv \text{True}$

18. A proposition that is sometimes true and sometimes false is known as a:

- a) Tautology b) Contradiction **c) Contingency** d) Implication

19. Which logical connective is true if and only if both propositions have the same truth value?

- a) Implication ($\rightarrow$) **b) Biconditional ($\leftrightarrow$)** c) OR ($\vee$) d) NOT ($\neg$)

20. According to operator precedence, which operator should be evaluated first?

- a) AND ($\wedge$) b) OR ($\vee$) **c) NOT ($\neg$)** d) Implication ($\rightarrow$)

21. What is the process of deriving a conclusion from given premises called?

- a) Perception b) Representation **c) Inference** d) Predication

22. Which inference rule follows the form: If P, then Q; P; Therefore, Q?

- a) Modus Tollens **b) Modus Ponens** c) Hypothetical Syllogism d) Resolution

23. Which valid reasoning pattern is represented by: $P \rightarrow Q$; $\neg Q$; Therefore, $\neg P$?

- a) Modus Ponens b) Disjunctive Syllogism **c) Modus Tollens** d) Addition

24. What can be concluded from the premises $(P \rightarrow Q)$ and $(Q \rightarrow R)$ using Hypothetical Syllogism?

- a) $P \wedge R$ b) $P \vee R$ **c) $P \rightarrow R$** d) $\neg P \rightarrow \neg R$

25. The rule that states if "P or Q" is true and "Not P" is true, then "Q" must be true is called:

- a) Simplification b) Conjunction **c) Disjunctive Syllogism** d) Resolution

26. Which rule allows you to conclude "P" from the premise "P and Q"?

- a) Addition **b) Simplification** c) Conjunction d) Modus Ponens A

27. The inference rule Resolution follows which symbolic form?

- a) $P \therefore P \vee Q$ b) $P, Q \therefore P \wedge Q$ **c) $P \vee Q, \neg P \vee R \therefore Q \vee R$** d) $P \rightarrow Q, Q \rightarrow R \therefore P \rightarrow R$

28. Which of the following is an example of the "Addition" rule?

- a) P and Q, therefore P
b) P, therefore P or Q
c) P, Q, therefore P and Q
d) P or Q, not P, therefore Q

29. "If it rains, the ground is wet. The ground is wet. Therefore, it rained." This is an example of which invalid reasoning pattern?

- a) Denying the Antecedent **b) Affirming the Consequent** c) Modus Ponens d) Double Negation

30. What is the name of the invalid pattern: $P \rightarrow Q; \neg P$; Therefore, $\neg Q$?

- a) Affirming the Consequent b) **Denying the Antecedent** c) Modus Tollens d) Hypothetical Syllogism

CO3 - AT2 - MCQ

N. Nandini
192472277

Artificial Intelligence - CSA1703

1.	B	✓
2.	B	✓
3.	B	✓
4.	B	✓
5.	B	✓
6.	B	✓
7.	C	✓
8.	C	✓
9.	B	✓
10.	B	✓
11.	C	✓
12.	C	✓
13.	B	✓
14.	B	✓
15.	B	✓
16.	C	✓
17.	A	✓
18.	C	✓
19.	B	✓
20.	C	✓
21.	C	✓
22.	B	✓
23.	C	✓
24.	B	✓
25.	C	✓
26.	B	✓
27.	C	✓
28.	B	✓
29.	B	✓
30.	B	✓

29
30

8

RUBRICS FOR CALCULATION

Criteria	Weightage (%)	Level 4 (Exemplary)	Level 3 (Proficient)	Level 2 (Developing)	Level 1 (Beginning)
Conceptual Understanding	30%	Demonstrates thorough understanding; answers all questions accurately	Shows good understanding with few errors	Partial understanding; several incorrect responses	Lacks understanding; majority of answers incorrect
Accuracy of Answers	25%	All answers are correct	Most answers are correct with minor mistakes	Some correct answers; frequent errors	Mostly incorrect answers
Application of Knowledge	20%	Correctly applies concepts to problem-based questions	Applies concepts with minor errors	Limited ability to apply concepts	Unable to apply concepts
Time Management	15%	Completes quiz well within time efficiently	Completes on time with minor delays	Requires extra time or rushes through questions	Unable to complete within given time
Question Interpretation	10%	Interprets all questions correctly and responds appropriately	Misinterprets a few questions	Often misinterprets questions	Unable to understand questions