

Roll no. 1083

Div A

### QUESTION: 1

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Color Grid</title>

  <style>

    .grid-container {

      display: grid;

      grid-template-columns: repeat(3, 1fr);

      gap: 10px;

      width: 70%;

      margin: auto;

      padding: 50px;

    }

    .grid-item {

      display: flex;

      justify-content: center;

      align-items: center;

      height: 100px;

      font-size: 24px;

      font-weight: bold;
```

```
    color: white;
    padding: 10PX;
}

.item-1 {
    background-color: #00BFFF;
}

.item-2 {
    background-color: #FF4500;
}

.item-3 {
    background-color: #4169E1;
}

.item-4 {
    background-color: #FFD700;
}

.item-5 {
    background-color: #8A2BE2;
}

.item-6 {
    background-color: #32CD32;
}

.item-7 {
    background-color: #FF7F50;
}

.item-8 {
    background-color: #20B2AA;
}
```

```
.item-9 {  
    background-color: #8B0000;  
}  
  
@media (max-width: 658px){  
    .item-1 {  
        background-color: #005eff;  
    }  
    .item-2 {  
        background-color: #00ffd0;  
    }  
    .item-3 {  
        background-color: #e14171;  
    }  
    .item-4 {  
        background-color: #c8ff00;  
    }  
    .item-5 {  
        background-color: #2bcae2;  
    }  
    .item-6 {  
        background-color: #cd32b3;  
    }  
    .item-7 {  
        background-color: #4d0a46;  
    }  
    .item-8 {  
        background-color: #575e0e;  
    }  
}
```

```
.item-9 {  
    background-color: #ce931d;  
}  
}  
  
</style>  
</head>  
<body>  
  
<div class="grid-container">  
    <div class="grid-item item-1">1.</div>  
    <div class="grid-item item-2">2.</div>  
    <div class="grid-item item-3">3.</div>  
    <div class="grid-item item-4">4.</div>  
    <div class="grid-item item-5">5.</div>  
    <div class="grid-item item-6">6.</div>  
    <div class="grid-item item-7">7.</div>  
    <div class="grid-item item-8">8.</div>  
    <div class="grid-item item-9">9.</div>  
</div>  
  
</body>  
</html>
```



**< 658**



## QUESTION: 2

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```

<title>COLLEDE TIME TABLE</title>

</head>

<body>

  <center>

    <h2>COLLEGE TIME TABLE</h2>

    <table border="2">

      <tr>

        <th></th>

        <th>8:30-9:30</th>

        <th>9:30-10:30</th>

        <th>10:30-11:30</th>

        <th>11:30-12:30</th>

        <th>12:30-2:00</th>

        <th>2:00-2:00</th>

        <th>3:00-4:00</th>

        <th>4:00-5:00</th>

      </tr>

      <tr>

        <td><center>MONDAY</center></td>

        <td><center>...</center></td>

        <td style="color: lightblue; font-family: Arial, Helvetica, sans-serif;font-weight: 700;font-size:small;"><center>SUB1</center></td>

        <td style="color:orange;font-family: Arial, Helvetica, sans-serif;font-weight: 700;font-size:small;"><center>SUB2</center></td>

        <td style="color:blueviolet;font-family: Arial, Helvetica, sans-serif;font-weight: 700;font-size:small;"><center>SUB3</center></td>

        <td rowspan="6"><center>

          L<br>

          U<br>

```

```

N<br>
C<br>
H</center>
</td>

<td style="color:green;font-family: Arial, Helvetica, sans-serif;font-weight:
700;font-size:small;"><center>SUB4</center></td>

<td style="color:red;font-family: Arial, Helvetica, sans-serif;font-weight:
700;font-size:small;"><center>SUB5</center></td>

<th>COUNSELLING CLASS</th>
</tr>

<tr>

<td><center>TUESDAY</center></td>

<td style="color: lightblue;font-family: Arial, Helvetica, sans-serif;font-weight:
700;font-size:small;"><center>SUB1</center></td>

<td style="color:orange;font-family: Arial, Helvetica, sans-serif;font-weight:
700;font-size:small;"><center>SUB2</center></td>

<td style="color:blueviolet;font-family: Arial, Helvetica, sans-serif;font-weight:
700;font-size:small;"><center>SUB3</center></td>

<td><center>---</center></td>

<td style="color:orange;font-family: Arial, Helvetica, sans-serif;font-weight:
700;font-size:small;"><center>SUB2</center></td>

<td style="color:orange;font-family: Arial, Helvetica, sans-serif;font-weight:
700;font-size:small;"><center>SUB2</center></td>

<td style="font-style: normal;"><center>LIBRARY</center></td>
</tr>

<tr>

<td><center>WEDNESDAY</center></td>

<td style="color:lightblue;font-family: Arial, Helvetica, sans-serif;font-weight:
700;font-size:small;"><center>SUB1</center></td>

<td style="color:orange;font-family: Arial, Helvetica, sans-serif;font-weight:
700;font-size:small;"><center>SUB2</center></td>

```

```

        <td style="color:red;font-family: Arial, Helvetica, sans-serif;font-weight:
700;font-size:small;"><center>SWA</center></td>

        <td><center>---</center></td>

        <th colspan="3" style="Arial, Helvetica, sans-serif;font-weight: 700;font-
size:small;"><center>LAB</center></th>

</tr>

<tr>

        <td><center>THURSDAY</center></td>

        <td style="color:lightblue;font-family: Arial, Helvetica, sans-serif;font-weight:
700;font-size:small;"><center>SUB1</center></td>

        <td style="color:orange;font-family: Arial, Helvetica, sans-serif;font-weight:
700;font-size:small;"><center>SUB2</center></td>

        <td style="color:blueviolet;font-family: Arial, Helvetica, sans-serif;font-weight:
700;font-size:small;"><center>SUB3</center></td>

        <td><center>---</center></td>

        <td style="color:orange;font-family: Arial, Helvetica, sans-serif;font-weight:
700;font-size:small;"><center>SUB2</center></td>

        <td style="color:orange;font-family: Arial, Helvetica, sans-serif;font-weight:
700;font-size:small;"><center>SUB2</center></td>

        <td style="font-style: normal;"><center>LIBRARY</center></td>

</tr>

<tr>

        <td><center>FRIDAY</center></td>

        <td style="color:lightblue;font-family: Arial, Helvetica, sans-serif;font-weight:
700;font-size:small;"><center>SUB1</center></td>

        <td style="color:orange;font-family: Arial, Helvetica, sans-serif;font-weight:
700;font-size:small;"><center>SUB2</center></td>

        <td style="color:blueviolet;font-family: Arial, Helvetica, sans-serif;font-weight:
700;font-size:small;"><center>SUB3</center></td>

        <td><center>---</center></td>

```



```
  | | |
```

## COLLEGE TIME TABLE

	8:30-9:30	9:30-10:30	10:30-11:30	11:30-12:30	12:30-2:00	2:00-2:00	3:00-4:00	4:00-5:00
MONDAY	...	SUB1	SUB2	SUB3	L U N C H	SUB4	SUB5	COUNSELLING CLASS
TUESDAY	SUB1	SUB2	SUB3	---		SUB2	SUB2	LIBRARY
WEDNESDAY	SUB1	SUB2	SWA	---		LAB		
THURSDAY	SUB1	SUB2	SUB3	---		SUB2	SUB2	LIBRARY
FRIDAY	SUB1	SUB2	SUB3	---		SUB4	SUB5	LIBRARY
SATURDAY	SUB1	SEMINAR				SUB4	SUB5	LIBRARY

## QUESTION: 3

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>TIME TABLE</title>

</head>

<body>

  <center>

    <h3>My TimeTable</h3>

    <table border="2">

      <tr>

        <th rowspan="2">Day</th>

        <th colspan="2">Session</th>

      </tr>

      <tr>

        <th>Schedule</th>

        <th>Course Name</th>

      </tr>

      <tr>

        <td>Sunday</td>

        <td>16:00-16:50</td>

        <td>Web Technology</td>

      </tr>

      <tr>
```

```

        <td>Sunday</td>

        <td>17:00-17:50</td>

        <td>Network Management</td>

    </tr>

    <tr>

        <td>Monday</td>

        <td>18:00-18:50</td>

        <td>IT Project Management</td>

    </tr>

</table>

</center>

</body>

</html>

```

## My TimeTable

Day	Session	
	Schedule	Course Name
Sunday	16:00-16:50	Web Technology
Sunday	17:00-17:50	Network Management
Monday	18:00-18:50	IT Project Management

QUESTION: 4

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <title>Centered Box</title>

  <style>

    body{

      margin: 0;

      display: flex;

      justify-content: center;

      align-items: center;

      height: 100vh;

      background-color: #f0f0f0;

    }

    .box{

      width: 200px;

      height: 200px;

      background-color: #3498db;

      display: flex;

      justify-content: center;

      align-items: center;

      color: white;

      font-size: 20px;

      font-family: Arial, sans-serif;

      border-radius: 10px;

      box-shadow: 0 4px 8px rgba(0, 0, 0, 0.2);
```

```
    }  
  </style>  
</head>  
<body>  
  <div class="box">Centered</div>  
</body>  
</html>
```



## QUESTION: 5

```
<!DOCTYPE html>  
<html lang="en">  
<head>  
  <meta charset="UTF-8">  
  <meta name="viewport" content="width=device-width, initial-scale=1.0">  
  <link rel="stylesheet" href="dummy2.css">
```

```
<title>Responsive Navbar</title>

</head>

<body>

    <nav class="navbar">

        <a href="#">Home</a>

        <a href="#">About</a>

        <a href="#">Services</a>

        <a href="#">Portfolio</a>

        <a href="#">Contact</a>

    </nav>

    <h1 style="font-size: 50px">My Website</h1>

    <p style="font-size: 25px">Marketing is the process of promoting a product or service
to consumers.</p>

</body>

</html>
```

## CSS

```
* {

    margin: 0;

    padding: 0;

    box-sizing: border-box;

}

body {

    font-family: Arial, sans-serif;

}

.navbar {

    display: flex;

    justify-content: space-around;
```

```
align-items: center;
background-color: #333;
padding: 15px;
}

.navbar a {
color: white;
text-decoration: none;
font-size: 18px;
padding: 10px 15px;
}

.navbar a: hover {
background-color: #555;
border-radius: 5px;
}

h1 , p{
text-align: center;
margin-top: 15px;
margin: 20px;
}

@media (max-width: 600px) {
.navbar {
flex-direction: column;
}

.navbar a {
padding: 10px;
text-align: center;
width: 100%;
}
```

```
}  
}
```



## My Website

Marketing is the process of promoting a product or service to consumers.

### QUESTION: 6

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
  <link rel="stylesheet" href="dummy1.css">
```

```
  <title>CARDS</title>
```

```
</head>
```

```
<body>
```

```
  <div class="card-container">
```

```
    <div class="slider">
```

```
      <div class="card">
```

```
        
```

```
      </div>
```



```
<div class="card">

  

</div>


<div class="card">

  

</div>

</div>

</div>


</body>
</html>
```

## CSS

```
*{
margin: 0px;
padding: 0px;
box-sizing: border-box;
font-family: sans-serif;
}

body{
display: flex;
justify-content: center;
align-items: center;
height: 100vh;
```

```
}  
.card-container{  
  width: 60%;  
  max-width: 500px;  
  border: 2px solid #ddd;  
  padding: 10px;  
  border-radius: 10px;  
  background-color: rgb(237, 227, 247);  
}  
.slider{  
  display: flex;  
  gap: 10px;  
}  
.card{  
  min-width: 150px;  
  height: 200px;  
  background-color: #007b;  
  color: aliceblue;  
  font-size: 2em;  
  display: flex;  
  justify-content: center;  
  align-items: center;  
  border-radius: 10px;  
}  
.card img{  
  height: 200px ;  
  min-width: 150px;  
  border-radius: 10px ;
```

}

