Abstract

Malaria is a life-threatening infectious disease caused by Plasmodium parasites and transmitted through the bite of infected female Anopheles mosquitoes. Despite significant medical advancements, malaria remains a major global health challenge, particularly in developing and tropical countries.

Early and accurate diagnosis plays a crucial role in effective treatment and reducing mortality rates. Traditional diagnostic methods rely on microscopic examination of stained blood smear samples, which requires skilled professionals and can be time-consuming. In many rural and resource-limited areas, the lack of trained experts leads to delayed or inaccurate diagnosis.

This project presents an automated Malaria Detection System using Deep Learning, designed to analyze microscopic blood smear images and classify them as infected or uninfected. The system leverages Convolutional Neural Networks (CNN), a powerful Deep Learning technique specifically suited for image classification tasks.

The proposed model automatically learns features such as parasite shapes, cell texture variations, and structural abnormalities without manual feature extraction. The project follows a structured methodology, including data collection, preprocessing, model building, training, evaluation, and deployment planning.

Key Highlights of the Project:

1. Automated Detection System
2. Eliminates dependency on manual microscopic examination.
3. Use of Deep Learning (CNN)
4. Automatically extracts important features from blood smear images.
5. Improved Accuracy and Speed
6. Provides faster results compared to traditional diagnostic methods.
7. Reduction of Human Error
8. Ensures consistent and reliable predictions.
9. Scalability and Deployment
10. Can be integrated into web or mobile applications for real-world usage.
11. Support for Rural Healthcare
12. Assists healthcare workers in areas lacking skilled pathologists.

The proposed system aims to serve as a decision-support tool for medical professionals, enhancing diagnostic efficiency rather than replacing experts. By combining Artificial Intelligence and healthcare, this project demonstrates how modern technology can address real-world medical challenges.

In conclusion, the Deep Learning-based malaria detection system offers a reliable, cost-effective, and scalable solution for early disease diagnosis. It has the potential to significantly improve healthcare delivery, especially in malaria-prone and resource-constrained regions, thereby contributing to better public health outcomes.

Objectives

The main objective of the Malaria Detection using Deep Learning project is to design and develop an intelligent, automated system that can accurately identify malaria infection from microscopic blood smear images. Malaria remains a major health concern in many parts of the world, and early detection is essential for effective treatment and prevention of complications. This project aims to use Artificial Intelligence and Deep Learning techniques to improve diagnostic efficiency, accuracy, and accessibility.

The detailed objectives of the project are as follows:

1. To Develop an Automated Detection System
The primary objective is to create a system that can automatically analyze blood smear images and classify them as infected or uninfected. This reduces dependency on manual microscopic examination and minimizes human effort.

2. To Implement Convolutional Neural Networks (CNN)
The project aims to design and implement a CNN model suitable for image classification. CNNs can automatically extract features such as edges, textures, and parasite patterns from images without manual feature engineering.

3. To Achieve High Accuracy and Reliability
Since malaria diagnosis is a medical application, accuracy is extremely important. The objective is to achieve high performance metrics such as:

- Accuracy
- Precision
- Recall
- F1-score

4. To Reduce Human Error
Manual examination can be affected by fatigue, workload, and variation in expertise. The AI-based system provides consistent and unbiased results, reducing diagnostic errors.

5. To Improve Diagnostic Speed
Traditional methods may take several minutes per sample. The Deep Learning model aims to provide results within seconds, enabling faster treatment decisions and improved patient care.

6. To Ensure Scalability and Deployment
The system should be designed in a way that it can be deployed in real-world healthcare environments. It should support:

- Web-based applications
- Mobile-based platforms
- Cloud deployment for large-scale usage

Introduction

Malaria is a life-threatening infectious disease caused by Plasmodium parasites and transmitted through the bite of infected female Anopheles mosquitoes. It remains one of the most serious public health problems in many tropical and subtropical countries. According to the World Health Organization, millions of malaria cases are reported globally each year, with a significant number of deaths, particularly among children and pregnant women.

Early and accurate diagnosis is essential for effective treatment and prevention of severe complications.
Traditionally, malaria is diagnosed through microscopic examination of stained blood smear samples. In this method, trained laboratory technicians carefully observe red blood cells under a microscope to identify the presence of malaria parasites.

With advancements in technology, Artificial Intelligence (AI) and Deep Learning have emerged as powerful tools in medical image analysis. These technologies can automatically learn patterns from large datasets and make accurate predictions. This project focuses on applying Deep Learning techniques, specifically Convolutional Neural Networks (CNN), to detect malaria parasites from microscopic blood smear images.

Key Points of Introduction:

1. Global Health Concern
2. Malaria continues to affect millions of people worldwide, making it a critical disease that requires improved diagnostic solutions.
3. Limitations of Traditional Diagnosis
4. Manual microscopic examination is time-consuming and requires expertise, which may not be available in rural or underdeveloped regions.
5. Need for Automation
6. An automated system can reduce diagnostic delays, minimize human error, and improve efficiency.
7. Role of Artificial Intelligence
8. AI enables machines to analyze medical images and detect patterns that may not be easily visible to the human eye.
9. Use of Deep Learning and CNN
10. Convolutional Neural Networks are highly effective in image classification tasks and can accurately differentiate between infected and uninfected cells.
11. Project Aim
12. The aim of this project is to develop a reliable, fast, and accurate malaria detection system using Deep Learning technology.

In conclusion, this project combines healthcare and modern AI technology to address a significant medical challenge. By developing an automated malaria detection system, it aims to improve diagnostic accuracy, enhance accessibility, and contribute to better public health outcomes.

Technology Description

The Malaria Detection using Deep Learning project is built using advanced Artificial Intelligence technologies, particularly Deep Learning and Convolutional Neural Networks (CNN). The system is designed to automatically analyze microscopic blood smear images and detect malaria infection with high accuracy and efficiency.
The technology used in this project combines image processing, neural networks, and supervised machine learning techniques to create an intelligent diagnostic solution.

1. Artificial Intelligence (AI)
Artificial Intelligence refers to the ability of machines to perform tasks that normally require human intelligence. In this project, AI enables the system to analyze blood smear images and make diagnostic predictions without human intervention. The AI model learns patterns from training data and improves its performance over time.

2. Machine Learning (ML)
Machine Learning is a subset of AI where systems learn from data rather than being explicitly programmed. This project uses Supervised Learning, where the dataset contains labeled images (Infected and Uninfected). The model learns by comparing its predictions with actual labels and adjusting accordingly.

3. Deep Learning
Deep Learning is an advanced branch of Machine Learning that uses Artificial Neural Networks with multiple layers. It is especially powerful in image recognition tasks.
The deep neural network automatically extracts meaningful features from images, eliminating the need for manual feature engineering.

4. Convolutional Neural Network (CNN)
CNN is the core technology used in this project. It is specifically designed for image classification and pattern recognition.
The CNN architecture includes:

- Input Layer – Accepts preprocessed blood smear images.
- Convolutional Layers – Apply filters to detect edges, shapes, and parasite structures.
- ReLU Activation Function – Introduces non-linearity to learn complex patterns.
- Pooling Layers
-

5. Image Processing Techniques
Before feeding images into the CNN, preprocessing is performed:

- Image resizing
- Normalization of pixel values
- Data augmentation (rotation, flipping, zooming)

These techniques improve model performance and prevent overfitting.

6. Model Optimization and Evaluation
The model is trained using:

- Adam Optimizer
- Binary Cross-Entropy Loss Function


MalariaAI
About
Causes
Symptoms
Prevention
Contact
AI DIAGNOSTICS
Early Detection
Saves Lives.
Using advanced Convolutional Neural Networks to identify Plasmodium parasites in blood smears with high precision.
Start Analysis
98%
Model Accuracy
on Research Data


Open
cell_images › Uninfected
Search Uninfected
Organize
New folder
OneDrive
Desktop
Downloads
Documents
Pictures
Music
Videos
File name: C100P61ThinF_IMG_20150918_144104_cell_21.png
Upload from mobile
Open
Cancel
About
Causes
Symptoms
Prevention
Contact
ood Smear
ar image below for instant analysis...
Click to Upload Image
JPG, PNG, or JPEG
Analyze Image


MalariaAI
About
Causes
Symptoms
Prevention
Contact
Analyze Blood Smear
Upload your microscopic blood smear image below for instant analysis...
Uninfected (Clear)
Confidence: 92.74%
Analyze Another Sample
Analyze Image


MalariaAI
About
Causes
Symptoms
Prevention
Contact
Analyze Blood Smear
Upload your microscopic blood smear image below for instant analysis...
Parasitized Detected
Confidence: 99.84%
Analyze Another Sample
Analyze Image


MalariaAI
About
Causes
Symptoms
Prevention
Contact
Contact Us
Reach out for technical partnerships, data inquiries, or medical assistance.
info@malaria-ai.org
National Malaria Helpline: 1800-123-4567
Emergency Contact: 911 / 112
WhatsApp: +1-234-567-8901
Full Name
Email Address
Your Message
Submit Query

Detailed Execution Phases

The development of the Malaria Detection using Deep Learning system follows a systematic and well-structured process to ensure accuracy, reliability, and real-world applicability. Each phase contributes significantly to building an effective automated diagnostic system. The detailed execution phases are described below:

1. Problem Identification and Requirement Analysis
The project begins with understanding the problem of malaria diagnosis and identifying the limitations of traditional microscopic examination methods. Manual diagnosis requires skilled laboratory technicians and is time-consuming. In many rural areas, access to expert pathologists is limited.

2. Data Collection
In this phase, a publicly available malaria cell image dataset is collected. The dataset contains thousands of labeled microscopic images divided into two categories: Parasitized (Infected) and Uninfected. Ensuring data quality and balance between classes is essential to prevent biased model predictions.

3. Data Preprocessing
Raw images cannot be directly used for training. Therefore, preprocessing is performed to prepare the dataset. This includes:

- Resizing images to a fixed dimension
- Normalizing pixel values between 0 and 1
- Removing corrupted or unclear images
- Applying data augmentation techniques such as rotation and flipping
- Splitting the dataset into training, validation, and testing sets

This phase improves model performance and helps prevent overfitting.

4. Model Building
A Convolutional Neural Network (CNN) architecture is designed for image classification. The model includes convolutional layers for feature extraction, activation functions (ReLU), pooling layers for dimensionality reduction, fully connected layers, and a sigmoid output layer for binary classification. The model is compiled using the Adam optimizer and Binary Cross-Entropy loss function.

5. Model Training
The CNN model is trained using the training dataset over multiple epochs. During training, predictions are generated, loss is calculated, and weights are updated using backpropagation. Validation data is used to monitor performance and fine-tune hyperparameters.

6. Model Evaluation
After training, the model is evaluated using unseen test data. Performance metrics such as accuracy, precision, recall, F1-score, and confusion matrix are calculated. Training and validation accuracy and loss curves are analyzed to check for overfitting or underfitting.

Real-World Case Studies

Malaria remains one of the most serious infectious diseases in many developing countries, especially in regions of Africa and South Asia. According to the World Health Organization, millions of malaria cases are reported annually, with a significant number of deaths occurring due to delayed or inaccurate diagnosis. In many rural healthcare centers, access to skilled laboratory technicians and advanced diagnostic equipment is limited. This creates a strong need for automated and reliable diagnostic solutions.

Case Study: AI-Based Malaria Detection in Rural Healthcare Centers
In several malaria-prone regions, healthcare facilities face challenges such as high patient load, shortage of trained pathologists, and limited laboratory infrastructure. For example, in remote villages, blood smear samples are collected but must often be transported to district hospitals for examination. This delay can slow down diagnosis and treatment, increasing the risk of complications.
A Deep Learning-based malaria detection system can significantly improve this situation. By integrating a trained Convolutional Neural Network (CNN) model into a simple web or mobile application, healthcare workers can upload microscopic blood smear images directly into the system. The AI model analyzes the image within seconds and provides a prediction: infected or uninfected.
Practical Implementation Scenario

Benefits observed in such a scenario include:

1. Faster Diagnosis – Results are generated within seconds instead of hours or days.
2. Reduced Workload – Assists laboratory staff by providing automated screening.
3. Improved Accuracy – Minimizes human errors caused by fatigue or inexperience.
4. Early Treatment – Enables timely medication and reduces severe complications.

Impact on Public Health
During malaria outbreaks, rapid screening of large numbers of patients is essential. An AI-based detection system can handle bulk image analysis efficiently, making it highly suitable for epidemic situations. It also ensures consistent diagnostic quality across different healthcare centers.
Furthermore, integration with cloud platforms allows centralized data storage and monitoring. Health authorities can track infection trends and respond quickly to emerging outbreaks.

Conclusion of Case Study
This real-world scenario demonstrates how Deep Learning technology can transform malaria diagnosis in resource-limited settings. By providing fast, reliable, and accessible screening tools, AI-based systems can support healthcare professionals, improve patient outcomes, and contribute to global malaria control efforts.

System Architecture Diagram



Tools and Frameworks Used

1. Programming Language

- Python – Main programming language used for data preprocessing, model development, training, testing, and deployment. It is widely used in Artificial Intelligence and Deep Learning due to its simplicity and rich libraries.
-

2. Deep Learning Frameworks

- TensorFlow – Open-source deep learning framework used to build and train the CNN model. It provides powerful tools for numerical computation and model deployment.
- Keras – High-level API of TensorFlow used to design and implement the Convolutional Neural Network in a simple and structured way.
-

3. Data Handling and Processing Libraries

- NumPy – Used for numerical operations and handling arrays.
- Pandas – Used for dataset management and data manipulation.
- OpenCV – Used for image preprocessing tasks like resizing, normalization, and image augmentation.
- Matplotlib – Used to generate training accuracy graphs, loss curves, and visualization plots.
- Seaborn – Used to plot the confusion matrix for performance evaluation.
-

4. Model Evaluation Tools

- Scikit-learn (sklearn) – Used for calculating evaluation metrics such as accuracy, precision, recall, F1-score, and confusion matrix.
-

5. Development Environment

- Jupyter Notebook / Google Colab – Used for coding, experimentation, model training, and visualization.
- Anaconda – Environment management and package installation.
-

6. Deployment Tools

- Flask / Django – Python web frameworks used to create a web-based interface for malaria detection.
- Streamlit – Used to build a simple and interactive web application.
- Docker (Optional) – For containerizing the application.
- AWS / Google Cloud / Azure – For cloud-based deployment and scalability.
-

7. Dataset Source

- Public malaria cell image dataset provided by research institutions (such as NIH dataset).

CNN Workflow Flowchart



Training Accuracy Graph



Loss Curve Graph



Confusion Matrix Diagram



Project Phase 1: Data Collection

Data collection is the first and most important phase in the development of the Malaria Detection System using Deep Learning. The performance, accuracy, and reliability of the model highly depend on the quality and quantity of the dataset used for training. In this phase, microscopic images of blood smear samples are gathered and organized for further processing.

For this project, a publicly available malaria cell image dataset is used, which was released by researchers supported by the National Institutes of Health (NIH). This dataset contains thousands of labeled images of red blood cells.

Each image is classified into two categories:

1. Parasitized (Infected) – Blood cells infected with Plasmodium parasites.
2. Uninfected – Normal red blood cells without malaria parasites.

The images are obtained from thin blood smear slides prepared in laboratory conditions. These slides are stained and captured using high-resolution digital microscopes. The dataset ensures balanced representation of both infected and uninfected samples to avoid bias during training.

Steps Involved in Data Collection:

1. Source Identification – Selecting a reliable and medically validated dataset source.
2. Downloading Dataset – Acquiring image data from official repositories.
3. Dataset Organization – Separating images into structured folders (Infected / Uninfected).
4. Data Verification – Checking image clarity, resolution, and label correctness.

Importance of Data Collection Phase:

- Provides real medical image samples for model learning.
- Ensures the system learns accurate parasite patterns.
- Reduces the chances of overfitting or biased predictions.
- Improves generalization of the model for real-world usage.

A well-collected and properly labeled dataset is essential because Deep Learning models learn directly from image patterns. If the data is poor or imbalanced, the system may give incorrect predictions.

Thus, Phase 1 lays the foundation for the entire malaria detection project by providing reliable, structured, and high-quality image data for further preprocessing and training stages.

Project Phase 2: Data Preprocessing

After data collection, the next important phase is Data Processing, also called Data Preprocessing. In Deep Learning projects, raw data cannot be directly fed into the model. It must first be cleaned, formatted, and prepared properly to ensure better learning and higher accuracy.
In the malaria detection system, this phase focuses on preparing microscopic blood smear images for training the Convolutional Neural Network (CNN).

1. Image Resizing
The collected images may have different dimensions and resolutions. However, CNN models require input images of a fixed size. Therefore, all images are resized to a uniform dimension (for example, 128×128 pixels or 224×224 pixels).

2. Image Normalization
Pixel values in images usually range from 0 to 255. To improve model performance, these values are scaled to a range between 0 and 1 by dividing each pixel value by 255.

3. Data Cleaning
Some images may be blurred, corrupted, or incorrectly labeled. These images are removed to maintain dataset quality. High-quality data ensures better model learning and reduces false predictions.

4. Data Augmentation
To increase dataset diversity and prevent overfitting, data augmentation techniques are applied. These include:

- Rotation
- Horizontal and vertical flipping
- Zooming
- Shifting
- Brightness adjustment

Augmentation creates modified versions of existing images, helping the model generalize better to new unseen data.

5. Splitting the Dataset
The processed dataset is divided into three parts:

- Training Set (70–80%) – Used to train the model.
- Validation Set (10–15%) – Used to tune model parameters.
- Testing Set (10–15%) – Used to evaluate final performance.

This ensures unbiased performance measurement.

Project Phase 3: Model Building

Model Building is one of the most critical phases in the Malaria Detection using Deep Learning project. In this stage, a Convolutional Neural Network (CNN) architecture is designed and implemented to classify microscopic blood smear images as infected or uninfected. The effectiveness of the entire system depends largely on how well the model is structured and optimized.

1. Selection of Model Architecture
Since the project deals with image classification, a CNN is chosen as the core model. CNNs are specifically designed for image-related tasks because they can automatically extract important features such as edges, textures, shapes, and patterns from images. Unlike traditional machine learning methods, CNN does not require manual feature extraction.

2. Designing the CNN Layers
The CNN model consists of multiple layers, each performing a specific function:

- Input Layer: Accepts preprocessed blood smear images of fixed size (e.g., 128×128×3).
- Convolutional Layers
- Fully Connected (Dense) Layers: Perform final classification based on extracted features.
- Output Layer: Uses a Sigmoid activation function to produce a probability score for binary classification (0 = Uninfected, 1 = Infected).
-

3. **Model Compilation**
After designing the architecture, the model is compiled by selecting appropriate training parameters:

- Optimizer: Adam optimizer is used for efficient weight updates.
- Loss Function: Binary Cross-Entropy is chosen since the problem is binary classification.
- Evaluation Metric: Accuracy is used to measure performance.

Compilation prepares the model for the learning process.

4. Hyperparameter Configuration
Important hyperparameters such as learning rate, batch size, number of epochs, number of filters, and dropout rate are carefully selected. Dropout layers may be added to reduce overfitting and improve generalization.

5. Model Saving
Once the architecture is finalized, the model is ready for training. After successful training, it is saved in a file format (e.g., .h5) so it can be reused for testing or deployment without retraining.

Project Phase 4: Model Training

Model Training is a crucial phase in the Malaria Detection using Deep Learning project. In this stage, the designed Convolutional Neural Network (CNN) learns patterns from the preprocessed blood smear images and adjusts its internal parameters to accurately classify images as infected or uninfected.

1. Feeding the Training Data
The training process begins by feeding the prepared training dataset into the CNN model. The dataset consists of labeled images categorized into two classes:

- Parasitized (Infected)
- Uninfected

The images are processed in small groups called batches to efficiently utilize computational resources and speed up training.

2. Forward Propagation
During forward propagation, the input images pass through multiple CNN layers. The convolutional layers extract important features such as parasite shapes, color differences, and structural irregularities. These extracted features move through activation and pooling layers until reaching the fully connected layer, which produces a prediction.

3. Loss Calculation
Once the model makes predictions, the next step is to measure how accurate those predictions are. This is done using a loss function. For this binary classification problem, the Binary Cross-Entropy loss function is used. The loss value represents the difference between the predicted output and the actual label.
A lower loss value indicates better model performance.

4. Backpropagation and Weight Update
After calculating the loss, the model uses the backpropagation algorithm to adjust its weights. Backpropagation calculates the gradient (error contribution) of each parameter and updates them using the Adam optimizer. This process minimizes the loss and improves accuracy over time.

5. Epochs and Iterations
The complete training dataset is passed through the model multiple times. Each complete pass is called an epoch. With each epoch, the model gradually improves its predictions. The number of epochs is selected carefully to avoid overfitting or underfitting.

Project Phase 5: Model Evaluation

Model Evaluation is a vital phase in the Malaria Detection using Deep Learning project. After training the Convolutional Neural Network (CNN), it is essential to assess how well the model performs on unseen data. This ensures that the system is reliable, accurate, and suitable for real-world medical applications.

1. Testing with Unseen Data
Once the training process is completed, the model is tested using a separate test dataset that was not used during training or validation. This helps measure the model's ability to generalize to new blood smear images. The evaluation phase ensures that the model does not simply memorize the training data but can accurately classify new samples.

2. Accuracy Measurement
Accuracy is one of the primary performance metrics used in this project. It represents the percentage of correctly classified images out of the total test samples. A high accuracy value indicates that the model can reliably distinguish between infected and uninfected cells.
However, accuracy alone is not sufficient in medical diagnosis, especially when dealing with critical diseases like malaria.

3. Precision and Recall
To gain deeper insight into model performance, additional metrics are calculated:

- Precision measures how many of the images predicted as infected are actually infected. High precision means fewer false positives.
- Recall (Sensitivity) measures how many actual infected cases are correctly identified by the model. High recall is extremely important because missing an infected case (false negative) can delay treatment and worsen the patient's condition.
-

4. F1-Score
The F1-score is the harmonic mean of precision and recall. It provides a balanced measure of the model's performance, especially when class distribution is imbalanced.

5. Confusion Matrix
A Confusion Matrix is generated to visualize classification results. It shows:

- True Positives (Correctly detected infected cells)
- True Negatives (Correctly detected uninfected cells)
- False Positives
- False Negatives

6. Loss and Accuracy Curves
Training and validation graphs, including accuracy curves and loss curves, are analyzed. If validation accuracy closely follows training accuracy, the model generalizes well. If there is a large gap, it may indicate overfitting.

Deployment of the System

Deployment means making the trained malaria detection model available for real-world use.
After training the CNN model, it is saved (for example, as a .h5 file). The model is then integrated into a web or mobile application where users can upload blood smear images. The system preprocesses the image, sends it to the trained model, and returns the prediction result (Infected or Uninfected) along with confidence score.

The system can be deployed in:

- Hospitals for fast laboratory screening
- Rural clinics where expert pathologists are unavailable
- Mobile health units for remote diagnosis

Deployment can be done using:

- Flask / Django (Python) for backend
- TensorFlow / Keras for model inference
- Cloud platforms like AWS or Google Cloud for scalability

This ensures fast, accurate, and accessible malaria diagnosis in real healthcare environments.

Conclusion and Future Scope

This project demonstrates the successful application of Deep Learning, specifically Convolutional Neural Networks (CNNs), for automated malaria detection using microscopic blood smear images. The developed system is capable of accurately classifying infected and uninfected red blood cells with high precision and reliability. By automating the diagnostic process, the model reduces dependency on manual microscopic examination, minimizes human error, and significantly decreases diagnosis time

The system follows a structured pipeline including data collection, preprocessing, model training, evaluation, and deployment planning. Performance metrics such as accuracy, loss, and confusion matrix confirm that the model performs effectively in detecting malaria parasites. This AI-based approach is especially beneficial in rural and resource-limited areas where trained pathologists may not be available. Overall, the project highlights how Artificial Intelligence can enhance healthcare services, improve early diagnosis, and support medical professionals in making faster treatment decisions

Future Scope

Although the system performs well, there are several opportunities for further improvement and expansion:

1. Multi-class Classification – Extend the model to detect different species of Plasmodium parasites
2. Mobile Application Development – Create a lightweight mobile app for real-time detection using smartphone cameras attached to microscopes.
3. Cloud-Based Deployment – Implement cloud integration for large-scale hospital usage and centralized data management.
4. Integration with IoT Devices – Connect with digital microscopes for automatic image capture and instant diagnosis.
5. Improved Model Accuracy – Use advanced architectures like EfficientNet or Vision Transformers for better performance.
6. Real-Time Video Analysis – Expand the system to analyze live microscopic video streams.
7. Explainable AI (XAI) – Integrate visualization tools like Grad-CAM to highlight infected regions in images for better transparency.
8. With continuous research and technological advancements, AI-based malaria detection systems can become more accurate, affordable, and widely accessible, contributing significantly to global healthcare improvement.