

Emergency Green Corridor

Every red light costs a life.

Tell the cop at the next junction, early enough, that an ambulance or fire engine is coming.

Built by Nandish · Live at green-corridor-2026.web.app

PLACEHOLDER
</sim?corridor=blr>

The problem, seen daily on Hosur Road

7–10%

survival lost per minute in cardiac arrest without defibrillation

2–3 km

covered in 30–50 min by Bengaluru ambulances at peak hours

60%+

of Karnataka 108 cardiac, stroke and respiratory calls missed the 10-min target

The officer at the junction has no idea they are coming. Full signal preemption needs city controller integration: years away.

Sources: American Heart Association, CPR Facts and Stats (cpr.heart.org) and AHA, Circulation, 2017 · The Siasat Daily, 28 Jun 2026 (Karnataka Health Minister announcement) · CAG audit of Karnataka 108 EMS, 2014–19, reported by The News Minute, Dec 2020 (state-wide, not Bengaluru only)

The 20-second demo

Today: stops at every red.

With corridor: cop warned early, queue cleared.

Silk Board → Jayadeva Hospital, same recorded GPS trace and recorded traffic in both lanes. The 3 vehicles run as one scenario: a critical ambulance, an ambulance following it as a platoon, and a fire engine.

12.3 min

saved across 3 vehicles (738.8 s)


3

critical ambulance, platoon
ambulance, fire engine


PLACEHOLDER
[/sim?corridor=blr](#)

Simulated baseline on recorded traffic, not a field measurement. Figure from the scenario replay (`blr-two-vehicles`).

What it does: six screens



`/vehicle`
voice, tier tap



`/cop` spoken
alert, one ACK



`/hospital` live log, ATMIST brief

Also: `/dispatch` incident IDs · `/control` all runs and escalations · `/sim` with-vs-without replay.

How a cop gets warned: the lead-time engine

Live Routes traffic spans → queue metres → clearance time → two-stage alert.

```
jam_m    = Σ JAM m + 0.5 × Σ SLOW m  
clear_s  = 20 + jam_m / 2.0  
eta_s    = 0.5 × routes_eta  
          + 0.5 × distance / speed_60s  
PREPARE      eta_s <= clear_s + 15  
STOP CROSS TRAFFIC eta_s <= 30
```



No ACK in 20 s raises an escalation flag and an audit entry.

Rules decide, Gemini explains

Step	Who	What
1. Extract	Gemini	speech or monitor photo → fixed JSON fields, never a score
2. Tier	<code>acuity.py</code>	deterministic lookup → critical / urgent / stable; crew confirms with one tap
3. Order	<code>priority.py</code>	sort by (tier, ETA): a sequence, not a hold
4. Explain	Gemini	one line, in the cop's language: "Fire engine first, ambulance 12 s later"

A language model must not decide who lives. Rules are auditable, testable and carry self-checks.

Where Gemini is load-bearing

Job	Example
Voice extraction	"chest pain, BP 85 over 50" → sbp: 85 → critical
Monitor photo	vision → same schema
Transit log	"Oxygen 4 litres started" → structured entry
Hospital brief	ATMIST + prep checklist
Alert wording	spoken line per language



Synthetic patients only. A clinician confirms every extracted value. Examples are the contract examples in SCHEMA.md.


The agent: hospital routing on Agent Development Kit

```
required_capabilities(critical) -> cath_lab  
list_hospitals(blr) -> 3 hospitals  
eta_to(Jayadeva Institute) -> 438 s
```

An ADK agent on Vertex AI picks the destination after the crew confirms the tier. The server re-checks the choice; any failure or 20 s timeout falls back to the nearest eligible hospital.

PLACEHOLDER
/vehicle route trace

Architecture



Wired on main only. The BigQuery ML jam forecast is a pipeline proof on a small sample, not a deployed forecast.

Real data: the traffic logger

BUILT

- Cloud Scheduler → Cloud Run Job every 10 minutes
- Live jam and slow spans per approach → BigQuery `traffic_spans`, two corridors
- Same `jam_metres` as the live engine

PROOF OF PIPELINE, NOT A FORECAST

- BigQuery ML boosted-tree model on the logged spans
- Current sample is short and free-flowing, so it says nothing yet
- First step to a learning controller; clearance rate stays constant until observed

Run reports (the with-vs-without report card per run) also land in BigQuery `run_reports`.

Sustainability

0.76 L/h

idle burn, small petrol car (low end of 0.2–0.5 gal/h)

2.35 kg

CO₂ per litre of petrol (diesel 2.69 kg/L)

0.6 kg

CO₂ avoided per cleared queue (assumed 20 vehicles, 60 s)

`fuel_saved_L = queue_vehicles × idle_L_per_s × seconds_saved`

SDG 3.6 halve road traffic deaths and injuries · **SDG 11.2** sustainable transport.

Idle burn: Argonne National Laboratory (Gaines, Rask, Keller), US DOE, 2014. CO₂: US EPA, GHG Equivalencies Calculator, 8,887 g/gal petrol and 10,180 g/gal diesel, 2024. The 20-vehicle, 60 s case is an illustration, not a measurement.

Deployment path, and honesty

Phase	What
Today	cop alerts, no hardware, a phone
Phase 2	real controller behind <code>SignalAdapter</code>
Phase 3	learning controller on junction data

STATED PLAINLY

- Signals simulated, patients synthetic, hospital roster mock
- Demo-only auth: endpoints publicly writable, mock plate registry
- Minutes saved is a simulation estimate

Global by configuration

	blr	hyd
Corridor	Silk Board → Jayadeva	Hyderabad
Alert language	English, Kannada	English, Telugu
Switch	?corridor=blr	?corridor=hyd



A corridor is one JSON file: junctions, approaches, signal cycle, language. No code change.

Try it

Live

green-corridor-2026.web.app

Repo

github.com/Nandish3010/ideal-disco

API health: corridor-api-919512130399.asia-south1.run.app/health · Demo video: [\[link, 3 minutes\]](#)

Ask: feedback from traffic police and 108 operators, and a pilot junction.