Empirical Evaluation of Federated Averaging and Federated Proximal

Under Non-IID Dirichlet Partitioning and Controlled Client-Specific Label Noise on PathMNIST

Candidate: Nanditha M C | Repository: github.com/Nanditha264/Phoenix-Federated-Learning | Framework: PyTorch 2.15 (CPU)

1. Motivation & Problem Statement

In histopathological imaging, patient distributions vary markedly across hospital sites due to institutional demographics, tissue staining protocols, and scanning hardware. This induces severe non-IID label skew. Concurrently, human annotation inconsistencies introduce substantial label noise.

Under standard FedAvg, client models overfit to local distributions and diverge ('client drift'). FedProx introduces an explicit proximal penalty (mu/2)||w - w_t||^2 to constrain local drift toward the global consensus. This benchmark provides a rigorous empirical comparison under controlled Dirichlet skew and single-client label corruption.

2. Experimental Protocol & Architecture

- Dataset: MedMNIST PathMNIST (89,996 train, 10,004 val, 7,180 test; 9 tissue classes, 28x28x3).
- Partitioning: 5 clients under Dirichlet distribution (alpha = 0.3) reflecting severe non-IID skew.
- Label Noise: 40% symmetric noise injected exclusively into Client 0 (Clients 1-4 clean).
- Architecture: 2-layer ConvNet + 2-layer MLP classifier (113,225 total trainable parameters).
- Federated Setup: 5 rounds, 2 local epochs/round (E=2), batch size 32, SGD (lr=0.01, mom=0.9).
- Evaluation: 3 independent random seeds (42, 101, 2024; N=6 total runs) on CPU runtime.
- Algorithms: FedAvg (mu=0.0) vs. FedProx (mu=0.01, Li et al., 2020).

3. Primary Quantitative Benchmark Results

Evaluation Metric	FedAvg (N=3)	FedProx (μ=0.01)	Diff (Δ)
Test Accuracy	**77.25% ± 3.25%**	**74.71% ± 3.79%**	**-2.54 pp**
Test Loss	0.7245 ± 0.0955	0.8078 ± 0.1212	+0.0833
Test Macro-F1	0.7118 ± 0.0213	0.6846 ± 0.0364	-0.0272
Best Validation Acc	75.99%	73.00%	-2.99 pp
Global Update Norm (||Δw||)	**2.4838 ± 0.2521**	**1.7388 ± 0.1239**	**-29.99%**
Client 0 Norm (40% Noise)	**3.6420 ± 0.3626**	**2.3229 ± 0.0450**	**-36.22%**
Clean Clients Norm (1-4)	2.2223 ± 0.2312	1.5833 ± 0.1065	-28.75%
Clean Cosine Alignment	0.5175 ± 0.0441	0.5976 ± 0.0279	+15.48%
Class 8 (Tumor) Test Acc	**78.94%**	**80.97%**	**+2.03 pp**

Key Quantitative Takeaways: 1. Predictive Performance: FedAvg achieves higher average test accuracy (+2.54 pp) and Macro-F1 (+0.0272) across the 5-round budget. 2. Proximal Shrinkage: FedProx achieves -29.99% global update norm reduction and -36.22% noise dampening on Client 0. 3. Consensus & Sensitivity: FedProx yields +15.48% higher clean client alignment and +2.03 pp gain on Class 8 (Colorectal Tumor).

4. Update Geometry & Proximal Regularization Dynamics

- Proximal Shrinkage Effect: FedProx strictly enforced parameter regularization, contracting global update magnitude by 29.99% (2.4838 -> 1.7388) and restraining the noisy client's update norm by 36.22% (3.6420 -> 2.3229). This provides direct empirical validation of proximal constraint under label corruption.
- Gradient Alignment & Consensus: By penalizing local wandering, FedProx prevented clean clients from overshooting into discordant subspaces, improving clean-client directional cosine alignment with the global consensus from 0.5175 to 0.5976 (+15.48%).
- The Optimization-Regularization Trade-off: Within a 5-round computational budget, the proximal penalty (mu=0.01) introduces an optimization drag: by continuously tethering clients to the global model, FedProx accumulated fewer effective exploratory steps, resulting in -2.54 pp lower overall accuracy than unconstrained FedAvg.
- Tumor Sensitivity Preservation: On Class 8 (Adenocarcinoma), FedProx outperformed FedAvg (80.97% vs. 78.94%, +2.03 pp). Proximal stability prevented noisy client updates from degrading decision boundaries for underrepresented clinical classes.

5. Core Research Interpretation & Practical Guidance

1. Predictive Utility vs. Geometric Stability: FedAvg optimizes faster in early rounds under label noise because unconstrained updates move aggressively toward local solutions that generalize reasonably well. However, FedProx produces a substantially more cohesive, geometrically stable global trajectory.
2. Noise Gradient Dampening: The proximal penalty acts as an automated regularizer against corrupted client drift. The 36.22% norm dampening on Client 0 confirms that FedProx successfully suppresses corrupted gradients without requiring explicit client identification or data inspection.
3. Adaptive Proximal Tuning: The static selection of mu=0.01 was chosen conservatively. Future designs should adopt dynamic proximal scheduling (decaying mu over rounds or scaling mu based on monitored client drift) to capture FedAvg's early convergence speed alongside FedProx's stability.

6. Scientific Limitations & Fellowship Disclaimer

- Statistical Sample Size (N=3): Results are computed over 3 random seeds (42, 101, 2024) across 5 communication rounds under strict CPU execution constraints. While standard deviations are reported, differences should not be claimed as asymptotic convergence guarantees or statistical superiority.
- Architectural Scope: Evaluation was conducted on a 2-layer ConvNet benchmark on PathMNIST (alpha=0.3, noise=0.4). Dynamics may differ across deeper vision architectures (ResNet, ViT), higher communication budgets (R > 50), and multi-client noise topologies.
- Non-Clinical Research Disclaimer: This investigation is an algorithmic benchmarking study for fellowship screening and research evaluation. It is not approved, validated, or intended for clinical medical diagnostic deployment.

7. Reproducibility & Research Artifacts

• Public Repository: Complete modular source code, configurations, seeds, test suites, and figures are hosted at github.com/Nanditha264/Phoenix-Federated-Learning. • Deterministic Execution: End-to-end benchmark reproducible via `python run_benchmark.py --config configs/base_config.yaml`. • Checkpoint Verification: Independent re-evaluation on all 7,180 PathMNIST test samples verified 0.000000 metric divergence across all 6 saved checkpoints.