

ElectricityCompany	
P * idElectricityCompany	NUMERIC (20)
* name	VARCHAR (40)
🔑 ElectricityCompany PK (idElectricityCompany)	

Result	
P * idResult	NUMERIC (20)
kwh	NUMERIC (10,3)
date	Datetime
power	NUMERIC (10,3)
ampere	NUMERIC (10,3)
F * idUserDevice	NUMERIC (20)
🔑 Result PK (idResult)	

DeviceModel	
P * idDeviceModel	NUMERIC (20)
* name	VARCHAR (30)
🔑 DeviceModel PK (idDeviceModel)	

Contract	
P * idContract	NUMERIC (20)
* serviceAdminCost	NUMERIC (10)
* transportCost	NUMERIC (10)
* electricityCost	NUMERIC (10)
F * idElectricityCompany	NUMERIC (20)
🔑 Contract PK (idContract)	

UserDevice	
P * idUserDevice	NUMERIC (20)
alias	VARCHAR (15)
* creationDate	Date
* lastConection	Date
description	VARCHAR (50)
F * idUser	NUMERIC (20)
F * idDevice	NUMERIC (20)
🔑 UserDevice PK (idUserDevice)	

Device	
P * idDevice	NUMERIC (20)
U * serialNumber	VARCHAR (20)
F * idDeviceModel	NUMERIC (20)
🔑 Device PK (idDevice)	
💎 UK_serialNumber (serialNumber)	

AppUser	
P * idUser	NUMERIC (20)
firstName	VARCHAR (20)
lastName	VARCHAR (20)
secondLastName	VARCHAR (20)
countryCode	VARCHAR (3)
numberPhone	NUMERIC (9)
* email	VARCHAR (500)
* password	Raw (255)
F * idAddress	NUMERIC (20)
F * idContract	NUMERIC (20)
🔑 User PK (idUser)	

PassRecoverRequest	
P * idPassRecoverRequest	NUMERIC (20)
U * request	Raw (255)
* email	VARCHAR (500)
* expireDateTime	Datetime
🔑 PassRecoverRequest PK (idPassRecoverRequest)	
💎 UK_request (request)	

Country	
P * idCountry	NUMERIC (20)
* name	VARCHAR (50)
🔑 Country PK (idCountry)	

Address	
P * idAddress	NUMERIC (20)
* streetName	VARCHAR (100)
* streetNumber	VARCHAR (50)
F * idComuna	NUMERIC (20)
🔑 Address PK (idAddress)	

Comuna	
P * idComuna	NUMERIC (20)
* name	VARCHAR (70)
F * idRegion	NUMERIC (20)
🔑 Comuna PK (idComuna)	

Region	
P * idRegion	NUMERIC (20)
* name	VARCHAR (70)
F * idCountry	NUMERIC (20)
🔑 RegionPK (idRegion)	

