

SECTION B – API ENDPOINT TABLE.

HTTP Method	Route	Description	Role Required	Request Body	Expected Response
POST	/api/auth/register	Registers a new user account in the RaceDay system.	None (public)	{ firstName, lastName, email, password, phone, userRole}	201 Created – account created. 400 Bad Request – invalid data. 409 Conflict – email already exists.
POST	/api/auth/login	Authenticates a registered user and provides access to the API.	None(public)	{email,password}	200 OK – login successful with authentication token/user details. 401 Unauthorized – invalid email or password.
GET	/api/profile	Retrieves the profile information of the user currently logged in.	Any (logged in)	None	200 OK – user profile returned. 401 Unauthorized – user is not authenticated. 404 Not Found – profile not found.
PUT	/api/profile	Updates the currently logged-in user.	Any(logged in)	{firstName, lastName, Phone}	200 OK – profile updated. 400 Bad Request – invalid data. 401 Unauthorized – not authenticated.
GET	/api/events	Retrieves a list of all available events.	None(public)	None	200 OK – list of events returned.
GET	/api/events/{id}	Retrieves detailed	None(public)	None	200 OK – event details returned.

		information about a specific event.			404 Not Found – event does not exist.
POST	/api/events	Creates a new event and associates it with the logged-in organiser.	Organiser	{ eventName, eventDescription, eventDate, eventLocation, routeInformation }	201 Created – event created. 400 Bad Request – invalid data. 401 Unauthorized – not logged in. 403 Forbidden – user is not an organiser.
PUT	/api/events{id}	Creates a new event and associates it with the logged-in organiser.	Organiser	{ eventName, eventDescription, eventDate, eventLocation, routeInformation }	200 OK – event updated. 404 Not Found – event does not exist. 403 Forbidden – organiser is not authorised.
DELETE	/api/events{id}	Removes an existing event.	Organiser	None	204 No Content – event deleted. 404 Not Found – event does not exist. 403 Forbidden – organiser not authorised.
GET	/api/categories	Retrieves all available event categories.	None(public)	None	200 OK – list of categories returned.
GET	/api/categories{id}	Retrieves details of a specific category.	None(public)	None	200 OK – category details returned. 404 Not Found – category does not exist.

POST	/api/catergories	Creates a new event category.	Organiser	{ categoryName, categoryDescription }	201 Created – category created. 400 Bad Request – invalid data. 403 Forbidden – user is not an organiser.
POST	/api/events/{eventId}/categories/{categoryId}	Associates a category with an event through the EventCategory relationship.	Organiser	None	201 Created – category assigned to event. 404 Not Found – event/category does not exist. 409 Conflict – relationship already exists.
GET	/api/events/{eventId}/categories	Retrieves all categories associated with a specific event.	None(public)	None	200 OK – event categories returned. 404 Not Found – event does not exist.
POST	/api/events/{eventId}/enrolments	Enrols the logged-in participant in a specific event.	Participant	None	201 Created – enrolment created. 404 Not Found – event does not exist. 409 Conflict – participant is already enrolled.

GET	/api/events/{eventId}/enrolments	Retrieves the participants enrolled in a specific event.	Organiser	None	200 OK – enrolment list returned. 404 Not Found – event does not exist. 403 Forbidden – user is not authorised.
GET	/api/enrolments	Retrieves the events in which the logged-in participant is enrolled.	Participant	None	200 OK – participant's enrolments returned. 401 Unauthorized – not authenticated.
DELETE	/api/events/{eventId}/enrolments	Cancels the logged-in participant's enrolment in an event.	Participant	None	200 OK – event results returned. 404 Not Found – event does not exist.
GET	/api/events/{eventId}/results	Retrieves the results for participants who completed a specific event.	None(public)	None	200 OK – event results returned. 404 Not Found – event does not exist.
GET	/api/results/{id}	Retrieves a specific race result.	None(public)	None	200 OK – result returned. 404 Not Found – result does not exist.

POST	/api/entries/{entryId}/results	Records the result for a participant's event entry.	Organiser	{ resultTime, position, resultStatus }	201 Created – result recorded. 404 Not Found – entry does not exist. 409 Conflict – result already exists for the entry.
PUT	/api/results/{id}	Updates an existing participant result.	Organiser	{ resultTime, position, resultStatus }	200 OK – result updated. 404 Not Found – result does not exist. 403 Forbidden – user is not authorised.