Unix / Linux Online Test

This **Unix Online Test** simulates a real online certification exams. You will be presented Multiple Choice Questions (MCQs) based on **Unix Framework Concepts**, where you will be given four options. You will select the best suitable answer for the question and then proceed to the next question without wasting given time. You will get your online test score after finishing the complete test.

Total Questions − 20	14:02:06	Max Time − 20 Min

You scored 26.32%

Total Questions: 19, Attempted: 20, Correct: 5, Time Taken: 5.97 Min

Q - Choose the correct usage of 'cd' to move into parent directory.

A - cd

B - cd..

C - cd/

D - None of the above✓

⇕ Show Answer

Q - Which shell operator can be used to place a command to execute in background?

A - |✗

B - &

C - &&

D - >

⇕ Show Answer

Q - Which character can be used to delete a character at the cursor position in vi?

A - a

B - b

C - x

D - y✗

⇕ Show Answer

Q - What are the options used to list the contents of a .tar file?

A - cvf

B - tvf✓

C - xvf

D - lvf

⇕ Show Answer

Q - What is command used to print the directory stack?

A - popd

B - dir

C - dirs

D - ls –d✗

⇕ Show Answer

Q - What is the output of the command 'umask –S'?

A - Shows mask value using symbolic notion.✓

B - Shows mask value using octal values

C - Removes the current mask value

D - Set new mask value

⇕ Show Answer

Q - Which command can be used to create links for file/directory?

A - lk✗

B - ln

C - new

D - makelink

⇕ Show Answer

Q - Which command can introduce clock delay?

A - sleep

B - wait

C - suspend

D - delay✕

⇕ Show Answer

Q - In general the working directory of the user root is __

A - /✕

B - /root

C - /admin

D - /home/root

⇕ Show Answer

Q - Out of the following which can place in home directory?

A - cd

B - cd ~✕

C - Both (a) and (b)

D - None.

⇕ Show Answer

Q - Which command can be used to display file contents in octal?

A - od

B - octal

C - oshow✕

D - oct

⇕ Show Answer

Q - What does the following command would do

```
$ cp ../file.
```

A - Copies the file from current directory to parent directory✕

B - Copies the file from parent directory to its parent directory

C - Copies the file from parent directory to current directory

D - Error in the command

⇕ Show Answer

Q - Which character can be used to separate two commands on the same line?

A - :

B - ;✓

C - ,

D - None of the above

⇕ Show Answer

Q - Which command can be used to find resource limits?

A - rlimit✕

B - ulimit

C - mylimit

D - getlimit

⇕ Show Answer

Q - Which of the following is correct to create an alias name for 'ls' as 'list'?

A - alias list="ls"

B - alias list "ls"

C - alias "list" as "ls"

D - alias "ls" as "list"✗

⇕ Show Answer

Q - Creating a soft link for file increases file's link count.

A - True✗

B - False

⇕ Show Answer

Q - Solaris is ____

A - HP's UNIX

B - IBM's UNIX✗

C - Sun microsystems UNIX

D - Microsoft's UNIX

⇕ Show Answer

Q - Choose the command which can display only your information.

A - who

B - who am i

C - whoisme✗

D - None of the above.

⇕ Show Answer

Q - Identify the command to remove a directory from directory stack.

A - pushd

B - popd✓

C - eject

D - enqueue

⇕ Show Answer

Q - Which command is used to copy file across different system?

A - rcp

B - ftp✓

C - mcp

D - ncp

⇕ Show Answer

> New Test