

MYSQL- TRIAL EXAMPLE QUERIES .

After creation of new table in the newly created database

10 • `select * from register`

Result Grid | Filter Rows: | Export: | Wrap Cell Conte

	s_no	stu_name	roll_no	DOB
--	------	----------	---------	-----

After inserting values in to the created tables .

17 • `select * from register;`

Result Grid | Filter Rows: | Export: | Wrap Cell Cor

	s_no	stu_name	roll_no	DOB
▶	1	Chandru	2026111	21
	2	Guru	2026112	20
	3	Prasath	2026113	20
	4	Shalini	2026114	21
	5	Viji	2026115	20
	6	Hazira	2026116	20

After altering the name for columne from DOB to age :

19 • `select *from register;`

Result Grid | Filter Rows: | Export: | Wrap Cell Contents:

	s_no	stu_name	roll_no	age
▶	1	Chandru	2026111	21
	2	Guru	2026112	20
	3	Prasath	2026113	20
	4	Shalini	2026114	21
	5	Viji	2026115	20
	6	Hazira	2026116	20

Altering table by adding new column :

```

20 • ALTER TABLE register add mark int(50);
21 • select * from register;
22 • SET SQL_SAFE_UPDATES=0;

```

	s_no	stu_name	roll_no	age	mark
▶	1	Chandru	2026111	21	NULL
	2	Guru	2026112	20	NULL
	3	Prasath	2026113	20	NULL
	4	Shalini	2026114	21	NULL
	5	Viji	2026115	20	NULL
	6	Hazira	2026116	20	NULL

Adding single new value to the newly created column by roll number :

```

22 • SET SQL_SAFE_UPDATES=0;
23 • UPDATE register set mark = 490 where roll_no=2026116;
24 • SELECT * FROM register;

```

	s_no	stu_name	roll_no	age	mark
▶	1	Chandru	2026111	21	NULL
	2	Guru	2026112	20	NULL
	3	Prasath	2026113	20	NULL
	4	Shalini	2026114	21	NULL
	5	Viji	2026115	20	NULL
	6	Hazira	2026116	20	490

After adding all values in the table :

```

29 • SELECT * FROM register;

```

	s_no	stu_name	roll_no	age	mark
▶	1	Chandru	2026111	21	390
	2	Guru	2026112	20	438
	3	Prasath	2026113	20	421
	4	Shalini	2026114	21	468
	5	Viji	2026115	20	463
	6	Hazira	2026116	20	490

SELECT :

- WHERE :

30 • `SELECT * FROM register where mark>=450;`

Result Grid					
Filter Rows:					
Export:  Wrap Cell Conte					
	s_no	stu_name	roll_no	age	mark
▶	4	Shalini	2026114	21	468
	5	Viji	2026115	20	463
	6	Hazira	2026116	20	490

33 • `select * from register where age = 20;`

Result Grid					
Filter Rows:					
Export:  Wrap Cell Content:					
	s_no	stu_name	roll_no	age	mark
▶	2	Guru	2026112	20	438
	3	Prasath	2026113	20	421
	5	Viji	2026115	20	463
	6	Hazira	2026116	20	490

- MAX():

31 • `select max(mark) from register;`

Result Grid	
Filter Rows:	
Export:  Wrap Cell Conte	
	max(mark)
▶	490

- MIN():

32 • `select min(mark) from register;`

Result Grid	
Filter Rows:	
Export:  Wrap Cell Con	
	min(mark)
▶	390

- ORDER BY :

34 • `select stu_name,mark from register order by age desc;`

	stu_name	mark
▶	Chandru	390
	Shalini	468
	Guru	438
	Prasath	421
	Viji	463
	Hazira	490

- GROUP BY :

35 • `select stu_name from register group by stu_name;`

	stu_name
▶	Chandru
	Guru
	Prasath
	Shalini
	Viji
	Hazira

- COUNT ():

36 • `select count(stu_name) from register;`

	count(stu_name)
▶	6

Final presentation for table and it's content :

```
select * from register;
```

Result Grid



Filter Rows:

Export:



Wrap Cell Content:

	s_no	stu_name	roll_no	age	mark
▶	1	Chandru	2026111	21	390
	2	Guru	2026112	20	438
	3	Prasath	2026113	20	421
	4	Shalini	2026114	21	468
	5	Viji	2026115	20	463
	6	Hazira	2026116	20	490