	•	
Nam	e	Index No
232/3	` 3	Candidate's Signature
PHY	SICS	
(PRA	ACTICAL)	Date
Pape	er 3	
Oct./	Nov. 2015	
$2\frac{1}{2}$ 1	nours	
THE	KENYA NATIONAL EXAMINATIONS COUNC	IL 02315190
	ya Certificate of Secondary Education	
PHY	•	
	ACTICAL)	
Pape	· · · · · · · · · · · · · · · · · · ·	
$2\frac{1}{2}$ 1		
2		
Instr	ructions to candidates	
(a)	Write your name and index number in the spaces p	rovided above.
(b)	Sign and write the date of examination in the space	
(c)	Answer all the questions in the spaces provided in	
(d)	You are supposed to spend the first 15 minutes of the reading the whole paper carefully before commence	
(e)	Marks are given for a clear record of the observation accuracy and the use made of them.	• •
<i>(f)</i>	Candidates are advised to record their observatio	ns as soon as they are made.
(g)	Non-programmable silent electronic calculators m	•
(h)	This paper consists of 11 printed pages.	
(i)	Candidates should check the question paper to as	certain that all the pages are printed

 (i) Candidates should check the question paper to ascertain that all the pages are printed as indicated and that no questions are missing.

(j) Candidates should answer the questions in English.

For Examiner's Use Only

Question 1	a	d	e	f	g	h	i	j	m	n	0		
Maximum Score	1	1	1	1	1	2	2	2	4	1	4	Total	
Candidate's Score		* .	1										

Question 2	a	b	d	e	f(i)	f(ii)	g
Maximum Scor	e 1	1	7	3	3	3	2
Candidate's Sco	ore						

Total



Grand Total



© 2015 The Kenya National Examinations Council

915030

Turn over

Question one

You are provided with the following:

- a micrometer screw gauge (to be shared)
- a vernier calliper (to be shared)
- glass tube
- a wire labelled M
- some sellotape
- one 50 g mass
- some masses (totalling 40 g)
- a meter rule
- 100 ml beaker
- a stand boss and clamp
- a stop watch
- a source of light
- a screen
- some water
- a measuring cylinder

PART A


Proceed as follows:

(ii)

(a)	Using a micrometer screw gauge, measure and record the diameter of the wire labelled									
		(1 mark								
	d = mm									
	d = m.									
(b)	Using wire M, make a spring as follows:									
	(i) Use some sellotape to fix one end of the wire M (about 2.5 cm) along the	glass tube;								

wind 30 turns as closely and tightly as possible. (see figure 1)

Hold firmly the part of the wire under the tape with one hand. Use the other hand to



(c) Remove the sellotape and release the spring from the tube.

(The spring will slightly unwind and some turns will disappear)

Bend the free ends as shown in figure 2.





Figure 2

(d) Using a vernier callipers, measure and record the external diameter **D** of the spring.

(1 mark)

$$\mathbf{D} = \dots m$$
.

(e) Suspend the spring and a 50 g mass from a retort stand as shown in figure 3.



Kenya Certificate of Secondary Education, 2015 232/3 02315190

	Count and record the number of turns N of the suspended spring.	(1 mark)
	N =	
(f)	Add 40 g to the 50 g mass and record the extension X of the spring due to the 40 g.	(1 mark)
	X = cm	
	X = m	
(g)	Determine c given that	(1 mark)
	$\mathbf{c} = \frac{0.4}{X}$	
(h)	Determine n given that	(2 marks)
	$\mathbf{c} = \frac{\mathbf{nd}^4}{8\mathbf{ND}^3}$	
		••••••
(i)	With the spring still loaded with the 90 g, pull the lower mass slightly downwards and let go so that the mass oscillates vertically. Record the time t for 20 oscillations. Hence determine the period T.	
	t =(s)	(1 mark)
	T =(s)	(1 mark)

(1)	Determine Z given that	
	$T = 2\pi \sqrt{\frac{m}{Z}}$	
	where m is the mass in kg on the spring.	(2 marks)
		••••••
		••••••
		••••••

PART B

Proceed as follows:

(k) Place the 100 ml beaker on a meter rule and pour 80 cm³ of water into it. Arrange a lamp (source of light) and a screen on either side of the beaker. (see figure 4)




Figure 4

- (l) Adjust the position of the lamp on the metre rule so that its centre is a distance **u** = 12 cm from the beaker. Switch on the light. Adjust the position of the screen until a well focused vertical line (the image of filament) is formed on the screen. Measure and record in **table 1** the image distance V between the screen and the beaker.
- (m) Repeat part (l) for other values of **u** shown in **table 1** and complete the table.

Table 1

Distance u (cm)	12	16	20
Distance V (cm)			
$y = \frac{uv}{u + v}$			

(4 marks)

(n) Determine **m**, the mean value of **y** using the values in **table 1**. (1 mark)

 $\mathbf{m} = \dots$

(1)	With the meter rule outside the beaker, measure the height h of the water meniscus above the bench.	(1 mark
	h = cm	
(ii)	Determine the value of P given that	(1 mark
	$\mathbf{P} = \frac{5}{\sqrt{h}}$	
••••••		•••••••
(iii)	Hence determine the value of f given that $f = \frac{P}{2m} + 1$ to one decimal place.	(2 marks)
•••••		•••••
•••••		
•••••		••••••••

Question two

You are provided with the following:

- an ammeter
- a voltmeter
- two cells (size D)
- a cell holder
- a switch
- a wire labelled L mounted on a millimetre scale
- a micrometer screw gauge (to be shared)
- six connecting wires at least four with crocodile clips

D 1		c 1	1
Proceed	28	tω	lows:

(a)	Using a micrometer screw gauge, measure and record the diameter d of	f the wire L .
` '		(1 mark)
	d = mm	
	d = m.	
(b)	Place the two cells in series in the cell holder and use the voltmeter to	measure the total
	electromotive force (emf) \mathbf{E}_{0} of the battery.	(1 mark)
	$\mathbf{E}_{0} = \dots V.$	

(c) Starting with the switch open, connect the circuit as shown in **figure 5**. **P** and **Q** are points on the wire **L** such that **PQ** is 60 cm. (**PQ** should remain 60 cm throughout the experiment) **N** is a point on the wire such that **PN** is 10 cm (0.1 m).




Figure 5

(d)	(i)	Close the switch and record the current I.
-----	-----	--

(1 mark)

I	_																												1	١	
-	_	••	•	• •	٠	• •	• •	٠	۰	•	٠	٠	•	٠	•	٠	٠	٠.	•	٠	٠	٠	•	٠	•	٠	•	٠	r	7	

- (ii) Measure and record in table 2 the potential difference across PN.
- (iii) Measure and record the potential difference across PN for the other values of PN shown in table 2 and complete the table. (The current is expected to remain constant) Hint: The switch should be closed only when reading the voltmeter.


Table 2

Length PN (m)	0.1	0.2	0.3	0.4	0.5	0.6
p.d (V)				-		
Resistance $\left(\frac{\mathbf{V}}{\mathbf{I}}\right) \mathbf{\Omega}$,			

(6 marks)

(e) On the grid provided, plot a graph of resistance (y-axis) against length.

(3 marks)



Kenya Certificate of Secondary Education, 2015 232/3 02315190

915030

(f)	From the graph, determine:					
	(i)	the slope S and its units.		(3 marks)		
	•••••			••••••		
	•••••			•••••		
	•••••			••••••		
	•••••					
	•••••					
	•••••					
	(ii)	the constant k and its units given	that			
		$S = \frac{4k}{\pi d^2}$		(3 marks)		

(g)	Deter	rmine constant t given that				
	$t = \frac{I}{I}$	$\frac{E_0 - V_n}{I}$				
	where	e V_n is the p.d at PN = 0.6 m.		(2 marks)		
	•••••					
	•••••					
	•••••					
	••••••					

THIS IS THE LAST PRINTED PAGE.