

The image shows a Visual Studio Code editor window with a project named 'Hopsital_Project'. The Explorer sidebar on the left shows the file structure: 'HOPSITAL_PROJECT' containing 'hospitalDetails', 'node_modules', 'dbhospitaljs', 'indexjs', 'package-lock.json', and 'package.json'. The 'dbhospitaljs' file is selected and open in the editor. The code in the editor is as follows:

```
1 const mysql = require('mysql');
2
3 var connection = mysql.createConnection({
4   host      : 'localhost',
5   user      : 'root',
6   password  : 'info123',
7 });
8
9
10 connection.connect(function (err){
11   connection.query("create database hospital2", function(err, result, fields){
12     if(err) throw err;
13     console.log(result);
14   });
15 });
16
17 module.exports = connection;
```

Below the editor, the TERMINAL panel is active, showing the command prompt output:

```
Is this OK? (yes)
PS D:\Express_js_practical\Hopsital_Project> node ./dbhospital.js
OkPacket {
  fieldCount: 0,
  affectedRows: 1,
  insertId: 0,
  serverStatus: 2,
  warningCount: 0,
  message: '',
  protocol41: true,
  changedRows: 0
}
```

The image shows the MySQL 8.0 Command Line Client window. It displays the standard MySQL welcome message and instructions. The user has entered the command 'show databases;', and the output is displayed in a table format:

```
mysql> show databases;
+-----+
| Database |
+-----+
| alexa    |
| apponix  |
| cambridge_collage |
| college_management |
| customer_detail  |
| hospital2 |
| information_schema |
| mysql        |
| performance_schema |
| praveen      |
| sakila       |
| shopping2    |
| student_info |
| sys          |
| world       |
+-----+
```

At the bottom of the output, it says '15 rows in set (0.01 sec)'.

```
1 const mysql = require('mysql');
2
3 var connection = mysql.createConnection({
4   host      : 'localhost',
5   user      : 'root',
6   password  : 'info123',
7   database  : 'hospital2',
8 });
9
10
11 connection.connect(function (err){
12   connection.query("create table patient (pid int,pname varchar(25),age int,gender varchar(25))", function(err, result, fields){
13     if(err) throw err;
14     console.log(result);
15   });
16 });
17
18 connection.connect(function (err){
19   connection.query("create table staff (eid int,ename varchar(25),age int,gender varchar(25))", function(err, result, fields){
20     if(err) throw err;
21     console.log(result);
22   });
23 });
24
25
26 connection.connect(function (err){
27   connection.query("create table doctor (did int,dname varchar(25),age int,gender varchar(25))", function(err, result, fields){
28     if(err) throw err;
29     console.log(result);
30   });
31 });
32
33
34
35
```

OUTPUT DEBUG CONSOLE TERMINAL PORTS


```
InsertId: 0,
serverStatus: 2,
warningCount: 0,
message: '',
protocol41: true,
changedRows: 0
```

```
mysql> show tables;
+-----+
| Tables_in_hospital2 |
+-----+
| doctor               |
| patient              |
| staff                |
+-----+
3 rows in set (0.01 sec)

mysql> desc doctor;
+-----+-----+-----+-----+-----+-----+
| Field | Type      | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| did   | int       | YES  |     | NULL    |       |
| dname | varchar(25) | YES  |     | NULL    |       |
| age   | int       | YES  |     | NULL    |       |
| gender | varchar(25) | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
4 rows in set (0.01 sec)

mysql> desc patient;
+-----+-----+-----+-----+-----+-----+
| Field | Type      | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| pid   | int       | YES  |     | NULL    |       |
| pname | varchar(25) | YES  |     | NULL    |       |
| age   | int       | YES  |     | NULL    |       |
| gender | varchar(25) | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
4 rows in set (0.00 sec)

mysql> desc staff;
+-----+-----+-----+-----+-----+-----+
| Field | Type      | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| eid   | int       | YES  |     | NULL    |       |
| ename | varchar(25) | YES  |     | NULL    |       |
| age   | int       | YES  |     | NULL    |       |
| gender | varchar(25) | YES  |     | NULL    |       |
+-----+-----+-----+-----+-----+-----+
```



```
File Edit Selection View Go Run Terminal Help
HOSPITAL_PROJECT

dbhospital.js
1  connection.connect() callback
2  var connection = mysql.createConnection({
3
4  });
5
6  connection.connect(function (err){
7    connection.query("insert into patient values(01,'sahil kumar',25,'m'),(02,'sumit kumar',28,'m'),(03,'ajay kumar',28,'m'),(04,'suhani',27,'f')", function(err, result, fields){
8      if(err) throw err;
9      console.log(result);
10    });
11  });
12
13  connection.connect(function (err){
14    connection.query("insert into staff values(101,'amit',18,'m'),(102,'suketu',19,'m'),(103,'divin',45,'m')", function(err, result, fields){
15      if(err) throw err;
16      console.log(result);
17    });
18  });
19
20  connection.connect(function (err){
21    connection.query("insert into doctor values(202,'dr.patel',45,'m'),(202,'dr.shah',29,'m')", function(err, result, fields){
22      if(err) throw err;
23      console.log(result);
24    });
25  });
26
27
28
29
30
31
32
33
34
35

OUTPUT
changedRows: 0
}
OkPacket {
  fieldCount: 0,
  affectedRows: 2,
  insertId: 0,
  serverStatus: 2,
  warningCount: 0,
  message: 'Records: 2 Duplicates: 0 Warnings: 0',
  protocol41: true,
  changedRows: 0
}
OkPacket {
  fieldCount: 0,
  affectedRows: 4,
  insertId: 0,
  serverStatus: 2,
  warningCount: 0,
  message: 'Records: 4 Duplicates: 0 Warnings: 0',
  protocol41: true,
  changedRows: 0
}
```

```
mysql> select * from doctor;
+----+-----+-----+-----+
| did | dname   | age  | gender |
+----+-----+-----+-----+
| 202 | dr.patel | 45   | m      |
| 202 | dr.shah  | 29   | m      |
+----+-----+-----+-----+
2 rows in set (0.00 sec)

mysql> select * from staff;
+----+-----+-----+-----+
| eid | ename   | age  | gender |
+----+-----+-----+-----+
| 101 | amit    | 18   | m      |
| 102 | suketu  | 19   | m      |
| 103 | divin   | 45   | m      |
+----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql> select * from patient;
+----+-----+-----+-----+
| pid | pname      | age  | gender |
+----+-----+-----+-----+
| 1    | sahil kumar | 25   | m      |
| 2    | sumit kumar | 28   | m      |
| 3    | ajay kumar  | 28   | m      |
| 4    | suhani     | 27   | f      |
+----+-----+-----+-----+
4 rows in set (0.00 sec)

mysql> |
```

FileEditSelectionViewGoRunTerminalHelp←→Hopsital_Project

EXPLORER

HOPSITAL_PROJECT

hospitalDetails

doctor.jspatient.jsstaff.jsnode_modules

dbhospital.jsindex.jspackage-lock.jsonpackage.json

Welcome

dbhospital.js

staff.js

patient.js

```
3  var connection = mysql.createConnection({
9  });
10
11 connection.connect(function (err){
12   connection.query("select * from patient", function(err, result, fields){
13     if(err) throw err;
14     console.log(result);
15   });
16 }
17 );
18
19 connection.connect(function (err){
20
21   connection.query("select * from staff", function(err, result, fields){
22     if(err) throw err;
23     console.log(result);
24   });
25 }
26 );
27
28 connection.connect(function (err){
29
30   connection.query("select * from doctor", function(err, result, fields){
31     if(err) throw err;
32     console.log(result);
33   });
34 }
35 );
```

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
[
  RowDataPacket { eid: 101, ename: 'amit', age: 18, gender: 'm' },
  RowDataPacket { eid: 102, ename: 'suketu', age: 19, gender: 'm' },
  RowDataPacket { eid: 103, ename: 'divin', age: 45, gender: 'm' }
]
[
  RowDataPacket { did: 202, dname: 'dr.patel', age: 45, gender: 'm' },
  RowDataPacket { did: 202, dname: 'dr.shah', age: 29, gender: 'm' }
]
[
  RowDataPacket { pid: 1, pname: 'sahil kumar', age: 25, gender: 'm' },
  RowDataPacket { pid: 2, pname: 'sumit kumar', age: 28, gender: 'm' },
  RowDataPacket { pid: 3, pname: 'ajay kumar', age: 28, gender: 'm' },
  RowDataPacket { pid: 4, pname: 'suhani', age: 27, gender: 'f' }
]
```

Ln 10

FileEditSelectionViewGoRunTerminalHelp←→Hopsital_Project

EXPLORER

HOPSITAL_PROJECT

hospitalDetails

doctor.jspatient.jsstaff.jsnode_modules

dbhospital.jsindex.jspackage-lock.jsonpackage.json

Welcome

dbhospital.js

staff.js

patient.js

```
3  var connection = mysql.createConnection({
9  });
10
11 connection.connect(function (err){
12   connection.query("delete from patient where pid=4", function(err, result, fields){
13     if(err) throw err;
14     console.log(result);
15   });
16 }
17 );
18
19 connection.connect(function (err){
20
21   connection.query("delete from staff where eid=3", function(err, result, fields){
22     if(err) throw err;
23     console.log(result);
24   });
25 }
26 );
27
28 connection.connect(function (err){
29
30   connection.query("delete from doctor where dname='dr.shah'", function(err, result, fields){
31     if(err) throw err;
32     console.log(result);
33   });
34 }
35 );
```

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
warningCount: 0,
message: '',
protocol41: true,
changedRows: 0
}
OkPacket {
  fieldCount: 0,
  affectedRows: 1,
  insertId: 0,
  serverStatus: 34,
  warningCount: 0,
  message: '',
  protocol41: true,
  changedRows: 0
}
```

Ln 10

```
mysql> select * from patient;
+-----+-----+-----+-----+
| pid  | pname      | age  | gender |
+-----+-----+-----+-----+
| 1    | sahil kumar | 25   | m      |
| 2    | sumit kumar | 28   | m      |
| 3    | ajay kumar  | 28   | m      |
+-----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql> select * from doctor;
+-----+-----+-----+-----+
| did  | dname      | age  | gender |
+-----+-----+-----+-----+
| 202  | dr.patel   | 45   | m      |
+-----+-----+-----+-----+
1 row in set (0.00 sec)

mysql> select * from staff;
+-----+-----+-----+-----+
| eid  | ename      | age  | gender |
+-----+-----+-----+-----+
| 101  | amit       | 18   | m      |
| 102  | suketu     | 19   | m      |
| 103  | divin      | 45   | m      |
+-----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql> |
```

```
File Edit Selection View Go Run Terminal Help
Hopsital_Project

EXPLORER
HOPSITAL_PROJECT
  hospitalDetails
    JS doctor.js
    JS patient.js
    JS staff.js
  > node_modules
  JS dbhospital.js
  JS index.js
  {} package-lock.json
  {} package.json

JS dbhospital.js
3  var connection = mysql.createConnection({
9  });
10
11 connection.connect(function (err){
12   connection.query("select * from doctor", function(err, result, fields){
13     if(err) throw err;
14     console.log(result);
15   });
16 }
17
18 connection.connect(function (err){
19
20
21   connection.query("select * from staff", function(err, result, fields){
22     if(err) throw err;
23     console.log(result);
24   });
25 }
26
27 connection.connect(function (err){
28
29
30   connection.query("select * from patient", function(err, result, fields){
31     if(err) throw err;
32     console.log(result);
33   });
34 }
35 });

OUTPUT
protocol41: true,
changedRows: 0
PS D:\Express_js_practical\Hopsital_Project> node ./dbhospital.js
[
  RowDataPacket { eid: 101, ename: 'amit', age: 18, gender: 'm' },
  RowDataPacket { eid: 102, ename: 'suketu', age: 19, gender: 'm' },
  RowDataPacket { eid: 103, ename: 'divin', age: 45, gender: 'm' }
]
[
  RowDataPacket { pid: 1, pname: 'sahil kumar', age: 25, gender: 'm' },
  RowDataPacket { pid: 2, pname: 'sumit kumar', age: 28, gender: 'm' },
  RowDataPacket { pid: 3, pname: 'ajay kumar', age: 28, gender: 'm' }
]
[
  RowDataPacket { did: 202, dname: 'dr.patel', age: 45, gender: 'm' }
]
```

FileEditSelectionViewGoRunTerminalHelp<-->Hopsital_Project

EXPLORER

HOPSITAL_PROJECT

hospitalDetails

doctor.jspatient.jsstaff.js

node_modules

dbhospital.jsindex.js

package-lock.jsonpackage.json

dbhospital.js

connection.connect() callback

11connection.connect(function (err){
12 connection.query("select pname, age, gender from patient", function(err, result, fields){
13 if(err) throw err;
14 console.log(result);
15 });
16}
17});
18
19connection.connect(function (err){
20
21 connection.query("select dname, age from doctor", function(err, result, fields){
22 if(err) throw err;
23 console.log(result);
24 });
25}
26});
27
28connection.connect(function (err){
29
30 connection.query("select ename, gender from staff", function(err, result, fields){
31 if(err) throw err;
32 console.log(result);
33 });
34}
35});
36
37
38module.exports = connection;

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

PS D:\Express_js_practical\Hopsital_Project> node ./dbhospital.js
[RowDataPacket { dname: 'dr.patel', age: 45 }]
[
 RowDataPacket { ename: 'amit', gender: 'm' },
 RowDataPacket { ename: 'suketu', gender: 'm' },
 RowDataPacket { ename: 'divin', gender: 'm' }
]
[
 RowDataPacket { pname: 'sahil kumar', age: 25, gender: 'm' },
 RowDataPacket { pname: 'sumit kumar', age: 28, gender: 'm' },
 RowDataPacket { pname: 'ajay kumar', age: 28, gender: 'm' }
]
]

00BLACKBOX ChatAdd LogsCyberCoderImprove CodeShare Code LinkLn 30, Col 54 Spa