# JavaScript Quiz: Operators, Conditionals & Loops

30 questions · Choose the correct option · Name: _____

**1. What is the result of "true || false"?**

a) true
b) false
c) null
d) undefined

**2. What is the result of "!(true && false)"?**

a) false
b) true
c) null
d) undefined

**3. What is the value of result?**

```
let x = 7;
let result = (x % 2 === 0) ? "even" : "odd";
```

a) "even"
b) 7
c) "odd"
d) 1

**4. What is the value of x?**

```
let x = 10 + 5 * 2;
```

a) 30
b) 15
c) 25
d) 20

**5. Which expression returns true?**

a) "5" === 5
b) "5" == 5
c) 5 !== 5
d) None of the above

**6. What is the value of x?**

```
let x = 10;
x -= 4;
```

a) 14
b) 6
c) 4
d) 10

**7. What is the value of y?**

```
let x = 5;
let y = ++x;
```

a) 5
b) 4
c) 6
d) undefined

**8. What is the value of x?**

```
let x = 3;
x *= 2 + 1;
```

a) 7
b) 3
c) 6
d) 9

**9. What is the value of 17 % 5?**

a) 2
b) 3
c) 3.4
d) 5

**10. What does typeof (5 > 3) return?**

a) "number"
b) "boolean"
c) "string"
d) "true"

**11. What is the result of null == undefined?**

a) null
b) false
c) true
d) Error

**12. What is logged to the console?**

```
let hour = 14;
if (hour >= 6 && hour < 12) {
  console.log('Good morning');
} else if (hour >= 12 && hour < 18) {
  console.log('Good afternoon');
} else {
  console.log('Good evening');
}
```

a) Good morning
b) Nothing
c) Good evening
d) Good afternoon

**13. Using the same code as question 12, what is logged if hour = 18?**

a) Good evening
b) Good afternoon
c) Good morning
d) Nothing

**14. What is logged to the console?**

```
let role = 'admin';
switch (role) {
  case 'guest':
    console.log('Guest User');
    break;
  case 'moderator':
    console.log('Moderator User');
    break;
  default:
    console.log('Unknown User');
}
```

a) Guest User
b) Unknown User
c) Moderator User
d) Nothing

**15. What is logged if break is removed from the 'guest' case?**

```
let role = 'guest';
switch (role) {
  case 'guest':
    console.log('Guest User');
  case 'moderator':
    console.log('Moderator User');
    break;
}
```

a) Guest User
b) Moderator User
c) Guest User, then Moderator User
d) Nothing

**16. In a switch statement, which block runs when no case matches?**

a) else
b) finally
c) break
d) default

**17. How many times is 'Hi' logged?**

```
for (let i = 0; i < 5; i++) {
  console.log('Hi');
}
```

a) 5
b) 4
c) 6
d) Infinite

**18. What is the value of sum?**

```
let sum = 0;
for (let i = 1; i <= 4; i++) {
  sum += i;
}
```

a) 4
b) 10
c) 6
d) 15

**19. What numbers are logged?**

```
for (let i = 0; i < 5; i++) {
  if (i % 2 !== 0) console.log(i);
}
```

a) 0, 2, 4
b) 1, 3, 5
c) 1, 3
d) 0, 1, 2, 3, 4

**20. What is the value of i after the loop?**

```
let i = 0;
while (i < 3) {
  i++;
}
```

a) 2
b) 0
c) 4
d) 3

**21. How many times does console.log run?**

```
let i = 9;
do {
  console.log(i);
  i++;
} while (i <= 5);
```

a) 1
b) 0
c) 5
d) Infinite

**22. Which loop always executes at least once?**

a) for
b) do...while
c) while
d) for...of

**23. Why is this an infinite loop?**

```
let i = 0;
while (i <= 5) {
  console.log(i);
}
```

a) The condition is wrong
b) while can't use <=
c) i is never incremented
d) console.log stops loops

**24. What does this loop log?**

```
const person = { name: 'Napoleon', age: 30 };
for (let key in person)
  console.log(key);
```

a) Napoleon, 30
b) undefined
c) 0, 1
d) name, age

**25. Using the same object, how do you log each value inside the for...in loop?**

a) person[key]
b) person.key
c) key.person
d) person(key)

**26. What does this loop log?**

```
const colors = ['red', 'green', 'blue'];
for (let index in colors)
  console.log(index);
```

a) red, green, blue
b) 0, 1, 2
c) 1, 2, 3
d) undefined

**27. What does this loop log?**

```
const colors = ['red', 'green', 'blue'];
for (let color of colors)
  console.log(color);
```

a) 0, 1, 2
b) colors
c) red, green, blue
d) undefined

**28. What is the last number logged?**

```
let a = 0;
while (a < 10) {
  if (a === 5) break;
  console.log(a);
  a++;
}
```

a) 10
b) 5
c) 9
d) 4

**29. What numbers are logged?**

```
for (let i = 0; i < 5; i++) {
  if (i === 2) continue;
  console.log(i);
}
```

a) 0, 1, 3, 4
b) 0, 1
c) 0, 1, 2, 3, 4
d) 3, 4

**30. What is the value of count?**

```
const nums = [3, 8, 5, 10];
let count = 0;
for (let n of nums) {
  if (n > 4) count++;
}
```

a) 2
b) 3
c) 4
d) 1